

## 2012 Michigan Plumbing Code

First Printing: September 2013

ISBN: 978-1-60983-210-0

COPYRIGHT © 2013  
by  
INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2012 *Michigan Plumbing Code* contains substantial copyrighted material from the 2012 *International Plumbing Code*, Third printing, which is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed, or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 West Flossmoor Road, Country Club Hills, IL 60478. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: "International Code Council," the "International Code Council" logo and the "International Plumbing Code" are trademarks of the International Code Council, Inc.

# PREFACE

## Introduction

Internationally, code officials recognize the need for a modern, up-to-date plumbing code addressing the design and installation of plumbing systems through requirements emphasizing performance. The *International Plumbing Code*®, in this 2012 edition, is designed to meet these needs through model code regulations that safeguard the public health and safety in all communities, large and small.

This comprehensive plumbing code establishes minimum regulations for plumbing systems using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new plumbing designs. This 2012 edition is fully compatible with all of the *International Codes*® (I-Codes®) published by the International Code Council (ICC)®, including the *International Building Code*®, *International Energy Conservation Code*®, *International Existing Building Code*®, *International Fire Code*®, *International Fuel Gas Code*®, *International Green Construction Code™* (to be available March 2012), *International Mechanical Code*®, *ICC Performance Code*®, *International Private Sewage Disposal Code*®, *International Property Maintenance Code*®, *International Residential Code*®, *International Swimming Pool and Spa Code™* (to be available March 2012), *International Wildland-Urban Interface Code*® and *International Zoning Code*®.

The *International Plumbing Code* provisions provide many benefits, among which is the model code development process that offers an international forum for plumbing professionals to discuss performance and prescriptive code requirements. This forum provides an excellent arena to debate proposed revisions. This model code also encourages international consistency in the application of provisions.

## Development

The first edition of the *International Plumbing Code* (1995) was the culmination of an effort initiated in 1994 by a development committee appointed by the ICC and consisting of representatives of the three statutory members of the International Code Council at that time, including: Building Officials and Code Administrators International, Inc. (BOCA), International Conference of Building Officials (ICBO) and Southern Building Code Congress International (SBCCI). The intent was to draft a comprehensive set of regulations for plumbing systems consistent with and inclusive of the scope of the existing model codes. Technical content of the latest model codes promulgated by BOCA, ICBO and SBCCI was utilized as the basis for the development. This 2012 edition presents the code as originally issued, with changes as reflected in the subsequent editions through 2009 and with changes approved through the ICC Code Development Process through 2010. A new edition such as this is promulgated every three years.

This code is founded on principles intended to establish provisions consistent with the scope of a plumbing code that adequately protects public health, safety and welfare; provisions that do not unnecessarily increase construction costs; provisions that do not restrict the use of new materials, products or methods of construction; and provisions that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

## Adoption

The *International Plumbing Code* is available for adoption and use by jurisdictions internationally. Its use within a governmental jurisdiction is intended to be accomplished through adoption by reference in accordance with proceedings establishing the jurisdiction's laws. At the time of adoption, jurisdictions should insert the appropriate information in provisions requiring specific local information, such as the name of the adopting jurisdiction. These locations are shown in bracketed words in small capital letters in the code and in the sample ordinance. The sample adoption ordinance on page xi addresses several key elements of a code adoption ordinance, including the information required for insertion into the code text.

## Maintenance

The *International Plumbing Code* is kept up to date through the review of proposed changes submitted by code enforcing officials, industry representatives, design professionals and other interested parties. Proposed changes are carefully considered through an open code development process in which all interested and affected parties may participate.

The contents of this work are subject to change both through the Code Development Cycles and the governmental body that enacts the code into law. For more information regarding the code development process, contact the Codes and Standards Development Department of the International Code Council.

While the development procedure of the *International Plumbing Code* ensures the highest degree of care, ICC and ICC's members and those participating in the development of this code do not accept any liability resulting from compliance or noncompliance with the provisions, since ICC and its members do not have the power or authority to police or enforce compliance with the contents of this code. Only the governmental body that enacts the code into law has such authority.

## Code Development Committee Responsibilities (Letter Designations in Front of Section Numbers)

In each code development cycle, proposed changes to the code are considered at the Code Development Hearings by the International Plumbing Code Development Committee, whose action constitutes a recommendation to the voting membership for final action on the proposed change. Proposed changes to a code section that has a number beginning with a letter in brackets are considered by a different code development committee. For example, proposed changes to code sections that have [B] in front of them (e.g. [B] 309.2) are considered by the appropriate International Building Code Development Committee (IBC-General) at the code development hearings.

The content of sections in this code that begin with a letter designation is maintained by another code development committee in accordance with the following:

- [A] = Administrative Code Development Committee;
- [B] = International Building Code Development Committee (IBC—Fire Safety, General, Means of Egress or Structural);
- [E] = International Energy Conservation Code Development Committee;
- [F] = International Fire Code Development Committee; and
- [M] = International Mechanical Code Development Committee.

Note that, for the development of the 2015 edition of the I-Codes, there will be two groups of code development committees and they will meet in separate years. The groupings are as follows:

<b>Group A Codes (Heard in 2012, Code Change Proposals Deadline: January 3, 2012)</b>	<b>Group B Codes (Heard in 2013, Code Change Proposals Deadline: January 3, 2013)</b>
International Building Code	Administrative Provisions (Chapter 1 all codes except IRC and ICC PC, administrative updates to currently referenced standards, and designated definitions)
International Fuel Gas Code	International Energy Conservation Code
International Mechanical Code	International Existing Building Code
International Plumbing Code	International Fire Code
International Private Sewage Disposal Code	International Green Construction Code
	ICC Performance Code
	International Property Maintenance Code
	International Residential Code
	International Swimming Pool and Spa Code
	International Wildland-Urban Interface Code
	International Zoning Code

Code change proposals submitted for code sections that have a letter designation in front of them will be heard by the respective committee responsible for such code sections. Because different committees will meet in different years, it is possible that some proposals for this code will be heard by a committee in a different year than the year in which the primary committee for this code meets.

For example, every section of Chapter 1 of this code is designated as the responsibility of the Administrative Code Development Committee, and that committee is part of the Group B portion of the hearings. This committee will conduct its code development hearings in 2013 to consider all code change proposals for Chapter 1 of this code and proposals for Chapter 1 of all I-Codes except the *International Residential Code* and the *ICC Performance Code*. Therefore, any proposals received for Chapter 1 of this code will be deferred for consideration in 2013 by the Administrative Code Development Committee.

Another example is Section 607.5 of this code which is designated as the responsibility of the International Energy Conservation Code Development Committee. This committee will conduct its code development hearings in 2013 to consider code change proposals in its purview, which includes any proposals to Section 607.5.

In some cases, another committee in Group A will be responsible for a section of this code. For example, Section 314.2 has a [M] in front of the numbered section, indicating that this section of the code is the responsibility of the International Mechanical Code Development Committee. The International Mechanical Code is in Group A; therefore, any code change proposals to this section will be due before the Group A deadline of January 3, 2012, and these code change proposals will be assigned to the International Mechanical Code Development Committee for consideration.

It is very important that anyone submitting code change proposals understand which code development committee is responsible for the section of the code that is the subject of the code change proposal. For further information on the code development committee responsibilities, please visit the ICC web site at [www.iccsafe.org/scoping](http://www.iccsafe.org/scoping).

## Marginal Markings

Solid vertical lines in the margins within the body of the code indicate a technical change from the requirements of the 2009 edition. Deletion indicators in the form of an arrow (➡) are provided in the margin where an entire section, paragraph, exception or table has been deleted or an item in a list of items or a table has been deleted. Double vertical lines in the margin denote amendments and additions promulgated by the State of Michigan Department of Licensing and Regulatory Affairs, modifying the 2009 *International Plumbing Code*. An asterisk in the margin identifies sections of the 2012 *International Plumbing Code* not adopted by the State of Michigan.

A single bullet [•] placed in the margin indicates that text or a table has been relocated within the code. A double bullet [••] placed in the margin indicates that the text or table immediately following it has been relocated there from elsewhere in the code. The following table indicates such relocations in the 2012 *International Plumbing Code*.

2012 LOCATION	2009 LOCATION
316.1 through 316.1.6	105.4 through 105.4.6
315.1	305.4
405.3.3, 405.3.4, 405.3.5	310.2, 310.4, 310.5
904	903
903	904
909	906
910	907
911	908
912	909
913	910
914	911
915	912
916	913
908	914
907	915
906	916

## Italicized Terms

Selected terms set forth in Chapter 2, Definitions, are italicized where they appear in code text. Such terms are not italicized where the definition set forth in Chapter 2 does not impart the intended meaning in the use of the term. The terms selected have definitions which the user should read carefully to facilitate better understanding of the code.

# **Effective Use of the International Plumbing Code**

The *International Plumbing Code* (IPC) is a model code that regulates the design and installation of plumbing systems including the plumbing fixtures in all types of buildings except for detached one- and two-family dwellings and townhouses that are not more than three stories above grade in height. The regulations for plumbing systems in one- and two-family dwellings and townhouses are covered by Chapters 25 through 33 of the *International Residential Code* (IRC). The IPC addresses general plumbing regulations, fixture requirements, water heater installations and systems for water distribution, sanitary drainage, special wastes, venting, storm drainage and medical gases. The IPC does not address fuel gas piping systems as those systems are covered by the *International Fuel Gas Code* (IFGC). The IPC also does not regulate swimming pool piping systems, process piping systems, or utility-owned piping and systems. The purpose of the IPC is to establish the minimum acceptable level of safety to protect life and property from the potential dangers associated with supplying potable water to plumbing fixtures and outlets and the conveyance of bacteria-laden waste water from fixtures.

The IPC is primarily a specification-oriented (prescriptive) code with some performance-oriented text. For example, Section 405.1 is a performance statement but Chapter 6 contains the prescriptive requirements that will cause Section 405.1 to be satisfied.

Where a building contains plumbing fixtures, those fixtures requiring water must be provided with an adequate supply of water for proper operation. The number of required plumbing fixtures for a building is specified by this code and is based upon the anticipated maximum number of occupants for the building and the type of building occupancy. This code provides prescriptive criteria for sizing piping systems connected to those fixtures. Through the use of code-approved materials and the installation requirements specified in this code, plumbing systems will perform their intended function over the life of the building. In summary, the IPC sets forth the minimum requirements for providing safe water to a building as well as a safe manner in which liquid-borne wastes are carried away from a building.

## **Arrangement and Format of the 2012 IPC**

The format of the IPC allows each chapter to be devoted to a particular subject with the exception of Chapter 3 which contains general subject matters that are not extensive enough to warrant their own independent chapter. The IPC is divided into thirteen different parts:

<b>Chapters</b>	<b>Subjects</b>
1-2	Administration and Definitions
3	General Regulations
4	Fixtures, Faucets and Fixture Fittings
5	Water Heaters
6	Water Supply and Distribution
7	Sanitary Drainage
8	Indirect/Special Wastes
9	Vents
10	Traps, Interceptors and Separators
11	Storm Drainage
12	Special Piping (Medical Gas)
13	Gray Water Recycling Systems
14	Referenced Standards
Appendices A-G	Appendices

The following is a chapter-by-chapter synopsis of the scope and intent of the provisions of the *International Plumbing Code*:

**Chapter 1 Scope and Administration.** This chapter contains provisions for the application, enforcement and administration of subsequent requirements of the code. In addition to establishing the scope of the code, Chapter 1 identifies which buildings and structures come under its purview. Chapter 1 is largely concerned with maintaining “due process of law” in enforcing the requirements contained in the body of this code. Only through careful observation of the administrative provisions can the building official reasonably expect to demonstrate that “equal protection under the law” has been provided.

**Chapter 2 Definitions.** Chapter 2 is the repository of the definitions of terms used in the body of the code. Codes are technical documents and every word, term and punctuation mark can impact the meaning of the code text and the intended results. The code often uses terms that have a unique meaning in the code and the code meaning can differ substantially from the ordinarily understood meaning of the term as used outside of the code.

The terms defined in Chapter 2 are deemed to be of prime importance in establishing the meaning and intent of the code text that uses the terms. The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct interpretation of the code and because the user may not be aware that a term is defined.

Where understanding of a term’s definition is especially key to or necessary for understanding of a particular code provision, the term is shown in *italics* wherever it appears in the code. This is true only for those terms that have a meaning that is unique to the code. In other words, the generally understood meaning of a term or phrase might not be sufficient or consistent with the meaning prescribed by the code; therefore, it is essential that the code-defined meaning be known.

Guidance regarding tense, gender and plurality of defined terms as well as guidance regarding terms not defined in this code is provided.

**Chapter 3 General Regulations.** The content of Chapter 3 is often referred to as “miscellaneous,” rather than general regulations. This is the only chapter in the code whose requirements do not interrelate. If a requirement cannot be located in another chapter, it should be located in this chapter. Chapter 3 contains safety requirements for the installation of plumbing and nonplumbing requirements for all types of fixtures. This chapter also has requirements for the identification of pipe, pipe fittings, traps, fixtures, materials and devices used in plumbing systems.

The safety requirements of this chapter provide protection for the building’s structural members, as well as prevent undue stress and strain on pipes. The building’s structural stability is protected by the regulations for cutting and notching of structural members. Additional protection for the building occupants includes requirements to maintain the plumbing in a safe and sanitary condition, as well as privacy for those occupants.

**Chapter 4 Fixtures, Faucets and Fixture Fittings.** This chapter regulates the minimum number of plumbing fixtures that must be provided for every type of building. This chapter also regulates the quality of fixtures and faucets by requiring those items to comply with nationally recognized standards. Because fixtures must be properly installed so that they are usable by the occupants of the building, this chapter contains the requirements for the installation of fixtures. Because the requirements for the number of plumbing fixtures affects the design of a building, Chapter 29 of the *International Building Code* (IBC) includes, verbatim, many of the requirements listed in Chapter 4 of this code.

**Chapter 5 Water Heaters.** Chapter 5 regulates the design, approval and installation of water heaters and related safety devices. The intent is to minimize the hazards associated with the installation and operation of water heaters. Although this code does not regulate the size of a water heater, it does regulate all other aspects of the water heater installation such as temperature and pressure relief valves, safety drip pans, installation and connections. Where a water heater also supplies water for space heating, this chapter regulates the maximum water temperature supplied to the water distribution system.

**Chapter 6 Water Supply and Distribution.** This chapter regulates the supply of potable water from both public and individual sources to every fixture and outlet so that it remains potable and uncontaminated. Chapter 6 also regulates the design of the water distribution system, which will allow fixtures to function properly and also help prevent backflow conditions. The unique requirements of the water supply for health care facilities are addressed separately. It is critical that the potable water supply system remain free of actual or potential sanitary hazards by providing protection against backflow.

**Chapter 7 Sanitary Drainage.** The purpose of Chapter 7 is to regulate the materials, design and installation of sanitary drainage piping systems as well as the connections made to the system. The intent is to design and install sanitary drainage systems that will function reliably, that are neither undersized nor oversized and that are constructed from materials, fittings and connections as prescribed herein. This chapter addresses the proper use of fittings for directing the flow into and within the sanitary drain piping system. Materials and provisions necessary for servicing the drainage system are also included in this chapter.

**Chapter 8 Indirect/Special Waste.** This chapter regulates drainage installations that require an indirect connection to the sanitary drainage system. Fixtures and plumbing appliances, such as those associated with food preparation or handling, health care facilities and potable liquids, must be protected from contamination that can result from connection to the drainage system. An indirect connection prevents sewage from backing up into a fixture or appliance, thus providing protection against potential health hazards. The chapter also regulates special wastes containing hazardous chemicals. Special waste must be treated to prevent any damage to the sanitary drainage piping and to protect the sewage treatment processes.

**Chapter 9 Vents.** Chapter 9 covers the requirements for vents and venting. Knowing why venting is required makes it easier to understand the intent of this chapter. Venting protects every trap against the loss of its seal. Provisions set forth in this chapter are geared toward limiting the pressure differentials in the drainage system to a maximum of 1 inch of water column (249 Pa) above or below atmospheric pressure (i.e., positive or negative pressures).

**Chapter 10 Traps, Interceptors and Separators.** This chapter contains design requirements and installation limitations for traps. Prohibited types of traps are specifically identified. Where fixtures do not frequently replenish the water in traps, a method is provided to ensure that the water seal of the trap will be maintained. Requirements for the design and location of various types of interceptors and separators are provided. Specific venting requirements are given for separators and interceptors as those requirements are not addressed in Chapter 9.

**Chapter 11 Storm Drainage.** Chapter 11 regulates the removal of storm water typically associated with rainfall. The proper installation of a storm drainage system reduces the possibility of structural collapse of a flat roof, prevents the leakage of water through the roof, prevents damage to the footings and foundation of the building and prevents flooding of the lower levels of the building.

**Chapter 12 Special Piping and Storage Systems.** This chapter contains the requirements for the design, installation, storage, handling and use of nonflammable medical gas systems, including inhalation anesthetic and vacuum piping systems, bulk oxygen storage systems and oxygen-fuel gas systems used for welding and cutting operations. The intent of these requirements is to minimize the potential fire and explosion hazards associated with the gases used in these systems.

**Chapter 14 Referenced Standards.** The code contains numerous references to standards that are used to regulate materials and methods of construction. Chapter 14 contains a comprehensive list of all standards that are referenced in the code. The standards are part of the code to the extent of the reference to the standard. Compliance with the referenced standard is necessary for compliance with this code. By providing specifically adopted standards, the construction and installation requirements necessary for compliance with the code can be readily determined. The basis for code compliance is, therefore, established and available on an equal basis to the code official, contractor, designer and owner.

Chapter 14 is organized in a manner that makes it easy to locate specific standards. It lists all of the referenced standards, alphabetically, by acronym of the promulgating agency of the standard. Each agency's standards are then listed in either alphabetical or numeric order based upon the stan-

dard identification. The list also contains the title of the standard; the edition (date) of the standard referenced; any addenda included as part of the ICC adoption; and the section or sections of this code that reference the standard.

**Appendix A Plumbing Permit Fee Schedule.** Appendix A provides a format for a fee schedule.

**Appendix B Rates of Rainfall for Various Cities.** Appendix B provides specific rainfall rates for major cities in the United States.

**Appendix C Vacuum Drainage System.** Appendix C offers basic information on how a vacuum drainage system relates to the code, should a vacuum drainage system be used for a building.

**Appendix D Degree Day and Design Temperatures.** This appendix provides valuable temperature information for designers and installers of plumbing systems in areas where freezing temperatures might exist.

**Appendix E Sizing of Water Piping System.** Appendix E provides two recognized methods for sizing the water service and water distribution piping for any structure. The method under Section E103 provides friction loss diagrams which require the user to "plot" points and read values from the diagrams in order to perform the required calculations and necessary checks. This method is the most accurate of the two presented in this appendix. The method under Section E201 is known to be conservative; however, very few calculations are necessary in order to determine a pipe size that satisfies the flow requirements of any application.

**Appendix F Structural Safety.** Appendix F is provided so that the user does not have to refer to another code book for limitations for cutting, notching and boring of sawn lumber and cold-formed steel framing.

**Appendix G Gray Water Recycling Systems.** This chapter regulates the design and installation of gray water collection and disposal systems. The reduction of the use of potable water in buildings has led to the use of gray water for flushing of water closets and urinals and subsurface irrigation. As such, this chapter provides the overall requirements for these systems.

# TABLE OF CONTENTS

<b>CHAPTER 1 SCOPE AND ADMINISTRATION . . . . . 1</b>	<b>CHAPTER 4 FIXTURES, FAUCETS AND FIXTURE FITTINGS . . . . . 25</b>
<b>PART 1—SCOPE AND APPLICATION. . . . . 1</b>	
Section	Section
101 General . . . . . 1	401 General . . . . . 25
102 Applicability . . . . . 1	402 Fixture Materials . . . . . 25
<b>PART 2—ADMINISTRATION AND ENFORCEMENT . . . . . 2</b>	
Section	
103 Department of Plumbing Inspection . . . . . 2	403 Minimum Plumbing Facilities . . . . . 25
104 Duties and Powers of the Code Official . . . . . 2	404 Accessible Plumbing Facilities . . . . . 29
105 Approval . . . . . 2	405 Installation of Fixtures . . . . . 30
106 Permits . . . . . 3	406 Automatic Clothes Washers . . . . . 31
107 Inspections and Testing . . . . . 5	407 Bathtubs . . . . . 31
108 Violations . . . . . 6	408 Bidets . . . . . 31
109 Means of Appeal . . . . . 7	409 Dishwashing Machines . . . . . 31
110 Temporary Equipment, Systems and Uses . . . . . 7	410 Drinking Fountains . . . . . 31
<b>CHAPTER 2 DEFINITIONS . . . . . 9</b>	411 Emergency Showers and Eyewash Stations . . . . . 32
Section	412 Floor and Trench Drains . . . . . 32
201 General . . . . . 9	413 Food Waste Grinder Units . . . . . 32
202 General Definitions . . . . . 9	414 Garbage Can Washers . . . . . 32
<b>CHAPTER 3 GENERAL REGULATIONS . . . . . 17</b>	415 Laundry Trays . . . . . 32
Section	416 Lavatories . . . . . 32
301 General . . . . . 17	417 Showers . . . . . 33
302 Exclusion of Materials Detimental to the Sewer System . . . . . 17	418 Sinks . . . . . 34
303 Materials . . . . . 17	419 Urinals . . . . . 34
304 Rodentproofing . . . . . 18	420 Water Closets . . . . . 34
305 Protection of Pipes and Plumbing System Components . . . . . 18	421 Whirlpool Bathtubs . . . . . 34
306 Trenching, Excavation and Backfill . . . . . 18	422 Health Care Fixtures and Equipment . . . . . 34
307 Structural Safety . . . . . 19	423 Specialty Plumbing Fixtures . . . . . 35
308 Piping Support . . . . . 19	424 Faucets and Other Fixture Fittings . . . . . 35
309 Flood Hazard Resistance . . . . . 20	425 Flushing Devices for Water Closets and Urinals . . . . . 36
310 Washroom and Toilet Room Requirements . . . . . 20	426 Manual Food and Beverage Dispensing Equipment . . . . . 36
311 Toilet Facilities for Workers . . . . . 20	427 Floor Sinks . . . . . 36
312 Tests and Inspections . . . . . 21	
313 Equipment Efficiencies . . . . . 21	
314 Condensate Disposal . . . . . 22	
315 Penetrations . . . . . 23	
316 Alternative Engineered Design . . . . . 23	
<b>CHAPTER 5 WATER HEATERS . . . . . 37</b>	
Section	
501 General . . . . . 37	
502 Installation . . . . . 37	
503 Connections . . . . . 37	
504 Safety Devices . . . . . 38	
505 Insulation . . . . . 38	

## TABLE OF CONTENTS

<b>CHAPTER 6 WATER SUPPLY AND DISTRIBUTION .....</b>	<b>39</b>	<b>CHAPTER 9 VENTS .....</b>	<b>69</b>		
Section					
601 General .....	39	901 General .....	69		
602 Water Required.....	39	902 Materials.....	69		
603 Water Service.....	39	903 Vent Terminals.....	69		
604 Design of Building Water Distribution System.....	39	904 Outdoor Vent Extensions.....	69		
605 Materials, Joints and Connections .....	41	905 Vent Connections and Grades .....	70		
606 Installation of the Building Water Distribution System .....	46	906 Vent Pipe Sizing .....	70		
607 Hot Water Supply System .....	47	907 Vents for Stack Offsets .....	72		
608 Protection of Potable Water Supply .....	48	908 Relief Vents—Stacks of More than 10 Branch Intervals .....	72		
609 Health Care Plumbing .....	52	909 Fixture Vents .....	72		
610 Disinfection of Potable Water System .....	53	910 Individual Vent .....	73		
611 Drinking Water Treatment Units .....	53	911 Common Vent .....	73		
612 Solar Systems .....	53	912 Wet Venting.....	73		
613 Temperature Control Devices and Valves .....	53	913 Waste Stack Vent.....	73		
<b>CHAPTER 7 SANITARY DRAINAGE .....</b>	<b>55</b>	914 Circuit Venting.....	74		
Section					
701 General .....	55	915 Combination Waste and Vent System .....	74		
702 Materials.....	55	916 Island Fixture Venting .....	75		
703 Building Sewer.....	57	917 Single Stack Vent System .....	75		
704 Drainage Piping Installation.....	57	918 Air Admittance Valves.....	76		
705 Joints.....	57	919 Engineered Vent Systems .....	76		
706 Connections Between Drainage Piping and Fittings.....	60	920 Computerized Vent Design .....	77		
707 Prohibited Joints and Connections .....	61	<b>CHAPTER 10 TRAPS, INTERCEPTORS AND SEPARATORS.....</b>	<b>79</b>		
708 Cleanouts .....	61	Section			
709 Fixture Units.....	62	1001 General .....	79		
710 Drainage System Sizing .....	63	1002 Trap Requirements.....	79		
711 Offsets in Drainage Piping in Buildings of Five Stories or More .....	63	1003 Interceptors and Separators .....	80		
712 Sumps and Ejectors .....	64	1004 Materials, Joints and Connections .....	81		
713 Health Care Plumbing .....	65	<b>CHAPTER 11 STORM DRAINAGE .....</b>	<b>83</b>		
714 Computerized Drainage Design .....	66	Section			
715 Backwater Valves.....	66	1101 General .....	83		
<b>CHAPTER 8 INDIRECT/SPECIAL WASTE .....</b>	<b>67</b>	1102 Materials.....	83		
Section					
801 General .....	67	1103 Traps .....	84		
802 Indirect Wastes.....	67	1104 Conductors and Connections .....	84		
803 Special Wastes .....	68	1105 Roof Drains .....	84		
804 Materials, Joints and Connections .....	68	1106 Size of Conductors, Leaders and Storm Drains .....	84		
		1107 Siphonic Roof Drainage Systems .....	91		
		1108 Secondary (Emergency) Roof Drains .....	91		
		1109 Combined Sanitary and Storm System .....	91		
		1110 Values for Continuous Flow .....	91		

1111	Controlled Flow Roof Drain Systems .....	91
1112	Subsoil Drains .....	91
1113	Building Subdrains.....	91
1114	Sumps and Pumping Systems.....	92

**CHAPTER 12 SPECIAL PIPING AND  
STORAGE SYSTEMS ..... 93**

Section

1201	General .....	93
1202	Medical Gases .....	93
1203	Oxygen Systems.....	93

**CHAPTER 14 REFERENCED STANDARDS..... 97**

**APPENDIX B RATES OF RAINFALL  
FOR VARIOUS CITIES..... 107**

**APPENDIX C VACUUM  
DRAINAGE SYSTEM ..... 109**

Section

C101	Vacuum Drainage System .....	109
------	------------------------------	-----

**APPENDIX D DEGREE DAY AND DESIGN  
TEMPERATURES ..... 111**

**APPENDIX E SIZING OF WATER  
PIPEING SYSTEM ..... 117**

Section

E101	General .....	117
E102	Information Required.....	117
E103	Selection of Pipe Size.....	117
E201	Selection of Pipe Size.....	134
E202	Determination of Pipe Volumes.....	134

**APPENDIX F STRUCTURAL SAFETY ..... 139**

Section

F101	Cutting, Notching and Boring in Wood Members .....	139
------	---	-----

**APPENDIX G GRAY WATER  
RECYCLING SYSTEMS ..... 141**

Section

G101	General .....	141
G102	Systems for Flushing Water Closets and Urinals .....	142
G103	Subsurface Landscape Irrigation Systems .....	142

**INDEX ..... 145**