
2015 Home Builders' Jobsite Codes:

A Quick Guide to the 2015 International Residential Code

Stephen A. Van Note



NAHB BuilderBooks



**2015 Home Builders' Jobsite Codes:
A Quick Guide to the 2015 International Residential Code**

BuilderBooks, a Service of the National Association of Home Builders

Elizabeth M. Rich	Acquisitions & Managing Editor
Circle Graphics	Cover Design
Electronic Quill Publishing Services	Composition
The P.A. Hutchison Company	Printing
Gerald M. Howard	NAHB Chief Executive Officer
Lakisha A. Woods, CAE	NAHB Senior Vice President & Chief Marketing Officer
Mark A. Johnson	ICC Executive Vice President, Business Development
Suzane Olmos	ICC Director of Products and Special Sales
Steve Van Note, CBO	ICC Managing Director, Product Development
Hamid Naderi, P.E., CBO	ICC Senior Vice President, Product Development

Disclaimer

This publication is provided for information purposes only. It is not intended to serve as a substitute for the *2015 International Residential Code*, as a basis for complying with it, or as an alternative to any state or local building code or ordinance. It is not offered for the purpose of providing professional advice, either from a legal, accounting, or other professional service standpoint. It is recommended that you consult with an experienced professional in the interpretation and/or application of the information so provided. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favored status by the National Association of Home Builders. The views and opinions of the author expressed in this publication do not necessarily state or reflect those of the National Association of Home Builders, and they shall not be used to advertise or endorse a product.

©2016 by NAHB. All rights reserved. This *Residential Construction Performance Guidelines 5th Edition* is a copyrighted work owned by the National Association of Home Builders of the United States ("NAHB"). Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed, or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: BuilderBooks, 1201 15th Street NW, Washington, DC 20005-2800. Phone (800) 368-5242.

Trademarks: "National Association of Home Builders," "NAHB," "BuilderBooks," and the "NAHB" logo are registered trademarks of the National Association of Home Builders of the United States.

Printed in the United States of America

20 19 18 17 16 1 2 3 4 5

ISBN-13: 978-0-86718-741-0

eISBN-13: 978-0-86718-742-7

For further information, please contact:

National Association of Home Builders
1201 15th Street, NW
Washington, DC 20005-2800
800-223-2665
BuilderBooks.com

International Code Council
500 New Jersey Avenue, NW, 6th Floor
Washington, DC 20001-2070
888-ICC-SAFE (422-7233)
iccsafe.org

About the Author

Stephen A. Van Note is managing director of product development for the International Code Council (ICC), where he is responsible for developing technical resource materials in support of the International Codes. He also manages the review and technical editing of staff-written publications as well as those written by external authors. In addition, Van Note develops and presents *International Residential Code* seminars nationally. Prior to joining ICC in 2006, Van Note was a building official for Linn County, Iowa. He has 15 years of experience in code administration and enforcement, and more than 20 years of experience in the construction field, including project planning and management for residential, commercial, and industrial buildings. A certified building official and plans examiner, Van Note also holds certifications in several inspection categories.

Contents

List of Figures	vii
List of Tables	xi
Acknowledgments	xix
Introduction	1
1 Structural Design Criteria	5
2 Fire Safety	15
3 Safe and Healthy Living Environments	37
4 Foundations	67
5 Floors	83
6 Wall Construction	109
7 Wall Covering	157

8	Roof Framing	181
9	Roof Finishing	199
10	Chimneys and Fireplaces	205
11	Energy Efficiency	213
12	Mechanical Systems	225
13	Fuel Gas	239
14	Plumbing	261
15	Electrical Systems	293
	Epilogue	329
	Notes	331
	Glossary	333
	Index	345

Figures

Chapter 2. Fire Safety

2.1	Exterior wall location near lot line for dwellings without fire sprinklers	17
2.2	Exterior wall location near lot line for dwellings with fire sprinklers	18
2.3	Fire-resistant-rated separation between dwelling units of duplex	20
2.4	Fire-resistant-rated common wall between townhomes	21
2.5	Garage separation from dwelling (habitable space above garage)	24
2.6	Emergency escape and rescue windows	33
2.7	Window well for emergency escape and rescue opening	34

Chapter 3. Safe and Healthy Living Environments

3.1	Landings at exterior doors	39
3.2	Stair tread and riser detail	42
3.3	Stair and handrail	44

3.4	Handrail shapes	46
3.5	Winder treads	47
3.6	Determining required guard locations	49
3.7	Guard dimensions	50
3.8	Window sill height	52
3.9	Minimum bathroom fixture clearances	58
3.10	Safety glazing	60
3.11	Glazing adjacent to stairs and bottom landing of a stairway	61

Chapter 4. Foundations

4.1	Concrete foundation detail	74
4.2	Foundation drain	79

Chapter 5. Floors

5.1	Cutting, notching, and drilling	95
5.2	Placement of lag screws and bolts in ledgers	100
5.3	Deck ledger connection to structure	101
5.4	Deck post to deck beam connection	107

Chapter 6. Wall Construction

6.1	Notching and bored hole limitations for exterior walls and bearing walls	121
6.2	Notching and bored hole limitations for interior nonbearing walls	122
6.3	Top plate framing to accommodate piping	123

6.4	Method PFH: portal frame with hold-downs	143
6.5	Method PFG: portal frame at garage door openings in seismic design categories A, B, and C	145
6.6	Method CS-PF: continuously sheathed portal frame panel construction	147
6.7	Simple bracing	150

Chapter 7. Wall Covering

7.1a	Masonry veneer details at foundation and sill	178
7.1b	Masonry veneer details at soffit and lintel	179

Chapter 8. Roof Framing

8.1	Cutting, notching, and drilling	192
-----	---------------------------------	-----

Chapter 10. Chimneys and Fireplaces

10.1	Chimney height above roof	209
10.2	Chimney cricket	212

Chapter 13. Fuel Gas

13.1	All combustion air from indoors	243
13.2	All combustion air from outdoors	245
13.3	All combustion air from outdoors through one opening	246

13.4 Gas vent termination locations (for listed caps 12 in. or smaller, at least 8 ft. from a vertical wall)	255
--	-----

Chapter 14. Plumbing

14.1 Protection of piping against physical damage	264
14.2 Air gap	267
14.3 Trap arm length to vent	279
14.4 Island venting	283
14.5 Air admittance valve	284
14.6 Dishwasher drain	288
14.7 Water heater elevation in garage	291

Chapter 15. Electrical Systems

15.1 Service working space and clearances	295
15.2 Receptacle outlet locations	318
15.3 Kitchen counter receptacle outlet locations	319
15.4 Luminaires in clothes closets	328

Tables

Chapter 1. Structural Design Criteria

1.1	Minimum uniformly distributed live loads	7
1.2	Allowable deflection of structural members	8
1.3	Building material weights	10
1.4	Average weights of building components	11

Chapter 2. Fire Protection

2.1	Minimum net clear width/height combinations for 5.7 sq. ft. emergency escape and rescue openings (in.)	32
-----	--	----

Chapter 4. Foundations

4.1	Presumptive load-bearing values and properties of soils	69
4.2	Minimum specified compressive strength of concrete	71
4.3	Minimum width and thickness for concrete footings (in.)	72

Chapter 5. Floors

5.1	Floor joist spans for common lumber species, #2 grade (residential sleeping areas, live load = 30 psf, L/360)	86
5.2	Floor joist spans for common lumber species, #2 grade (residential living areas, live load = 40 psf, L/360)	88
5.3	Cantilever spans for floor joists supporting light-frame exterior bearing wall and roof only	90
5.4	Cantilever spans for floor joists supporting exterior balcony	91
5.5	Deck ledger connection to band joist (deck live load = 40 psf, deck dead load = 10 psf, snow load \leq 40 psf)	102
5.6	Deck joist spans for common lumber species (ft.-in.)	104
5.7	Deck beam span lengths (ft.-in.)	105
5.8	Deck post height	108

Chapter 6. Wall Construction

6.1	Fastening schedule	110
6.2	Requirements for wood structural panel wall sheathing used to resist wind pressures	117
6.3	Size, height, and spacing of wood studs	118
6.4	Girder spans and header spans for exterior bearing walls	125

6.5	Girder spans and header spans for interior bearing walls	128
6.6	Bracing methods	134
6.7	Bracing requirements based on wind speed	137
6.8	Minimum length of braced wall panels for continuous sheathing (methods CS-WSP, CS-SFB)	140
6.9	Minimum length of braced wall panels for portal frame methods	141
6.10	Minimum number of bracing units on each side of the circumscribed rectangle	152

Chapter 7. Wall Covering

7.1	Minimum thickness and application of gypsum board	159
7.2	Siding minimum attachment and minimum thickness	164
7.3	Stone or masonry veneer limitations and requirements, wood or steel framing, seismic design categories A, B, and C	173
7.4	Stone or masonry veneer limitations and requirements, one- and two-family detached dwellings, wood framing, seismic design categories D_0 , D_1 , and D_2	174
7.5	Allowable spans for lintels supporting masonry veneer	175

Chapter 8. Roof Framing

- 8.1 Ceiling joist spans for common lumber species, No. 2 grade (uninhabitable attics without storage, live load = 10 psf, L/240) 182
- 8.2 Ceiling joist spans for common lumber species, No. 2 grade (uninhabitable attics with limited storage, live load = 20 psf, L/240) 183
- 8.3 Rafter spans for common lumber species, No. 2 grade (roof live load = 20 psf, ceiling not attached to rafters, L/180, dead load = 10 psf) 184
- 8.4 Rafter spans for common lumber species, No. 2 grade (roof live load = 20 psf, ceiling attached to rafters, L/240, dead load = 10 psf) 185
- 8.5 Rafter spans for common lumber species, No. 2 grade (ground snow load = 30 psf, ceiling not attached to rafters, L/180, dead load = 10 psf) 186
- 8.6 Rafter spans for common lumber species, No. 2 grade (ground snow load = 50 psf, ceiling not attached to rafters, L/180, dead load = 10 psf) 187
- 8.7 Rafter spans for common lumber species, No. 2 grade (ground snow load = 30 psf, ceiling attached to rafters, L/240, dead load = 10 psf) 188

8.8	Rafter spans for common lumber species, No. 2 grade (ground snow load = 50 psf, ceiling attached to rafters, L/240, dead load = 10 psf)	189
8.9	Rafter or truss uplift connection forces from wind (pounds per connection)	194
8.10	Insulation for condensation control above unvented attics	197
 Chapter 10. Chimneys and Fireplaces		
10.1	Cricket dimensions	211
 Chapter 11. Energy Efficiency		
11.1	Insulation minimum R-value requirements by component	217
11.2	Fenestration requirements by component	218
 Chapter 12. Mechanical Systems		
12.1	Dryer exhaust duct fitting equivalent length	232
12.2	Minimum required local exhaust rates	233
12.3	Continuous whole-house mechanical ventilation system airflow rate requirements	235
12.4	Intermittent whole-house mechanical ventilation rate factors	235

Chapter 13. Fuel Gas

13.1	Support of fuel-gas piping	252
13.2	Gas vent termination locations	254

Chapter 14. Plumbing

14.1	Piping support	263
14.2	Minimum air gaps	268
14.3	Fittings for change in direction	271
14.4	Drainage fixture unit (d.f.u.) values for various plumbing fixtures	272
14.5	Maximum fixture units allowed to be connected to branches and stacks	274
14.6	Maximum number of fixture units allowed to be connected to building drain, building drain branches, or building sewer	274
14.7	Maximum distance of fixture trap from vent	278
14.8	Common vent sizes	280
14.9	Wet vent size	280
14.10	Waste stack vent size	282
14.11	Size of traps and trap arms for plumbing fixtures	286

Chapter 15. Electrical Systems

15.1	Minimum service load calculation for single-family dwellings	299
------	---	-----

15.2	Service conductor and grounding electrode	302
15.3	Branch-circuit requirements	306
15.4	Allowable ampacities	308
15.5	Conductor proximity adjustment factors	310
15.6	Overcurrent protection rating	311
15.7	Installation requirements for nonmetallic sheathed cable	312
15.8	Minimum cover requirements, burial (in.)	316