

DEWALT®

ELECTRICAL

PROFESSIONAL REFERENCE

2011 CODE

Paul Rosenberg

Published by:



Australia • Brazil • Japan • Korea • Mexico • Singapore • Spain • United Kingdom • United States

dewalt.com/guides



OTHER TITLES AVAILABLE

Quick Check Series

- Construction Math
- Wiring
- Plumbing

Trade Reference Series

- Blueprint Reading
- Construction – Master Edition
- HVAC/R – Master Edition
- Plumbing
- Spanish/English Construction Dictionary – Illustrated
- Wiring Diagrams

Exam and Certification Series

- Building Contractor's Licensing Exam Guide Third Edition
- Electrical Licensing Exam Guide
- HVAC Technician Certification Exam Guide
- Plumbing Licensing Exam Guide Third Edition

Business Resources

- Contractor's Daily Logbook and Jobsite Reference
- Construction Estimating Complete Handbook
- Contractor's Forms and Letters

Code Reference Series

- Building
- Electrical
- HVAC
- Plumbing

For a complete list of The DEWALT Professional Reference Series visit www.dewalt.com/guides.

This Book Belongs To:

Name: _____

Company: _____

Title: _____

Department: _____

Company Address: _____

Company Phone: _____

Home Phone: _____



**DeWALT Electrical Professional
Reference: 2011 Code
Paul Rosenberg**

Vice President, Technology and
Trades Professional Business
Unit: Gregory L. Clayton
Director of Building Trades:
Taryn Zlatin McKenzie

Product Development
Manager: Robert Person

Development Editor:
Nobina Chakraborti

Content Project Management:
PreMediaGlobal

Director of Marketing:
Beth A. Lutz

Marketing Manager:
Marissa Maiella

Production Director:
Carolyn Miller

Production Manager:
Andrew Crouth

Manufacturing Buyer:
Denise Powers

Art Director:
Benjamin Gleeksman

Production
Service/Composer:
PreMediaGlobal

© 2011, 2009, 2005 Delmar, Cengage Learning

All images Delmar/Cengage Learning

ALL RIGHTS RESERVED. No part of this work covered by the copyright herein may be reproduced, transmitted, stored, or used in any form or by any means graphic, electronic, or mechanical, including but not limited to photocopying, recording, scanning, digitizing, taping, Web distribution, information networks, or information storage and retrieval systems, except as permitted under Section 107 or 108 of the 1976 United States Copyright Act, without the prior written permission of the publisher.

For product information and
technology assistance, contact us at **Cengage Learning
Customer & Sales Support, 1-800-354-9706**

For permission to use material from this text or product,
submit all requests online at www.cengage.com/permissions
Further permissions questions can be emailed to
permissionrequest@cengage.com

Library of Congress Control Number: 2010939204

ISBN-13: 978-1-111-54514-7

ISBN-10: 1-111-54514-6

eISBN-10: 1-133-018-80-7

Delmar

5 Maxwell Drive, Clifton Park, NY 12065-2919, USA

Cengage Learning is a leading provider of customized learning solutions with office locations around the globe, including Singapore, the United Kingdom, Australia, Mexico, Brazil and Japan. Locate your local office at:
international.cengage.com/region

Cengage Learning products are represented in Canada by Nelson Education, Ltd.

Visit us at www.InformationDestination.com

For more learning solutions, please visit our corporate website at
www.cengage.com

Notice to the Reader

Cengage Learning and DeWALT do not warrant or guarantee any of the products described herein or perform any independent analysis in connection with any of the product information contained herein. Cengage Learning and DeWALT do not assume, and expressly disclaim, any obligation to obtain and include information other than that provided to it by the manufacturer. The reader is expressly warned to consider and adopt all safety precautions that might be indicated by the activities described herein and to avoid all potential hazards. By following the instructions contained herein, the reader willingly assumes all risks in connection with such instructions. Cengage Learning and DeWALT make no representations or warranties of any kind, including but not limited to, the warranties of fitness for particular purpose or merchantability, nor are any such representations implied with respect to the material set forth herein, and Cengage Learning and DeWALT take no responsibility with respect to such material. Cengage Learning and DeWALT shall not be liable for any special, consequential, or exemplary damages resulting, in whole or part, from the readers' use of, or reliance upon, this material.

DeWALT and GUARANTEED TOUGH are registered trademarks of the DeWALT Industrial Tool Co., used under license. All rights reserved. The yellow and black color scheme is a trademark for DeWALT Power Tools and Accessories. Trademark Licensee: Delmar, Cengage Learning, Executive Woods, 5 Maxwell Drive, Clifton Park, NY 12065, Tel.: 800-354-9706, www.InformationDestination.cengage.com. A licensee of DeWALT Industrial Tools.

Printed in Asia

1 2 3 4 5 6 7 14 13 12 11 10

CONTENTS

Preface xix

CHAPTER 1 – *Circuits, Formulas and Voltage Drop Calculations* 1-1

Ohm's Law/Power Formulas 1-1

Ohm's Law Diagram and Formulas 1-2

Power Diagram and Formulas 1-2

Ohm's Law and Impedance 1-3

AC/DC Power Formulas 1-4

Three-Phase AC Circuits and the Utilization of Power 1-5

Wye Connection 1-5

Delta Connection 1-5

Four-Wire System 1-5

Multi-Wire System Voltages 1-6

Formulas for Sine Waves 1-8

Calculating Peak, Average and Root-Mean-Square Voltages 1-8

Kirchhoff's Laws 1-9

Power Factor 1-9

Types of Power 1-10

True Power and Apparent Power 1-11

Power Factor Formula 1-11

Power Factor Improvement 1-12

Capacitor Correction for Three-Phase Motors 1-13

Delta and Wye Resistor Circuits 1-14

Summary of Series, Parallel and Combination Circuits 1-15

Circuit Characteristics 1-16

Capacitance 1-18

Capacitors Connected in Series/Parallel 1-18

Capacitive Reactance 1-19

Inductance	1-20
Inductors Connected in Series/Parallel	1-20
Inductive Reactance	1-21
Voltage Drop Using Ohm's Law	1-22
Using Distance to Load	1-22
Calculating Branch Circuit Voltage Drop in Percent	1-22
Voltage Drop Formulas	1-23
Conductor Length/Voltage Drop	1-23
Conductor Size/Voltage Drop	1-23
Wire Length vs. Wire Size (Max. Voltage Drop)	1-24
Voltage Drop Ampere-Feet	1-25
Voltage Drop Table	1-26

CHAPTER 2 – Conduit, Cable and Underground Installations 2-1

Bending Conduit	2-1
Bending EMT Stub-Ups	2-2
Back-to-Back Bending	2-3
2-Bend Offset	2-4
3-Bend Saddle	2-6
Chicago-Type Conduit Bender – 90° Bending	2-7
Chicago-Type Conduit Bender – Offset Bending	2-8
Multi-Shot 90° Conduit Bending	2-9
Box Offsets	2-12
Offset Travel	2-12
Kick Adjustments	2-12
EMT Take-up for Hand Benders	2-13
Gain and Radius	2-13
Support Spacing for Rigid Metal Conduit	2-13
Support Spacing for EMT and Conduit	2-13
Support Spacing for Rigid PVC	2-14
Support Spacing for Flexible Conduits	2-14

Expansion Characteristics of PVC Rigid Nonmetallic Conduit	2-14
Conduit and Tubing – Allowable Area Dimensions for Wire Combinations	2-15
Dimensions and Weights of Rigid Steel Conduit	2-18
Dimensions of Threads for Rigid Steel Conduit	2-18
Dimensions and Weights of Rigid Steel Couplings	2-19
Dimensions and Weights of Rigid Steel 90° Elbows and Nipples	2-19
Dimensions and Weights of EMT	2-20
Dimensions of EMT 90° Elbows	2-20
Conduit Master Bundles in Total Length and Weight	2-21
Nonmetallic - Sheathed Cable (Types NM and NMC)	2-22
Underground Feeder and Branch-Circuit Cable (Type UF)	2-22
Armored Cable (Type AC)	2-23
Service - Entrance Cable (Types SE and USE)	2-23
Underground Installation Requirements	2-24
Minimum Cover Requirements for Underground Installations	2-26
Minimum Burial Depth Requirements Above 600 Volts	2-28

CHAPTER 3 – Ampacity, Box Fill, Branch Circuits, Conductors, Enclosures and Raceways

Ampacity of Lamp and Extension Cords — Types S, SJ, SJT, SP, SPT and ST	3-1
Vertical Conductor Supports	3-1
Conductor Color Code	3-2
Power Wiring Color Code	3-2
Power Transformer Color Code	3-2
Grouped Conductors	3-3
Paralleled Conductors	3-3

Electrical Cable Class Ratings	3-4
Cable Insulation Moisture Ratings	3-4
Conductor Prefix Codes	3-4
Conductor Applications	3-5
Enclosure Types	3-8
Classifications of Hazardous Locations	3-10
Division 1 Examples	3-11
Sizes of PanelBoards.	3-12
Sizes of Gutters and Wireways	3-12
Sizes of Disconnects	3-12
Sizes of Pull Boxes and Junction Boxes	3-12
Busway or Busduct	3-13
CBs and Fuses	3-13
Switch Boards or Switchgears	3-13
Area Dimensions of Insulated Conductors	3-14
Junction Box Calculations	3-16
Conductor Volume Allowance	3-16
Box Fill	3-17
Rigid Metal Conduit–Maximum Number of Conductors	3-18
Liquidtight Flexible Metal Conduit–Maximum Number of Conductors	3-20
Nonmetallic Tubing–Maximum Number of Conductors	3-22
Electrical Metallic Tubing–Maximum Number of Conductors	3-24
Flexible Metal Conduit–Maximum Number of Conductors	3-26
Rigid PVC Schedule 40 Conduit–Maximum Number of Conductors	3-28
Rigid PVC Schedule 80 Conduit–Maximum Number of Conductors	3-30
Copper Bus-Bar Data	3-32

Comparative Weights of Copper and Aluminum Conductors/Lbs. per 1,000 Ft.	3-33
Copper Wire Specifications	3-34
Copper Wire Resistance	3-35
Conductor Dimensions and Resistances	3-36
AC Resistance, Reactance, and Impedance for 600 Volt Cables	3-39
Ampacities of Copper Conductors (1)	3-42
Ampacities of Copper Conductors (3)	3-44
Ampacities of Aluminum or Copper-Clad Aluminum Conductors (1)	3-46
Ampacities of Aluminum or Copper-Clad Aluminum Conductors (3)	3-48
Ampacity Ratings for Flexible Cords and Power Cables at 30°C AMBIENT TEMPERATURE	3-50
Ampacity Adjustments for 4 or More Conductors in a Cable or Raceway	3-51
Ampacity Ratings for Single-Phase Service or Feeder Conductors in Normal Dwelling Units	3-51
Branch Circuit Requirements	3-52
Branch Circuit Permissible Loads	3-53
Branch Circuit Fixture Wire Tap Sizes	3-53
Maximum Cord-and-Plug Connected Load to Receptacle	3-54
Receptacle Ratings for Various Size Circuits	3-54
Demand Factors for Household Electric Clothes Dryers	3-54
Demand Factors for Nondwelling Receptacle Loads	3-54
Demand Factors for Kitchen Equipment in Nondwelling Application	3-55
Lighting Load Demand Factors	3-55
Lighting Loads by Occupancy	3-56

CHAPTER 4 – Receptacles, Switches, Interior Wiring and Lighting 4-1

Receptacles in Damp Locations	4-1
Receptacles in Wet Locations	4-1
Tamper-Resistant Receptacles in Dwelling Units	4-2
ARC-Fault Circuit-Interrupter Protection	4-2
AFCI Receptacle Locations	4-2
GFCI Receptacle Locations	4-3
GFCI Wiring Diagrams	4-4
Wiring Diagrams for Nema Plug and Receptacle Configurations	4-5
Wiring Diagrams for AC Switches	4-10
Wiring Diagrams for Pilot Light and Lighted Toggle Switches	4-11
Family Room with Split-Wired Receptacles and Switched Circuit	4-12
Residential Smoke Alarm Guidelines	4-13
Residential Area Requirements for Smoke Alarm	4-14
Smoke Detector Wiring Requirements	4-14
Family Room and Bedroom Receptacle Outlet Spacing	4-15
Family Room Wiring Details	4-16
WetBar and Track Lighting Wiring Details.	4-16
Bedroom Wiring Details	4-17
Clothes Closet Wiring Details	4-17
Hallway and Stairwell Wiring Details	4-18
Laundry Room Wiring Details	4-18
Kitchen Receptacles	4-19
Countertop Receptacle Outlet Spacing	4-20
Kitchen Wiring Details	4-21
Bathroom Receptacles and Spacing	4-23
Bathroom Wiring Details	4-24
Crawl Space and Inside Equipment Wiring Details	4-25

Unfinished Basement Wiring Details	4-26
Garage and Shop Receptacles	4-27
Garage and Shop Wiring Details	4-28
Storage Area Wiring Details	4-28
Outdoor Receptacles	4-29
Outdoor Wiring Details	4-30
Recommended Light Levels	4-31
Lamp Advantages and Disadvantages	4-32
Lamp Ratings	4-32
Lumens, Life, and Efficacy for Various Lamps	4-33
Light Source Characteristics	4-35
Common Fluorescent Types	4-36
Common Shape Identifiers	4-36

CHAPTER 5 – Grounding and Bonding. . . 5-1

Resistivities of Different Metals.	5-1
Resistivities of Different Soils	5-1
Basic Grounded Conductor Rules	5-2
Grounded Conductor–Neutral	5-4
Grounded Conductor–Not Neutral	5-4
Grounding Different Types of Circuits	5-5
Grounding an Existing Circuit	5-7
Grounding a Screw-Shellbase	5-7
Bonding a Typical Service Entrance	5-8
Bonding Service Equipment Methods	5-9
Bonding Jumpers for Grounding Equipment	
Conductor Raceways	5-10
Equipment Bonding Jumpers	5-11
Equipment Grounding Conductors	5-12
Minimum Size Conductors for Grounding	
Raceway and Equipment	5-13
Basic Grounding Connections	5-14
Grounding Electrode Conductors for AC Systems	5-15

Types of Grounding Methods per the NEC®	5-16
Grounding a Basic Nonmetallic Underground Service Raceway	5-17
Grounding a Basic Overhead Electrical Service	5-18
General Requirements for Grounding and Bonding Services	5-19
Grounding a Typical Residential Wiring System	5-20
Grounded Primary Distribution System	5-22
CHAPTER 6 – Motors	6-1
Designing Motor Branch Circuits	6-1
Motor Branch Circuit Requirements	6-2
Nema Ratings of AC Motor Starters in Amps Per HP, Phase and Voltage	6-4
Full-Load Currents in Amps for Various Three-Phase AC Motors	6-5
Three-Phase AC Motor Requirements	6-6
Full-Load Currents in Amps for Single-Phase AC Motors	6-8
Small Motor Guide	6-8
Full-Load Currents in Amps for Direct Current Motors	6-9
Direct Current Motor Requirements	6-10
DC Motor Performance Characteristics	6-11
Maximum Acceleration Time	6-11
Horsepower Ratings for 240 Volt AC Safety Switches	6-12
Maximum Rating or Setting of Motor Branch Circuit Overcurrent Protective Devices in Percent of Full-Load Current	6-14
Overload Device Placement	6-15
Horsepower Formulas	6-16
Efficiency Formulas	6-16
Voltage Unbalance	6-16

Temperature Conversions	6-16
Locked Rotor Current Formulas	6-17
Gear Reducer Formulas	6-18
Motor Torque Formulas	6-18
Motor Torque per Motor Speed	6-19
Tips on Selecting Motors	6-22
Direct Current Motor Data	6-23
Applications for Direct Current and Single-Phase Motors	6-24
Squirrel-Cage Motor Data	6-26
Applications for Squirrel-Cage Motors	6-27
Wound-Rotor Motor Data	6-28
Synchronous Motor Data	6-29
Applications for Wound-Rotor and Synchronous Motors	6-30
Types of Motor Enclosures	6-31
Types of Insulation	6-31
Motor Frame Letters	6-32
Shaft Coupling Selections	6-32
Motor V-Belts	6-33
V-Belt per Motor Size	6-33
Nema Motor Frame Dimensions	6-34
Frontal View of Typical Motor	6-35
Reference Page 6-34 for Dimensions	6-35
Side View of Typical Motor	6-35
Rotation and Terminal Markings for Direct Current Motors	6-36
Rotation and Terminal Markings for Single-Phase Motors	6-37
Split-Phase, Squirrel-Cage Motors	6-37
Split-Phase Motor Rotation	6-39
Delta-Wound Motor Connections 240/480 V	6-40

Wye-Wound Motor Connections 240/480 V	6-40
Dual-Voltage, 3 ϕ , Wye-Connected Motors	6-41
Dual-Voltage, 3 ϕ Delta-Connected Motors	6-42
Star-Connected, Polyphase Motor	6-43
Reversing Three-Phase Motors	6-43
Motor Control Circuit Schematics	6-44
Wiring Diagram of a Single-Phase Motor Connected to a Three-Phase Motor Starter	6-45
Wiring Diagram of Hand Off Motor Control	6-46
Wiring Diagram of Jogging with Control Relay	6-47
Contactor and Motor Starter Troubleshooting Guide	6-48
Direct Current Motor Troubleshooting Guide	6-50
Three-Phase Motor Troubleshooting Guide	6-52
Split-Phase Motor Troubleshooting Guide	6-54

CHAPTER 7 – Transformers 7-1

Sizing Transformer Circuits	7-1
Three-Phase Connections	7-2
Transformer Turns Ratio	7-3
Feeder Tap and Transformer Tap Installation Guidelines	7-4
Transformer Feed Tap Not Over 25 Feet Long	7-5
Sizing Single-Phase Transformers	7-6
Sizing Three-Phase Transformers	7-7
Transformer Deratings Resulting from Higher Ambient Temperatures	7-8
Calculating Derated kVA Capacity from Higher Ambient Temperatures	7-8
Current-Voltage Relationship Between High Side and Low Side of a Transformer	7-9
Testing a Transformer for Polarity	7-9
Diagram of a Current Transformer	7-9
Single-Phase Transformer Circuits	7-10
Single-Phase Transformer Connections	7-11

Various Transformer Connections	7-14
Three-Phase Transformer Connections	7-15
A Split-Coil Transformer	7-23
An Additive-Polarity Transformer	7-23
Secondary Ties	7-24
Loads Connected Between Transformer Supply Points . . .	7-24
Autotransformer	7-25
Typical Boost Transformer Connections	7-26
Typical Buck Transformer Connections	7-27
Transformer Sound Levels	7-28
Transforming Winding Ratios	7-28
Satisfactory Voltage Levels	7-28

CHAPTER 8 – *Communications and Electronics* 8-1

Telephone Connections	8-1
Standard Telecom Color Coding	8-2
Separation and Physical Protection for Premises Wiring. . .	8-3
Minimum Separation Distance from Power	
Source at 480 V or Less	8-3
Conductors Entering Buildings	8-4
Circuit Protection Requirements	8-4
Interior Communications Conductors	8-5
Telephone Connections	8-6
EIA Color Code	8-6
Twisted-Pair Plugs and Jacks	8-6
Phone Jacks	8-6
Cross Connections	8-7
Category Cabling	8-7
Installation Requirements	8-7
Types of Data Networks	8-7
Standard Configurations for Several Common Networks . . .	8-8
Ethernet 10Base T Straight-Thru Patch Cord	8-8

Ethernet 10Base T Crossover Patch Cord	8-8
EIA-606 Colors and Functions of Cabling	8-8
Thermostat Wiring Guide	8-9
Wiring Guide for Thermostat, Furnace and Air Conditioning	8-9
Basic Thermostat Circuit	8-10
Twin-Type Thermostat Circuit	8-11
Intruder Alarm Circuit with Annunciator and Relay	8-12
Electronic Wiring Color Codes	8-13
Color Codes for Resistors	8-14
Standard Values for Resistors	8-15
Capacitors	8-15
Color Codes for Capacitors	8-16
Color Codes for Ceramic Capacitors	8-16
Characteristics of Lead–Acid Batteries.	8-17
Magnetic Permeability of Some Common Materials	8-17
Transistor Circuit Abbreviations	8-17
Radio Frequency Classifications	8-17
Small Tube Fuses	8-18

CHAPTER 9 – *Electrical and Job Safety* . . . 9-1

Electrical Safety Guidelines	9-1
Effect of Electric Current on the Human Body	9-2
Electrical Safety Checklist	9-3
Lockout/Tagout Procedures	9-4
Work Area Control	9-5
OSHA Safety Color Codes	9-5
Top OSHA Electrical Violations (2001)	9-6
Wiring Design and Protection	9-7
Required Working Clearance–Minimum Depth in Feet	9-10
Minimum Elevation of Unguarded Live Parts Above Working Space in Feet	9-10
Minimum Clearance–Live Parts	9-11

Portable Ladder Safety	9-12
Electrical Glove Inspection	9-13
Tree Trimming and Removal Safety	9-14
Portable Generator Safety	9-15
First Aid Guide	9-16
Types of Fire Extinguishers	9-20

CHAPTER 10 – *Materials and Tools* 10-1

Strength Gain vs. Pull Angle	10-1
Length of Wire Cable Per Reel	10-1
Sheet Metal Screw Characteristics	10-2
Wood Screw Characteristics	10-3
Hex Head Bolt and Torque Characteristics	10-4
Whitworth Hex Head Bolt and Torque Characteristics	10-6
Metric Hex Head Bolt and Torque Characteristics	10-7
Allen Head and Machine Screw Bolt and Torque Characteristics	10-8
Tightening Torque in Pound-Feet-Screw Fit	10-9
Screw Torques	10-9
Standard Taps and Dies	10-10
Taps and Dies–Metric Conversions	10-11
Recommended Drilling Speeds	10-12
Torque Lubrication Effects in Foot-Pounds	10-13
Metalworking Lubricants	10-13
Types of Soldering Flux	10-14
Hard Solder Alloys	10-14
Soft Solder Alloys	10-14
Properties of Welding Gases	10-15
Welding Rods–36" Long	10-15
Pulley and Gear Formulas	10-16
Standard V Belt Lengths in Inches	10-18
Extension Cord Sizes for Portable Tools	10-20

CHAPTER 11 – Conversion Factors, Mathematics and Units of Measurement	11-1
Commonly Used Conversion Factors	11-1
Metric to Trade Size	11-5
Decimal Equivalents of Fractions	11-6
Millimeter and Decimal Inch Equivalents	11-7
Metric Measurements	11-8
U.S. Measurements	11-10
Mathematics	11-12
Commonly Used Geometrical Relationships	11-16
Common Engineering Units and Their Relationship	11-17
Conversion Table for Temperature—°F/°C.	11-18
Electrical Prefixes	11-20
Common Prefixes	11-20
Common Electrical Quantities	11-20
Conversion Table	11-20
CHAPTER 12 – Symbols	12-1
Switch Outlets	12-1
Lighting Outlets	12-2
Receptacle Outlets	12-4
General	12-6
Panelboards, Switchboards and Related Equipment	12-9
Circuiting and Wiring	12-9
Motor Control	12-10
Switch	12-14
PushButton, Momentary or Spring Return	12-14
PushButton, Maintained or Not Spring Return	12-14
CHAPTER 13 – Glossary	13-1

Preface

Many years ago I was asked to create a compendium of tables, charts, graphs, diagrams and terminology relating to the field of electricity. Electrical Reference was my first endeavor to create a pocket guide for the electrical marketplace that would serve as an all encompassing publication in a new user-friendly format. I ended up utilizing a design and typeface that holds the most information per page while at the same time making a particular topic quick to reference.

Information covered in this manual is necessary for anyone in the field to have in one's possession at all times. Naturally, a topic may have been overlooked or not discussed in depth to suit all tradespeople. I will constantly monitor and update this book on a regular basis to not only include requested additional material, but to add new material from the ever growing amount of high technology as it develops.

Best wishes,
Paul Rosenberg

A Note To The Reader

Electrical Professional Reference is not a substitute for the National Electric Code®. National Electric Code® and NEC® are registered trademarks of the National Fire Protection Association, Inc. Quincy, MA.