

2012 IBC and IFC ASTM Standards

ASTM Number	Description
A 36/A 36M—08	Specification for Carbon Structural Steel
A 153/A 153M—05	Specification for Zinc Coating (Hot-dip) on Iron and Steel Hardware
A 240/A 240M—09a	Standard Specification for Chromium and Chromium-nickel Stainless Steel Plate, Sheet and Strip for Pressure Vessels and for General Applications
A 252-98 (2007)	Specification for Welded and Seamless Steel Pipe Piles
A 283/A 283M—03(2007)	Specification for Low and Intermediate Tensile Strength Carbon Steel Plates
A 307—07b	Specification for Carbon Steel Bolts and Studs, 60,000 psi Tensile Strength
A 416/A 416M—06	Specification for Steel Strand, Uncoated Seven-wire for Prestressed Concrete
A 463/A 463M—06	Standard Specification for Steel Sheet, Aluminum-coated, by the Hot-dip Process
A 572/A 572M—07	Specification for High-strength Low-alloy Columbium-vanadium Structural Steel
A 588/A 588M—05	Specification for High-strength Low-alloy Structural Steel with 50 ksi (345 MPa) Minimum Yield Point with Atmospheric Corrosion Resistance
A 615/A 615M—09	Specification for Deformed and Plain Billet-steel Bars for Concrete Reinforcement
A 653/A 653M—08	Specification for Steel Sheet, Zinc-coated Galvanized or Zinc-iron Alloy-coated Galvannealed by the Hot-dip Process
A 690/A 690M—07	Standard Specification for High-strength Low-alloy Nickel, Copper, Phosphorus Steel H-piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments
A 706/ A 706M—09	Specification for Low-alloy Steel Deformed and Plain Bars for Concrete Reinforcement
A 722/A 722M—07	Specification for Uncoated High-strength Steel Bar for Prestressing Concrete
A 755/A 755M—03(2008)	Specification for Steel Sheet, Metallic-coated by the Hot-dip Process and Prepainted by the Coil-coating Process for Exterior Exposed Building Products
A 792/A 792M—08	Specification for Steel Sheet, 55% Aluminum-zinc Alloy-coated by the Hot-dip Process
A 875/A 875M—06	Standard Specification for Steel Sheet Zinc-5 percent, Aluminum Alloy-coated by the Hot-dip Process
A 913/A 913M—07	Specification for High-strength Low-alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-tempering Process (QST)
A 924/A 924M—08a	Standard Specification for General Requirements for Steel Sheet, Metallic-coated by the Hot-dip Process
A 992/A 992M—06a	Standard Specification for Structural Shapes
B 42—02e01	Specification for Seamless Copper Pipe, Standard Sizes
B 43—98(2004)	Specification for Seamless Red Brass Pipe, Standard Sizes
B 68—02	Specification for Seamless Copper Tube, Bright Annealed (Metric)
B 88—03	Specification for Seamless Copper Water Tube
B 101—07	Specification for Lead-coated Copper Sheet and Strip for Building Construction
B 209—07	Specification for Aluminum and Aluminum Alloy Steel and Plate
B 251—02e01	Specification for General Requirements for Wrought Seamless Copper and Copper-alloy Tube
B 280—03	Specification for Seamless Copper Tube for Air Conditioning and Refrigeration Field Service
B 280—08	Specification for Seamless Copper Tube for Air Conditioning and Refrigeration Field Service
B 370—09	Specification for Cold-rolled Copper Sheet and Strip for Building Construction
B 695—04	Standard Specification for Coatings of Zinc Mechanically Deposited on Iron and Steel Strip for Building Construction
C 5—03	Specification for Quicklime for Structural Purposes
C 22/C 22M—00 (2005) e01	Specification for Gypsum
C 27—98 (2008)	Specification for Standard Classification of Fireclay and High-alumina Refractory Brick
C 28/C 28M—00 (2005)	Specification for Gypsum Plasters
C 31/C 31M—08b	Practice for Making and Curing Concrete Test Specimens in the Field
C 33/C33M—08	Specification for Concrete Aggregates
C 34—03	Specification for Structural Clay Load-bearing Wall Tile
C 35—01(2005)	Specification for Inorganic Aggregates for Use in Gypsum Plaster
C 55—06e01	Specification for Concrete Building Brick
C 56—05	Specification for Structural Clay Nonload Bearing Tile
C 59/C 59M—00 (2006)	Specification for Gypsum Casting and Molding Plaster
C 61/C 61M—00 (2006)	Specification for Gypsum Keene's Cement
C 62—08	Specification for Building Brick (Solid Masonry Units Made from Clay or Shale)
C 67—08	Test Methods of Sampling and Testing Brick and Structural Clay Tile
C 73—05	Specification for Calcium Silicate Face Brick (Sand-lime Brick)

2012 IBC and IFC ASTM Standards

ASTM Number	Description
C 90—08	Specification for Loadbearing Concrete Masonry Units
C 91—05	Specification for Masonry Cement
C 94/C 94M—09	Specification for Ready-mixed Concrete
C 126—99 (2005)	Specification for Ceramic Glazed Structural Clay Facing Tile, Facing Brick and Solid Masonry Units
C 140—8a	Test Method Sampling and Testing Concrete Masonry Units and Related Units
C 150—07	Specification for Portland Cement
C 172—08	Practice for Sampling Freshly Mixed Concrete
C 199—84 (2005)	Test Method for Pier Test for Refractory Mortars
C 206—03	Specification for Finishing Hydrated Lime
C 208—08a	Specification for Cellulosic Fiber Insulating Board
C 212—00 (2006)	Specification for Structural Clay Facing Tile
C 216—07a	Specification for Facing Brick (Solid Masonry Units Made from Clay or Shale)
C 270—08a	Specification for Mortar for Unit Masonry
C 315—07	Specification for Clay Flue Liners and Chimney Pots
C 317/C 317M—00 (2005)	Specification for Gypsum Concrete
C 330—05	Specification for Lightweight Aggregates for Structural Concrete
C 331—05	Specification for Lightweight Aggregates for Concrete Masonry Units
C 406—06e01	Specification for Roofing Slate
C 472—99 (2004)	Specification for Standard Test Methods for Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete
C 473—07	Test Method for Physical Testing of Gypsum Panel Products
C 474—05	Test Methods for Joint Treatment Materials for Gypsum Board Construction
C 475/C 475M—02 (2007)	Specification for Joint Compound and Joint Tape for Finishing Gypsum Wallboard
C 503—08a	Specification for Marble Dimension Stone (Exterior)
C 514—04	Specification for Nails for the Application of Gypsum Board
C 516—08a	Specifications for Vermiculite Loose Fill Thermal Insulation
C 547—07e1	Specification for Mineral Fiber Pipe Insulation
C 549—06	Specification for Perlite Loose Fill Insulation
C 552—07	Standard Specification for Cellular Glass Thermal Insulation
C 557—03e01	Specification for Adhesives for Fastening Gypsum Wallboard to Wood Framing
C 568—08a	Specification for Limestone Dimension Stone
C 578—08b	Standard Specification for Rigid, Cellular Polystyrene Thermal Insulation
C 587—04	Specification for Gypsum Veneer Plaster
C 595—08a	Specification for Blended Hydraulic Cements
C 615—03	Specification for Granite Dimension Stone
C 616—08a	Specification for Quartz Dimension Stone
C 629—08	Specification for Slate Dimension Stone
C 631—09	Specification for Bonding Compounds for Interior Gypsum Plastering
C 635/C 635M—07	Specification for the Manufacture, Performance and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings
C 636/C 636M—08	Practice for Installation of Metal Ceiling Suspension Systems for Acoustical Tile and Lay-in Panels
C 645—08a	Specification for Nonstructural Steel Framing Members
C 652—09	Specification for Hollow Brick (Hollow Masonry Units Made from Clay or Shale)
C 726—05e1	Standard Specification for Mineral Fiber Roof Insulation Board
C 728—05	Standard Specification for Perlite Thermal Insulation Board
C 744—08	Specification for Prefaced Concrete and Calcium Silicate Masonry Units
C 754—08	Specification for Installation of Steel Framing Members to Receive Screw-attached Gypsum Panel Products
C 836—06	Specification for High-solids Content, Cold Liquid-applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course
C 840—08	Specification for Application and Finishing of Gypsum Board
C 841—03 (2008) e1	Specification for Installation of Interior Lathing and Furring
C 842—05	Specification for Application of Interior Gypsum Plaster
C 843—99 (2006)	Specification for Application of Gypsum Veneer Plaster
C 844—04	Specification for Application of Gypsum Base to Receive Gypsum Veneer Plaster

2012 IBC and IFC ASTM Standards

ASTM Number	Description
C 847—09	Specification for Metal Lath
C 887—05	Specification for Packaged, Dry Combined Materials for Surface Bonding Mortar
C 897—05	Specification for Aggregate for Job-mixed Portland Cement-based Plaster
C 920—08	Standard for Specification for Elastomeric Joint Sealants
C 926—06	Specification for Application of Portland Cement-based Plaster
C 932—06	Specification for Surface-applied Bonding Compounds Agents for Exterior Plastering
C 933—07b	Specification for Welded Wire Lath
C 946—91 (2001)	Specification for Practice for Construction of Dry-stacked, Surface-bonded Walls
C 954—07	Specification for Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 inch (0.84 mm) to 0.112 inch (2.84 mm) in Thickness
C 955—09	Standard Specification for Load-bearing Transverse and Axial Steel Studs, Runners Tracks, and Bracing or Bridging, for Screw Application of Gypsum Panel Products and Metal Plaster Bases
C 956—04	Specification for Installation of Cast-in-place Reinforced Gypsum Concrete
C 957—06	Specification for High-solids Content, Cold Liquid-applied Elastomeric Waterproofing Membrane with Integral Wearing Surface
C 1002—07	Specification for Steel Self-piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs
C 1007—08a	Specification for Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories
C 1019—09	Test Method of Sampling and Testing Grout
C 1029—08	Specification for Spray-applied Rigid Cellular Polyurethane Thermal Insulation
C 1032—06	Specification for Woven Wire Plaster Base
C 1047—09	Specification for Accessories for Gypsum Wallboard and Gypsum Veneer Base
C 1063—08	Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-based Plaster
C 1088—09	Specification for Thin Veneer Brick Units Made from Clay or Shale
C 1167—03	Specification for Clay Roof Tiles
C 1177/C 1177M—08	Specification for Glass Mat Gypsum Substrate for Use as Sheathing
C 1178/C 1178M—06	Specification for Coated Mat Water-resistant Gypsum Backing Panel
C 1186—08	Specification for Flat Fiber Cement Sheets
C 1261—07	Specification for Firebox Brick for Residential Fireplaces
C 1278/C 1278M—07a	Specification for Fiber-reinforced Gypsum Panels
C 1280—09	Specification for Application of Gypsum Sheathing
C 1283—07a	Practice for Installing Clay Flue Lining
C 1288—99 (2004) e1	Standard Specification for Discrete Nonasbestos Fiber-cement Interior Substrate Sheets
C 1289—08	Standard Specification for Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board
C 1314—07	Test Method for Compressive Strength of Masonry Prisms
C 1325—08b	Standard Specification for Nonasbestos Fiber-mat Reinforced Cementitious Backer Units
C 1328—05	Specification for Plastic (Stucco Cement)
C 1364—07	Standard Specification for Architectural Cast Stone
C 1386—07	Specification for Precast Autoclaved Aerated Concrete (AAC) Wall Construction Units
C 1396M/C 1396M—06a	Specification for Gypsum Board
C 1405—08	Standard Specification for Glazed Brick (Single Fired, Solid Brick Units)
C 1492—03	Standard Specification for Concrete Roof Tile
C 1629/C 1629M—06	Standard Classification for Abuse-resistant Nondecorated Interior Gypsum Panel Products and Fiber-reinforced Cement Panels
C 1658/C 1658M—06	Standard Specification for Glass Mat Gypsum Panels
D 25—99 (2005)	Specification for Round Timber Piles
D 41—05	Specification for Asphalt Primer Used in Roofing, Dampproofing and Waterproofing
D 43—00 (2006)	Specification for Coal Tar Primer Used in Roofing, Dampproofing and Waterproofing
D 56—05	Test Method for Flash Point By Tag Closed Tester
D 86—09	Test Method for Distillation of Petroleum Products at Atmospheric Pressure
D 92—05a	Test Method for Flash and Fire Points by Cleveland Open Cup
D 93—08	Test Method for Flash Point By Pensky-Martens Closed Cup Tester
D 225—07	Specification for Asphalt Shingles (Organic Felt) Surfaced with Mineral Granules
D 226—06	Specification for Asphalt-saturated Organic Felt Used in Roofing and Waterproofing

2012 IBC and IFC ASTM Standards

ASTM Number	Description
D 227—03	Specification for Coal-tar-saturated Organic Felt Used in Roofing and Waterproofing
D 312—00 (2006)	Specification for Asphalt Used in Roofing
D 323—08	Test Method for Vapor Pressure of Petroleum Products (Reid Method)
D 422—63 (2007)	Test Method for Particle-size Analysis of Soils
D 448—08	Standard Classification for Sizes of Aggregate for Road and Bridge Construction
D 450—07	Specification for Coal-tar Pitch Used in Roofing, Dampproofing and Waterproofing
D 635—06	Test Method for Rate of Burning and/or Extent and Time of Burning of Self-supporting Plastics in a Horizontal Position
D 1143/D 1143M—07e1	Test Method for Piles Under Static Axial Compressive Load
D 1227—95 (2007)	Specification for Emulsified Asphalt Used as a Protective Coating for Roofing
D 1557—07	Test Method for Laboratory Compaction Characteristics of Soil Using Modified Effort [56,000 ft-lb/ft ³ (2,700 KN m/m ³)]
D 1761—06	Test Method for Mechanical Fasteners in Wood
D 1863—05	Specification for Mineral Aggregate Used on Built-up Roofs
D 1929—96 (2001)e01	Test Method for Determining Ignition Properties of Plastics
D 1970—09	Specification for Self-adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roof Underlayment for Ice Dam Protection
D 2178—04	Specification for Asphalt Glass Felt Used in Roofing and Waterproofing
D 2487—06e1	Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System)
D 2626—04	Specification for Asphalt Saturated and Coated Organic Felt Base Sheet Used in Roofing
D 2822—05	Specification for Asphalt Roof Cement, Asbestos Containing
D 2823—05	Specification for Asphalt Roof Coatings, Asbestos Containing
D 2824—06	Standard Specification for Aluminum-Pigmented Asphalt Roof Coating, Nonfibered, Asbestos Fibered and Fibered without Asbestos
D 2843—99 (2004)e01	Test for Density of Smoke from the Burning or Decomposition of Plastics
D 2859—06	Standard Test Method for Ignition Characteristics of Finished
D 2898—08eo1	Test Methods for Accelerated Weathering of Fireretardant-
D 3019—08	Specification for Lap Cement Used with Asphalt Roll Roofing,
D 3161—09	Test Method for a Wind Resistance of Asphalt Shingles
D 3200—74 (2005)	Standard Specification and Test Method for Establishing Recommended Design Stresses for Round Timber Construction Poles
D 3201—08a	Test Method for Hygroscopic Properties of Fire-retardant-treated
D 3278—96 (2004) e1	Test Methods for Flash Point of Liquids by Small Scale Closed-cup Apparatus
D 3462—09	Specification for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules
D 3468—99 (2006)e01	Specification for Liquid-applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing
D 3679—09	Specification for Rigid Poly [Vinyl Chloride (PVC) Siding]
D 3689—07	Test Methods for Deep Foundations Under Static Axial Tensile Load
D 3737—08	Practice for Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam)
D 3746—85 (2008)	Test Method for Impact Resistance of Bituminous Roofing Systems
D 3747—79 (2007)	Specification for Emulsified Asphalt Adhesive for Adhering Roof Insulation
D 3909—97b (2004)	Specification for Asphalt Roll Roofing (Glass Felt) Surfaced with Mineral Granules
D 3957—06	Standard Practices for Establishing Stress Grades for Structural Members Used in Log Buildings
D 4022—07	Specification for Coal Tar Roof Cement, Asbestos Containing
D 4272—08a	Test Method for Total Energy Impact of Plastic Films by Dart Drop
D 4318—05	Test Methods for Liquid Limit, Plastic Limit and Plasticity Index of Soils
D 4434/D4434M—09	Specification for Poly (Vinyl Chloride) Sheet Roofing
D 4479—07	Specification for Asphalt Roof Coatings-Asbestos-free
D 4586—07	Specification for Asphalt Roof Cement-Asbestos-free
D 4601—04	Specification for Asphalt-coated Glass Fiber Base Sheet Used in Roofing
D 4637—08	Specification for EPDM Sheet Used in Single-ply Roof Membrane
D 4829—08a	Test Method for Expansion Index of Soils
D 4869—05e01	Specification for Asphalt-saturated (Organic Felt) — Underlayment Used in Steep Slope Roofing
D 4897—01	Specification for Asphalt-coated Glass Fiber Venting Base Sheet Used in Roofing
D 4945—08	Test Method for High-strain Dynamic Testing of Piles
D 4990—97a (2005)e01	Specification for Coal Tar Glass Felt Used in Roofing and Waterproofing
D 5019—07a	Specification for Reinforced Nonvulcanized Polymeric Sheet Used in Roofing Membrane

2012 IBC and IFC ASTM Standards

ASTM Number	Description
D 5055—09	Specification for Establishing and Monitoring Structural
D 5456—09	Specification for Evaluation of Structural Composite Lumber Products
D 5516—03	Test Method of Evaluating the Flexural Properties of Fire-retardant-treated Softwood Plywood Exposed to the Elevated Temperatures
D 5643—06	Specification for Coal Tar Roof Cement, Asbestos-free
D 5664—08	Test Methods for Evaluating the Effects of Fire-retardant Treatment and Elevated Temperatures on Strength Properties of Fire-retardant-treated Lumber
D 5665—99a (2006)	Specification for Thermoplastic Fabrics Used in Cold-applied
D 5726—98 (2005)	Specification for Thermoplastic Fabrics Used in Hot-applied
D 6083—05e01	Specification for Liquid Applied Acrylic Coating Used in Roofing
D 6162—00A (2008)	Specification for Styrene-butadiene-styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements
D 6163—00 (2008)	Specification for Styrene-butadiene-styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements
D 6164—05e1	Specification for Styrene-butadiene-styrene (SBS) Modified Bituminous Sheet Metal Materials Using Polyester Reinforcements
D 6222—08	Specification for Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements
D 6223—02	Specification for Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements
D 6298—05e1	Specification for Fiberglass Reinforced Styrene-butadiene-styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface
D 6305—08	Practice for Calculating Bending Strength Design Adjustment Factors for Fire-retardant-treated Plywood Roof Sheathing
D 6380—03 (2009)	Standard Specification for Asphalt Roll Roofing (Organic) Felt
D 6509/D6509M—09	Standard Specification for Atactic Polypropylene (APP) Modified Bituminous base Sheet Materials Using Glass Fiber Reinforcements
D 6694—08	Standard Specification for Liquid-applied Silicone Coating Used in Spray Polyurethane Foam Roofing
D 6754—02	Standard Specification for Ketone Ethylene Ester Based Sheet Roofing
D 6757—07	Standard Specification for Inorganic Underlayment for Use with Steep Slope Roofing Products
D 6841—08	Standard Practice for Calculating Design Value Treatment Adjustment Factors for Fire-retardant-treated Lumber
D 6878—08e1	Standard Specification for Thermoplastic Polyolefin Based Sheet Roofing
D 6947—07	Standard Specification for Liquid Applied Moisture Cured Polyurethane Coating Used in Spray Polyurethane Foam Roofing System
D 7158—08d	Standard Test Method for Wind Resistance of Sealed Asphalt Shingles (Uplift Force/Uplift Resistance Method)
D 7254—07	Standard Specification for polypropylene (PP) siding
E 84—09	Test Methods for Surface Burning Characteristics of Building Materials
E 90—04	Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements
E 96/E 96M—05	Test Method for Water Vapor Transmission of Materials
E 108—07a	Test Methods for Fire Tests of Roof Coverings
E 119—08a	Test Methods for Fire Tests of Building Construction and Materials
E 136—09	Test Method for Behavior of Materials in a Vertical Tube Furnace at 750°C
E 330—02	Test Method for Structural Performance of Exterior Windows, Curtain Walls and Doors by Uniform Static Air Pressure Difference
E 331—00 (2009)	Test Method for Water Penetration of Exterior Windows, Skylights, Doors and Curtain Walls by Uniform Static Air Pressure Difference
E 492—09	Test Method for Laboratory Measurement of Impact Sound Transmission Through Floor-ceiling Assemblies Using the Tapping Machine
E 605—93 (2006)	Test Method for Thickness and Density of Sprayed Fire-resistive Material (SFRM) Applied to Structural Members
E 681—04	Test Methods for Concentration Limits of Flammability of Chemical Vapors and Gases
E 736—00 (2006)	Test Method for Cohesion/Adhesion of Sprayed Fire-resistive Materials Applied to Structural Members
E 814—08b	Test Method of Fire Tests of Through-penetration Firestops

2012 IBC and IFC ASTM Standards

ASTM Number	Description
E 970—08a	Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source
E 1300—07e01	Practice for Determining Load Resistance of Glass in Buildings
E 1354—09	Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter
E 1529—06	Test Method for Determining Effects of Large Hydrocarbon
E 1537—07	Test Method for Fire Testing of Upholstered Furniture
E 1590—07	Test Method for Fire Testing of Mattresses
E 1592—05	Test Method for Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference
E 1966—07	Test Method for Fire-resistant Joint Systems
E 1996—09	Specification for Performance of Exterior Windows, Glazed Curtain Walls, Doors and Impact Protective Systems Impacted by Windborne Debris in Hurricanes
E 2072—04	Standard Specification for Photoluminescent (Phosphorescent) Safety Markings
E 2174—09	Standard Practice for On-Site Inspection of Installed Fire Stops
E 2273—03	Standard Test Method for Determining the Drainage Efficiency of Exterior Insulation and Finish Systems (EIFS) Clad Wall Assemblies
E 2307—04e01	Standard Test Method for Determining Fire Resistance of Perimeter Fire Barrier Systems Using Intermediate-scale, Multistory Test Apparatus
E 2393—09	Standard Practice for On-Site Inspection of Installed Fire Resistive Joint Systems and Perimeter Fire Barrier
E 2404—08	Standard Practice for Specimen Preparation and Mounting of Textile, Paper or Vinyl Wall or Ceiling Coverings to Assess Surface Burning Characteristics
E 2568—09e1	Standard Specification for PB Exterior Insulation and Finish Systems (EIFS)
E 2570—07	Standard Test Method for Evaluating Water-resistive Barrier (WRB) Coatings Used Under Exterior Insulation and Finish Systems (EIFS) for EIFS with Drainage
E 2573—07a	Standard Practice for Specimen Preparation and Mounting of Site-fabricated Stretch Systems to Assess Surface Burning Characteristics
E 2599—09	Standard Practice for Specimen Preparation and Mounting of Reflective Insulation Materials and Radiant Barrier Materials for Building Applications to Assess Surface Burning Characteristics
E 2634—08	Standard Specification for Flat Wall Insulating Concrete Form (ICF) Systems
F 547—06	Terminology of Nails for Use with Wood and Wood-based Materials
F 1346—91 (2003)	Performance Specification for Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs
F 1667—05	Specification for Driven Fasteners: Nails, Spikes and Staples
F 2006—10	Standard Safety Specification for Window Fall Prevention Devices for Nonemergency Escape (Egress) and Rescue (Ingress) Windows
F 2090—08	Specification for Window Fall Prevention Devices with Emergency Escape (Egress) Release Mechanisms
F 2090-10	Specification for Window Fall Prevention Devices with Emergency Escape (Egress) Release Mechanisms
F 2200—05	Standard Specification for Automated Vehicular Gate Construction
F 2735—09	Standard Specification for SDR9 Cross-linked Polyethylene (PEX) and Raised Temperature (PE-RT) Tubing
G 152—06	Practice for Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials
G 154—06	Practice for Operating Fluorescent Light Apparatus for UV Exposure of Nonmetallic Materials
G 155—05a	Practice for Operating Xenon Arc Light Apparatus for Exposure of Nonmetallic Materials