



# INTERNATIONAL BUILDING CODE®

# NEW JERSEY EDITION

2018

2018 International Building Code, New Jersey Edition

First Printing: July 2019

ISBN: 978-1-60983-887-4

COPYRIGHT © 2019  
by  
INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2018 International Building Code, New Jersey Edition, contains substantial copyrighted material from the 2018 *International Building Code*®, second printing, which is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on use rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, IL 60478. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: “International Code Council,” the “International Code Council” logo, “ICC,” the “ICC” logo, “International Building Code,” “IBC” and other names and trademarks appearing in this book are registered trademarks of the International Code Council, Inc., and/or its licensors (as applicable), and may not be used without permission.

PRINTED IN THE USA

T024106

# PREFACE

## Introduction

The *International Building Code*® (IBC®) establishes minimum requirements for building systems using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new building designs. This 2018 edition is fully compatible with all of the *International Codes*® (I-Codes® published by the International Code Council® (ICC®), including the *International Energy Conservation Code*®, *International Existing Building Code*®, *International Fire Code*®, *International Fuel Gas Code*®, *International Green Construction Code*®, *International Mechanical Code*®, *International Plumbing Code*®, *International Private Sewage Disposal Code*®, *International Property Maintenance Code*®, *International Residential Code*®, *International Swimming Pool and Spa Code*®, *International Wildland-Urban Interface Code*®, *International Zoning Code*® and *International Code Council Performance Code*®.

The I-Codes, including this *International Building Code*, are used in a variety of ways in both the public and private sectors. Most industry professionals are familiar with the I-Codes as the basis of laws and regulations in communities across the U.S. and in other countries. However, the impact of the codes extends well beyond the regulatory arena, as they are used in a variety of nonregulatory settings, including:

- Voluntary compliance programs such as those promoting sustainability, energy efficiency and disaster resistance.
- The insurance industry, to estimate and manage risk, and as a tool in underwriting and rate decisions.
- Certification and credentialing of individuals involved in the fields of building design, construction and safety.
- Certification of building and construction-related products.
- U.S. federal agencies, to guide construction in an array of government-owned properties.
- Facilities management.
- “Best practices” benchmarks for designers and builders, including those who are engaged in projects in jurisdictions that do not have a formal regulatory system or a governmental enforcement mechanism.
- College, university and professional school textbooks and curricula.
- Reference works related to building design and construction.

In addition to the codes themselves, the code development process brings together building professionals on a regular basis. It provides an international forum for discussion and deliberation about building design, construction methods, safety, performance requirements, technological advances and innovative products.

## Development

This 2018 edition presents the code as originally issued, with changes reflected in the 2003 through 2015 editions and further changes approved by the ICC Code Development Process through 2017. A new edition such as this is promulgated every 3 years.

This code is intended to establish provisions that adequately protect public health, safety and welfare; that do not unnecessarily increase construction costs; that do not restrict the use of new materials, products or methods of construction; and that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

## Maintenance

The *International Building Code* is kept up to date through the review of proposed changes submitted by code enforcement officials, industry representatives, design professionals and other interested parties. Proposed changes are carefully considered through an open code development process in which all interested and affected parties may participate.

The ICC Code Development Process reflects principles of openness, transparency, balance, due process and consensus, the principles embodied in OMB Circular A-119, which governs the federal government's use of private-sector standards. The ICC process is open to anyone; there is no cost to participate, and people can participate without travel cost through the ICC's cloud-based app, cdp-Access®. A broad cross section of interests are represented in the ICC Code Development Process. The codes, which are updated regularly, include safeguards that allow for emergency action when required for health and safety reasons.

In order to ensure that organizations with a direct and material interest in the codes have a voice in the process, the ICC has developed partnerships with key industry segments that support the ICC's important public safety mission. Some code development committee members were nominated by the following industry partners and approved by the ICC Board:

- American Institute of Architects (AIA)
- National Association of Home Builders (NAHB)
- National Association of State Fire Marshals (NASFM)

The code development committees evaluate and make recommendations regarding proposed changes to the codes. Their recommendations are then subject to public comment and council-wide votes. The ICC's governmental members—public safety officials who have no financial or business interest in the outcome—cast the final votes on proposed changes.

The contents of this work are subject to change through the code development cycles and by any governmental entity that enacts the code into law. For more information regarding the code development process, contact the Codes and Standards Development Department of the International Code Council.

While the I-Code development procedure is thorough and comprehensive, the ICC, its members and those participating in the development of the codes disclaim any liability resulting from the publication or use of the I-Codes, or from compliance or noncompliance with their provisions. The ICC does not have the power or authority to police or enforce compliance with the contents of this code.

## Code Development Committee Responsibilities (Letter Designations in Front of Section Numbers)

In each code development cycle, code change proposals to this code are considered at the Committee Action Hearings by 11 different code development committees. Four of these committees have primary responsibility for designated chapters and appendices as follows:

IBC—Egress  
Code Development Committee [BE]: Chapters 10, 11, Appendix E

IBC—Fire Safety  
Code Development Committee [BF]: Chapters 7, 8, 9, 14, 26

IBC—General  
Code Development Committee [BG]: Chapters 2, 3, 4, 5, 6, 12, 27, 28, 29, 30, 31, 32, 33,  
Appendices A, B, C, D, K, N

IBC—Structural  
Code Development Committee [BS]: Chapters 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25,  
Appendices F, G, H, I, J, L, M

Code change proposals to sections of the code that are preceded by a bracketed letter designation, such as [A], will be considered by a committee other than the building code committee listed for the chapter or appendix on the preceding page. For example, proposed code changes to Section [F] 307.1.1 will be considered by the International Fire Code Development Committee during the Committee Action Hearing in the 2018 (Group A) code development cycle.

Another example is Section [BF] 1505.2. While code change proposals to Chapter 15 are primarily the responsibility of the IBC—Structural Code Development Committee, which considers code change proposals during the 2019 (Group B) code development cycle, Section 1505.2 is the responsibility of the IBC—Fire Safety Code Development Committee, which considers code change proposals during the 2018 (Group A) code development cycle.

The bracketed letter designations for committees responsible for portions of this code are as follows:

- [A] = Administrative Code Development Committee;
- [BE] = IBC—Egress Code Development Committee;
- [BF] = IBC—Fire Safety Code Development Committee;
- [BG] = IBC—General Code Development Committee;
- [BS] = IBC—Structural Code Development Committee;
- [E] = International Commercial Energy Conservation Code Development Committee or International Residential Energy Conservation Code Development Committee;
- [EB] = International Existing Building Code Development Committee;
- [F] = International Fire Code Development Committee;
- [FG] = International Fuel Gas Code Development Committee;
- [M] = International Mechanical Code Development Committee; and
- [P] = International Plumbing Code Development Committee.

For the development of the 2021 edition of the I-Codes, there will be two groups of code development committees and they will meet in separate years.

<b>Group A Codes</b> <b>(Heard in 2018, Code Change Proposals</b> <b>Deadline: January 8, 2018)</b>	<b>Group B Codes</b> <b>(Heard in 2019, Code Change Proposals</b> <b>Deadline: January 7, 2019)</b>
<b>International Building Code</b> – Egress (Chapters 10, 11, Appendix E) – Fire Safety (Chapters 7, 8, 9, 14, 26) – General (Chapters 2–6, 12, 27–33, Appendices A, B, C, D, K, N)	Administrative Provisions (Chapter 1 of all codes except IECC, IRC and IgCC, administrative updates to currently referenced standards, and designated definitions)
<b>International Fire Code</b>	<b>International Building Code</b> – Structural (Chapters 15–25, Appendices F, G, H, I, J, L, M)
<b>International Fuel Gas Code</b>	<b>International Existing Building Code</b>
<b>International Mechanical Code</b>	<b>International Energy Conservation Code—Commercial</b>
<b>International Plumbing Code</b>	<b>International Energy Conservation Code—Residential</b> – IECC—Residential – IRC—Energy (Chapter 11)
<b>International Property Maintenance Code</b>	<b>International Green Construction Code</b> (Chapter 1)
<b>International Private Sewage Disposal Code</b>	<b>International Residential Code</b> – IRC—Building (Chapters 1–10, Appendices E, F, H, J, K, L, M, O, Q, R, S, T)
<b>International Residential Code</b> – IRC—Mechanical (Chapters 12–23) – IRC—Plumbing (Chapters 25–33, Appendices G, I, N, P)	
<b>International Swimming Pool and Spa Code</b>	
<b>International Wildland-Urban Interface Code</b>	
<b>International Zoning Code</b>	
<b>Note:</b> Proposed changes to the <i>ICC Performance Code</i> ™ will be heard by the code development committee noted in brackets [] in the text of the <i>ICC Performance Code</i> ™.	

Code change proposals submitted for code sections that have a letter designation in front of them will be heard by the respective committee responsible for such code sections. Because different committees hold Committee Action Hearings in different years, proposals for the IBC will be heard by committees in both the 2018 (Group A) and the 2019 (Group B) code development cycles.

For instance, every section of Chapter 16 is the responsibility of the IBC—Structural Code Development Committee. As noted in the preceding table, that committee will hold its Committee Action Hearings in 2019 to consider code change proposals for the chapters for which it is responsible. Therefore any proposals received for Chapter 16 of this code will be assigned to the IBC—Structural Code Development Committee and will be considered in 2019, during the Group B code change cycle.

As another example, every section of Chapter 1 of this code is designated as the responsibility of the Administrative Code Development Committee, which is part of the Group B portion of the hearings. This committee will hold its Committee Action Hearings in 2019 to consider code change proposals for Chapter 1 of all I-Codes except the *International Energy Conservation Code*, *International Residential Code* and *International Green Construction Code*. Therefore, any proposals received for Chapter 1 of this code will be assigned to the Administrative Code Development Committee for consideration in 2019.

It is very important that anyone submitting code change proposals understands which code development committee is responsible for the section of the code that is the subject of the code change proposal. For further information on the Code Development Committee responsibilities, please visit the ICC website at [www.iccsafe.org/scoping](http://www.iccsafe.org/scoping).

## Marginal Markings

- ➡ = Indicates where a paragraph or item has been deleted from the requirements of the 2015 *International Building Code*.
- > = Indicates model code language deleted by the State of New Jersey.
- | = Indicates a technical change from the requirements of the 2015 *International Building Code*.
- || = Indicates a State of New Jersey amendment has been made to the 2018 *International Building Code*.

A single asterisk [\*] placed in the margin indicates that text or a table has been relocated within the code. A double asterisk [\*\*] placed in the margin indicates that the text or table immediately following it has been relocated there from elsewhere in the code. The following table indicates such relocations in the 2018 edition of the *International Building Code*.

2018 LOCATION	2015 LOCATION
705.2.3.1	1406.3
705.2.4	1406.4
708.4.2	718.3.2
708.4.2	718.3.3
708.4.2	718.4.2
708.4.2	718.4.3
2304.11.1.1	602.4.3
2304.11.1.2	602.4.4
2304.11.1.3	602.4.5
2304.11.3	602.4.6
2304.11.3.2	602.4.6.1
2304.11.3.1	602.4.6.2
2304.11.4.1	602.4.7
2304.11.2	602.4.8
2304.11.2.2	602.4.8.1
2304.11.2.1	602.4.8.2
T2304.11.4.1	602.4

## Coordination of the International Codes

The coordination of technical provisions is one of the strengths of the ICC family of model codes. The codes can be used as a complete set of complementary documents, which will provide users with full integration and coordination of technical provisions. Individual codes can also be used in subsets or as stand-alone documents. To make sure that each individual code is as complete as possible, some technical provisions that are relevant to more than one subject area are duplicated in some of the model codes. This allows users maximum flexibility in their application of the I-Codes.

## Italicized Terms

Selected words and terms defined in Chapter 2, Definitions, are italicized where they appear in code text and the Chapter 2 definition applies. Where such words and terms are not italicized, common-use definitions apply. The words and terms selected have code-specific definitions that the user should read carefully to facilitate better understanding of the code. **Note:** In Sections 1903 through 1905, italics indicate provisions that differ from ACI 318.

## **Adoption**

The International Code Council maintains a copyright in all of its codes and standards. Maintaining copyright allows the ICC to fund its mission through sales of books, in both print and electronic formats. The ICC welcomes adoption of its codes by jurisdictions that recognize and acknowledge the ICC's copyright in the code, and further acknowledge the substantial shared value of the public/private partnership for code development between jurisdictions and the ICC.

The ICC also recognizes the need for jurisdictions to make laws available to the public. All I-Codes and I-Standards, along with the laws of many jurisdictions, are available for free in a nondownloadable form on the ICC's website. Jurisdictions should contact the ICC at [adoptions@iccsafe.org](mailto:adoptions@iccsafe.org) to learn how to adopt and distribute laws based on the *International Building Code* in a manner that provides necessary access, while maintaining the ICC's copyright.

To facilitate adoption, several sections of this code contain blanks for fill-in information that needs to be supplied by the adopting jurisdiction as part of the adoption legislation. For this code, please see:

Section 101.1. Insert: [NAME OF JURISDICTION]

Section 1612.3. Insert: [NAME OF JURISDICTION]

Section 1612.3. Insert: [DATE OF ISSUANCE]

# EFFECTIVE USE OF THE INTERNATIONAL BUILDING CODE

The *International Building Code®* (IBC®) is a model code that provides minimum requirements to safeguard the public health, safety and general welfare of the occupants of new and existing buildings and structures. The IBC is fully compatible with the ICC family of codes, including: *International Energy Conservation Code®* (IECC®), *International Existing Building Code®* (IEBC®), *International Fire Code®* (IFC®), *International Fuel Gas Code®* (IFGC®), *International Green Construction Code®* (IgCC®), *International Mechanical Code®* (IMC®), *International Plumbing Code®* (IPC®), *International Private Sewage Disposal Code®* (IPSDC®), *International Property Maintenance Code®* (IPMC®), *International Residential Code®* (IRC®), *International Swimming Pool and Spa Code®* (ISPSC®), *International Wildland-Urban Interface Code®* (IWUIC®), *International Zoning Code®* (IZC®) and *International Code Council Performance Code®* (ICCPC®).

The IBC addresses structural strength, means of egress, sanitation, adequate lighting and ventilation, accessibility, energy conservation and life safety in regard to new and existing buildings, facilities and systems. The codes are promulgated on a 3-year cycle to allow for new construction methods and technologies to be incorporated into the codes. Alternative materials, designs and methods not specifically addressed in the code can be approved by the building official where the proposed materials, designs or methods comply with the intent of the provisions of the code.

The IBC applies to all occupancies, including one- and two-family dwellings and townhouses that are not within the scope of the IRC. The IRC is referenced for coverage of detached one- and two-family dwellings and townhouses (see the definition for “Townhouse” in Chapter 2). The IRC can also be used for the construction of live/work units (as defined in Section 419) and small bed and breakfast-style hotels where there are five or fewer guest rooms and the hotel is owner occupied. The IBC applies to all types of buildings and structures unless exempted.

## Arrangement and Format of the 2018 IBC

Before applying the requirements of the IBC, it is beneficial to understand its arrangement and format. The IBC, like other codes published by ICC, is arranged and organized to follow sequential steps that generally occur during a plan review or inspection.

Chapters	Subjects
2	Definitions
3	Use and occupancy classifications
4, 31	Special requirements for specific occupancies or elements
5–6	Height and area limitations based on type of construction
7–9	Fire resistance and protection requirements
10	Requirements for evacuation
11	Specific requirements to allow use and access to a building for persons with disabilities
12–13, 27–30	Building systems, such as lighting, HVAC, plumbing fixtures, elevators
14–26	Structural components—performance and stability
32	Encroachment outside of property lines
33	Safeguards during construction
35	Referenced standards
Appendices A–N	Appendices

The IBC requirements for hazardous materials, fire-resistance-rated construction, interior finish, fire protection systems, means of egress, emergency and standby power, and temporary structures are directly correlated with the requirements of the IFC. The following chapters/sections of the IBC are correlated to the IFC:

<b>IBC Chapter/Section</b>	<b>IFC Chapter/Section</b>	<b>Subject</b>
Sections 307, 414, 415	Chapters 50-67	Hazardous materials and Group H requirements
Chapter 7	Chapter 7	Fire-resistance-rated construction (Fire and smoke protection features in the IFC)
Chapter 8	Chapter 8	Interior finish, decorative materials and furnishings
Chapter 9	Chapter 9	Fire protection systems
Chapter 10	Chapter 10	Means of egress
Chapter 27	Section 604	Standby and emergency power
Section 3103	Chapter 31	Temporary structures

The IBC requirements for smoke control systems, and smoke and fire dampers are directly correlated to the requirements of the IMC. IBC Chapter 28 is a reference to the IMC and the IFGC for chimneys, fireplaces and barbecues, and all aspects of mechanical systems. The following chapters/sections of the IBC are correlated with the IMC:

<b>IBC Chapter/Section</b>	<b>IMC Chapter/Section</b>	<b>Subject</b>
Section 717	Section 607	Smoke and fire dampers
Section 909	Section 513	Smoke control

The following is a chapter-by-chapter synopsis of the scope and intent of the provisions of the *International Building Code*.

## **Chapter 1 Deleted.**

**Chapter 2 Definitions.** An alphabetical listing of all defined terms is located in Chapter 2. Defined terms that are pertinent to a specific chapter or section are also found in that chapter or section with a reference back to Chapter 2 for the definition. While a defined term may be listed in one chapter or another, the meaning is applicable throughout the code.

Codes are technical documents and every word, term and punctuation mark can impact the meaning of the code text and the intended results. The code often uses terms that have a unique meaning in the code and the code meaning can differ substantially from the ordinarily understood meaning of the term as used outside of the code. Where understanding of a term's definition is especially key to or necessary for understanding a particular code provision, the term is shown in *italics* wherever it appears in the code.

The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct interpretation of the code. Where a term is not defined, such terms shall have the ordinarily accepted meaning.

**Chapter 3 Occupancy Classification and Use.** Chapter 3 provides for the classification of buildings, structures and parts thereof based on the purpose or purposes for which they are used. Section 302 identifies the groups into which all buildings, structures and parts thereof must be classified. Sections 303 through 312 identify the occupancy characteristics of each group classification. In some sections, specific group classifications having requirements in common are collectively

organized such that one term applies to all. For example, Groups A-1, A-2, A-3, A-4 and A-5 are individual groups for assembly-type buildings. The general term “Group A,” however, includes each of these individual groups. Other groups include Business (B), Educational (E), Factory (F-1, F-2), High Hazard (H-1, H-2, H-3, H-4, H-5), Institutional (I-1, I-2, I-3, I-4), Mercantile (M), Residential (R-1, R-2, R-3, R-4), Storage (S-1, S-2) and Utility (U). In some occupancies, the smaller number means a higher hazard, but that is not always the case.

Defining the use of the buildings is very important as it sets the tone for the remaining chapters of the code. Occupancy works with the height, area and construction type requirements in Chapters 5 and 6, as well as the special provisions in Chapter 4, to determine “equivalent risk,” or providing a reasonable level of protection or life safety for building occupants. The determination of equivalent risk involves three interdependent considerations: (1) the level of fire hazard associated with the specific occupancy of the facility; (2) the reduction of fire hazard by limiting the floor area and the height of the building based on the fuel load (combustible contents and burnable building components); and (3) the level of overall fire resistance provided by the type of construction used for the building. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type.

Occupancy classification also plays a key part in organizing and prescribing the appropriate protection measures. As such, threshold requirements for fire protection and means of egress systems are based on occupancy classification (see Chapters 9 and 10). Other sections of the code also contain requirements respective to the classification of building groups. For example, Section 706 specifies requirements for fire wall fire-resistance ratings that are tied to the occupancy classification of a building and Section 803.11 contains interior finish requirements that are dependent upon the occupancy classification. The use of the space, rather than the occupancy of the building, is utilized for determining occupant loading (Section 1004) and live loading (Section 1607).

Over the useful life of a building, the activities in the building will evolve and change. Where the provisions of the code address uses differently, moving from one activity to another or from one level of activity to another is, by definition, a change of occupancy. The new occupancy must be in compliance with the applicable provisions.

**Chapter 4 Special Detailed Requirements Based on Occupancy and Use.** Chapter 4 contains the requirements for protecting special uses and occupancies, which are supplemental to the remainder of the code. Chapter 4 contains provisions that may alter requirements found elsewhere in the code; however, the general requirements of the code still apply unless modified within the chapter. For example, the height and area limitations established in Chapter 5 apply to all special occupancies unless Chapter 4 contains height and area limitations. In this case, the limitations in Chapter 4 supersede those in other sections. An example of this is the height and area limitations for open parking garages given in Section 406.5.4, which supersede the limitations given in Sections 504 and 506.

In some instances, it may not be necessary to apply the provisions of Chapter 4. For example, if a covered mall building complies with the provisions of the code for Group M, Section 402 does not apply; however, other sections that address a use, process or operation must be applied to that specific occupancy, such as stages and platforms, special amusement buildings and hazardous materials (Sections 410, 411 and 414).

The chapter includes requirements for buildings and conditions that apply to one or more groups, such as high-rise buildings, underground buildings or atriums. Special uses may also imply specific occupancies and operations, such as for Group H, hazardous materials, application of flammable finishes, drying rooms, organic coatings and combustible storage or hydrogen fuel gas rooms, all of which are coordinated with the IFC. Unique consideration is taken for special use areas, such as covered mall buildings, motor-vehicle-related occupancies, special amusement buildings and aircraft-related occupancies. Special facilities within other occupancies are considered, such as stages and platforms, motion picture projection rooms, children’s play structures and storm shelters. Finally, in order that the overall package of protection features can be easily understood, unique considerations for specific occupancies are addressed: Groups I-1, I-2, I-3, R-1, R-2, R-3 and R-4; ambulatory care facilities and live/work units.

**Chapter 5 General Building Heights and Areas.** Chapter 5 contains the provisions that regulate the minimum type of construction for area limits and height limits based on the occupancy of the building. Height and area increases (including allowances for basements, mezzanines and equipment platforms) are permitted based on open frontage for fire department access, separation and

the type of sprinkler protection provided (Sections 503-506, 510). These thresholds are reduced for buildings over three stories in height in accordance with Sections 506.2.3 and 506.2.4. Provisions include the protection and/or separation of incidental uses (Table 509), accessory occupancies (Section 508.2) and mixed uses in the same building (Sections 506.2.2, 506.2.4, 508.3, 508.4 and 510). Unlimited area buildings are permitted in certain occupancies when they meet special provisions (Section 507).

Tables 504.3, 504.4 and 506.2 are the keystones in setting thresholds for building size based on the building's use and the materials with which it is constructed. If one then looks at Tables 504.3, 504.4 and 506.2, the relationship among group classification, allowable heights and areas and types of construction becomes apparent. Respective to each group classification, the greater the fire-resistance rating of structural elements, as represented by the type of construction, the greater the floor area and height allowances. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. Starting in the 2015 edition, the table that once contained both height and area has been separated and these three new tables address the topics individually. In addition, the tables list criteria for buildings with and without automatic sprinkler systems.

**Chapter 6 Types of Construction.** The interdependence of these fire safety considerations can be seen by first looking at Tables 601 and 602, which show the fire-resistance ratings of the principal structural elements comprising a building in relation to the five classifications for types of construction. Type I construction is the classification that generally requires the highest fire-resistance ratings for structural elements, whereas Type V construction, which is designated as a combustible type of construction, generally requires the least amount of fire-resistance-rated structural elements. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. Section 603 includes a list of combustible elements that can be part of a noncombustible building (Types I and II construction).

**Chapter 7 Fire and Smoke Protection Features.** The provisions of Chapter 7 present the fundamental concepts of fire performance that all buildings are expected to achieve in some form. This chapter identifies the acceptable materials, techniques and methods by which proposed construction can be designed and evaluated against to determine a building's ability to limit the impact of fire. The fire-resistance-rated construction requirements within Chapter 7 provide passive resistance to the spread and effects of fire. Types of separations addressed include fire walls, fire barriers, fire partitions, horizontal assemblies, smoke barriers and smoke partitions. A fire produces heat that can weaken structural components and smoke products that cause property damage and place occupants at risk. The requirements of Chapter 7 work in unison with height and area requirements (Chapter 5), active fire detection and suppression systems (Chapter 9) and occupant egress requirements (Chapter 10) to contain a fire should it occur while helping ensure occupants are able to safely exit.

**Chapter 8 Interior Finishes.** This chapter contains the performance requirements for controlling fire growth within buildings by restricting interior finish and decorative materials. Past fire experience has shown that interior finish and decorative materials are key elements in the development and spread of fire. The provisions of Chapter 8 require materials used as interior finishes and decorations to meet certain flame-spread index or flame-propagation criteria based on the relative fire hazard associated with the occupancy. As smoke is also a hazard associated with fire, this chapter contains limits on the smoke development characteristics of interior finishes. The performance of the material is evaluated based on test standards.

**Chapter 9 Fire Protection and Life Safety Systems.** Chapter 9 prescribes the minimum requirements for active systems of fire protection equipment to perform the following functions: detect a fire; alert the occupants or fire department of a fire emergency; and control smoke and control or extinguish the fire. Generally, the requirements are based on the occupancy, the height and the area of the building, because these are the factors that most affect fire-fighting capabilities and the relative hazard of a specific building or portion thereof. This chapter parallels and is substantially duplicated in Chapter 9 of the *International Fire Code* (IFC); however, the IFC Chapter 9 also contains periodic testing criteria that are not contained in the IBC. In addition, the special fire protection system requirements based on use and occupancy found in IBC Chapter 4 are duplicated in IFC Chapter 9 as a user convenience.

**Chapter 10 Means of Egress.** The general criteria set forth in Chapter 10 regulating the design of the means of egress are established as the primary method for protection of people in buildings by allowing timely relocation or evacuation of building occupants. Both prescriptive and performance language is utilized in this chapter to provide for a basic approach in the determination of a safe exiting system for all occupancies. It addresses all portions of the egress system (i.e., exit access, exits and exit discharge) and includes design requirements as well as provisions regulating individual components. The requirements detail the size, arrangement, number and protection of means of egress components. Functional and operational characteristics also are specified for the components that will permit their safe use without special knowledge or effort. The means of egress protection requirements work in coordination with other sections of the code, such as protection of vertical openings (see Chapter 7), interior finish (see Chapter 8), fire suppression and detection systems (see Chapter 9) and numerous others, all having an impact on life safety. Chapter 10 of the IBC is duplicated in Chapter 10 of the IFC; however, the IFC contains one additional section on the means of egress system in existing buildings.

**Chapter 11 Accessibility.** Chapter 11 contains provisions that set forth requirements for accessibility of buildings and their associated sites and facilities for people with physical disabilities. The fundamental philosophy of the code on the subject of accessibility is that everything is required to be accessible. This is reflected in the basic applicability requirement (see Section 1103.1). The code's scoping requirements then address the conditions under which accessibility is not required in terms of exceptions to this general mandate. While the IBC contains scoping provisions for accessibility (for example, what, where and how many), ICC A117.1, *Accessible and Usable Buildings and Facilities*, is the referenced standard for the technical provisions (in other words, how).

There are many accessibility issues that not only benefit people with disabilities, but also provide a tangible benefit to people without disabilities. This type of requirement can be set forth in the code as generally applicable without necessarily identifying it specifically as an accessibility-related issue. Such a requirement would then be considered as having been "mainstreamed." For example, visible alarms are located in Chapter 9 and accessible means of egress and ramp requirements are addressed in Chapter 10.

Accessibility criteria for existing buildings are addressed in the *International Existing Building Code* (IEBC).

Appendix E is supplemental information included in the code to address accessibility for items in the 2010 ADA Standards for Accessible Design that were not typically enforceable through the standard traditional building code enforcement approach system (for example, beds, room signage). The *International Residential Code* (IRC) references Chapter 11 for accessibility provisions; therefore, this chapter may be applicable to housing covered under the IRC.

**Chapter 12 Interior Environment.** Chapter 12 provides minimum standards for the interior environment of a building. The standards address the minimum sizes of spaces, minimum temperature levels, and minimum light and ventilation levels. The collection of requirements addresses limiting sound transmission through walls, ventilation of attic spaces and under floor spaces (crawl spaces). Finally, the chapter provides minimum standards for toilet and bathroom construction, including privacy shielding and standards for walls, partitions and floors to resist water intrusion and damage.

### **Chapter 13 Deleted.**

**Chapter 14 Exterior Walls.** This chapter addresses requirements for exterior walls of buildings. Minimum standards for wall covering materials, installation of wall coverings and the ability of the wall to provide weather protection are provided. This chapter also requires exterior walls that are close to lot lines, or that are bearing walls for certain types of construction, to comply with the minimum fire-resistance ratings specified in Chapters 6 and 7. The installation of each type of wall covering, be it wood, masonry, vinyl, metal composite material or an exterior insulation and finish system, is critical to its long-term performance in protecting the interior of the building from the elements and the spread of fire. Limitations on the use of combustible materials on exterior building elements such as balconies, eaves, decks and architectural trim are also addressed in this chapter.

**Chapter 15 Roof Assemblies and Rooftop Structures.** Chapter 15 provides standards for both roof assemblies and structures that sit on top of the roofs of buildings. The criteria address roof construction and covering, including the weather-protective barrier at the roof and, in most circumstances, a fire-resistant barrier. The chapter is prescriptive in nature and is based on decades of experience with various traditional materials, but it also addresses newer products such as photovoltaic shingles. These prescriptive rules are very important for satisfying performance of one type of roof covering or another. Section 1510 addresses rooftop structures, including penthouses, tanks, towers and spires. Rooftop penthouses larger than prescribed in this chapter must be treated as a story under Chapter 5.

**Chapter 16 Structural Design.** Chapter 16 prescribes minimum structural loading requirements for use in the design and construction of buildings and structural components. It includes minimum design loads, assignment of risk categories and permitted design methodologies. Standards are provided for minimum design loads (live, dead, snow, wind, rain, flood, ice and earthquake as well as the required load combinations). The application of these loads and adherence to the serviceability criteria will enhance the protection of life and property. The chapter references and relies on many nationally recognized design standards. A key standard is the American Society of Civil Engineers' *Minimum Design Loads for Buildings and Other Structures* (ASCE 7). Structural design must address the conditions of the site and location. Therefore, maps are provided of rainfall, seismic, snow and wind criteria in different regions.

**Chapter 17 Special Inspections and Tests.** Chapter 17 provides a variety of procedures and criteria for testing materials and assemblies, labeling materials and assemblies and special inspection of structural assemblies. This chapter expands on the inspections of Chapter 1 by requiring special inspection where indicated and, in some cases, structural observation. It also spells out additional responsibilities for the owner, contractor, design professionals and special inspectors. Proper assembly of structural components, proper quality of materials used and proper application of materials are essential to ensuring that a building, once constructed, complies with the structural and fire-resistance minimums of the code and the approved design. To determine this compliance often requires continuous or frequent inspection and testing. Chapter 17 establishes standards for special inspection, testing and reporting of the work to the building official.

**Chapter 18 Soils and Foundations.** Chapter 18 provides criteria for geotechnical and structural considerations in the selection, design and installation of foundation systems to support the loads from the structure above. This chapter includes requirements for soils investigation and site preparation for receiving a foundation, including the allowed load-bearing values for soils and for protecting the foundation from water intrusion. Section 1808 addresses the basic requirements for all foundation types. Later sections address foundation requirements that are specific to shallow foundations and deep foundations. Due care must be exercised in the planning and design of foundation systems based on obtaining sufficient soils information, the use of accepted engineering procedures, experience and good technical judgment.

**Chapter 19 Concrete.** This chapter provides minimum accepted practices for the design and construction of buildings and structural components using concrete—both plain and reinforced. Chapter 19 relies primarily on the reference to American Concrete Institute (ACI) 318, *Building Code Requirements for Structural Concrete*. This chapter also includes references to additional standards. Structural concrete must be designed and constructed to comply with this code and all listed standards. There are specific sections of the chapter addressing concrete slabs, anchorage to concrete and shotcrete. Because of the variable properties of material and numerous design and construction options available in the uses of concrete, due care and control throughout the construction process is necessary.

**Chapter 20 Aluminum.** Chapter 20 contains standards for the use of aluminum in building construction. Only the structural applications of aluminum are addressed. This chapter does not address the use of aluminum in specialty products such as storefront or window framing or architectural hardware. The use of aluminum in heating, ventilating or air-conditioning systems is addressed in the *International Mechanical Code* (IMC). This chapter references national standards from the Aluminum Association for use of aluminum in building construction, AA ASM 35, *Aluminum Sheet Metal Work in Building Construction*, and AA ADM 1, *Aluminum Design Manual*. By utilizing the standards set forth, a proper application of this material can be obtained.

**Chapter 21 Masonry.** This chapter provides comprehensive and practical requirements for masonry construction. The provisions of Chapter 21 require minimum accepted practices and the use of standards for the design and construction of masonry structures. The provisions address: material specifications and test methods; types of wall construction; criteria for engineered and empirical designs; and required details of construction, including the execution of construction. Masonry design methodologies including allowable stress design, strength design and empirical design are covered by provisions of this chapter. Also addressed are masonry fireplaces and chimneys, masonry heaters and glass unit masonry. Fire-resistant construction using masonry is also required to comply with Chapter 7. Masonry foundations are also subject to the requirements of Chapter 18.

**Chapter 22 Steel.** Chapter 22 provides the requirements necessary for the design and construction of structural steel (including composite construction), cold-formed steel, steel joists, steel cable structures and steel storage racks. This chapter specifies appropriate design and construction standards for these types of structures. It also provides a road map of the applicable technical requirements for steel structures. Because steel is a noncombustible building material, it is commonly associated with Types I and II construction; however, it is permitted to be used in all types of construction. Chapter 22 requires that the design and use of steel materials be in accordance with the specifications and standards of the American Institute of Steel Construction, the American Iron and Steel Institute, the Steel Joist Institute and the American Society of Civil Engineers.

**Chapter 23 Wood.** This chapter provides minimum requirements for the design of buildings and structures that use wood and wood-based products. The chapter is organized around three design methodologies: allowable stress design (ASD), load and resistance factor design (LRFD) and conventional light-frame construction. Included in this chapter are references to design and manufacturing standards for various wood and wood-based products; general construction requirements; design criteria for lateral force-resisting systems and specific requirements for the application of the three design methods. In general, only Type III, IV or V buildings may be constructed of wood.

**Chapter 24 Glass and Glazing.** This chapter establishes regulations for glass and glazing that, when installed in buildings and structures, are subjected to wind, snow and dead loads. Engineering and design requirements are included in the chapter. Additional structural requirements are found in Chapter 16. Another concern of this chapter is glass and glazing used in areas where it is likely to be impacted by the occupants. Section 2406 identifies hazardous locations where glazing installed must either be safety glazing or blocked to prevent human impact. Safety glazing must meet stringent standards and be appropriately marked or identified. Additional requirements are provided for glass and glazing in guards, handrails, elevator hoistways and elevator cars, as well as in athletic facilities.

**Chapter 25 Gypsum Board, Gypsum Panel Products and Plaster.** Chapter 25 contains the provisions and referenced standards that regulate the design, construction and quality of gypsum board, gypsum panel products and plaster. It also addresses reinforced gypsum concrete. These represent the most common interior and exterior finish materials in the building industry. This chapter primarily addresses quality-control-related issues with regard to material specifications and installation requirements. Most products are manufactured under the control of industry standards. The building official or inspector primarily needs to verify that the appropriate product is used and properly installed for the intended use and location. While often simply used as wall and ceiling coverings, proper design and application are necessary to provide weather resistance and required fire protection for both structural and nonstructural building components.

**Chapter 26 Plastic.** The use of plastics in building construction and components is addressed in Chapter 26. This chapter provides standards addressing foam plastic insulation, foam plastics used as interior finish and trim, and other plastic veneers used on the inside or outside of a building. Plastic siding is regulated by Chapter 14. Sections 2606 through 2611 address the use of light-transmitting plastics in various configurations such as walls, roof panels, skylights, signs and as glazing. Requirements for the use of fiber-reinforced polymers, fiberglass-reinforced polymers and reflective plastic core insulation are also contained in this chapter. Additionally, requirements specific to the use of wood-plastic composites and plastic lumber are contained in this chapter. Some plastics exhibit rapid flame spread and heavy smoke density characteristics when exposed to fire. Exposure to the heat generated by a fire can cause some plastics to deform, which can affect their performance. The requirements and limitations of this chapter are necessary to control the use of plastic and foam plastic products such that they do not compromise the safety of building occupants.

**Chapter 27 Electrical.** Since electrical systems and components are an integral part of almost all structures, it is necessary for the code to address the installation of such systems. For this purpose, Chapter 27 references the *National Electrical Code* (NEC). In addition, Section 2702 addresses emergency and standby power requirements. Such systems must comply with the *International Fire Code* (IFC) and referenced standards. This section also provides references to the various code sections requiring emergency and standby power, such as high-rise buildings and buildings containing hazardous materials.

**Chapter 28 Deleted.**

**Chapter 29 Deleted.**

**Chapter 30 Elevators and Conveying Systems.** Chapter 30 provides standards for the installation of elevators into buildings. Referenced standards provide the requirements for the elevator system and mechanisms. Detailed standards are provided in the chapter for hoistway enclosures, machine rooms and requirements for sizing of elevators. Beginning in the 2015 edition of this code, the elevator lobby requirements were moved from Chapter 7 to Chapter 30 to pull all the elevator-related construction requirements together. New provisions were added in the 2009 edition for fire service access elevators required in high-rise buildings and for the optional choice of occupant evacuation elevators (see Section 403).

**Chapter 31 Special Construction.** Chapter 31 contains a collection of regulations for a variety of unique structures and architectural features. Pedestrian walkways and tunnels connecting two buildings are addressed in Section 3104. Membrane and air-supported structures are addressed by Section 3102. Safeguards for swimming pool safety are addressed by way of reference to the *International Swimming Pool and Spa Code* (ISPSC) in Section 3109. Standards for temporary structures, including permit requirements, are provided in Section 3103. Structures as varied as awnings, marquees, signs, telecommunication and broadcast towers and automatic vehicular gates are also addressed (see Sections 3105 through 3108 and 3110).

**Chapter 32 Encroachments into the Public Right-of-way.** Buildings and structures from time to time are designed to extend over a property line and into the public right-of-way. Local regulations outside of the building code usually set limits to such encroachments, and such regulations take precedence over the provisions of this chapter. Standards are provided for encroachments below grade for structural support, vaults and areaways. Encroachments above grade are divided into below 8 feet, 8 feet to 15 feet, and above 15 feet, because of headroom and vehicular height issues. This includes steps, columns, awnings, canopies, marquees, signs, windows and balconies. Similar architectural features above grade are also addressed. Pedestrian walkways must also comply with Chapter 31.

**Chapter 33 Safeguards During Construction.** Chapter 33 provides safety requirements during construction and demolition of buildings and structures. These requirements are intended to protect the public from injury and adjoining property from damage. In addition the chapter provides for the progressive installation and operation of exit stairways and standpipe systems during construction.

**Chapter 34 Reserved.** During the 2015 code change cycle the membership voted to delete Chapter 34, Existing Structures, from this code and reference the *International Existing Building Code* (IEBC)®. The provisions that were in Chapter 34 will appear in the IEBC. Sections 3402 through 3411 appear as IEBC Chapter 4 and Section 3412 as Chapter 14.

**Chapter 35 Referenced Standards.** The code contains numerous references to standards that are used to regulate materials and methods of construction. Chapter 35 contains a comprehensive list of all standards that are referenced in the code, including the appendices. The standards are part of the code to the extent of the reference to the standard. Compliance with the referenced standard is necessary for compliance with this code. By providing specifically adopted standards, the construction and installation requirements necessary for compliance with the code can be readily determined. The basis for code compliance is, therefore, established and available on an equal basis to the building official, contractor, designer and owner.

Chapter 35 is organized in a manner that makes it easy to locate specific standards. It lists all of the referenced standards, alphabetically, by acronym of the promulgating agency of the standard. Each agency's standards are then listed in either alphabetical or numeric order based upon the standard identification. The list also contains the title of the standard; the edition (date) of the standard referenced; any addenda included as part of the ICC adoption; and the section or sections of this code that reference the standard.

**Appendices.** Appendices are provided in the IBC to offer optional or supplemental criteria to the provisions in the main chapters of the code. Appendices provide additional information for administration of the Department of Building Safety as well as standards not typically administered by all building departments. Appendices have the same force and effect as the first 35 chapters of the IBC only when explicitly adopted by the jurisdiction.

**Appendix A Deleted.**

**Appendix B Deleted.**

**Appendix C Deleted.**

**Appendix D Deleted.**

**Appendix E Deleted.**

**Appendix F Deleted.**

**Appendix G Deleted.**

**Appendix H Signs.** Appendix H gathers in one place the various code standards that regulate the construction and protection of outdoor signs. Whenever possible, this appendix provides standards in performance language, thus allowing the widest possible application.

**Appendix I Deleted.**

**Appendix J Deleted.**

**Appendix K Deleted.**

**Appendix L Deleted.**

**Appendix M Deleted.**

**Appendix N Deleted.**



# TABLE OF CONTENTS

<b>CHAPTER 1 SCOPE AND ADMINISTRATION (DELETED).....</b>	<b>1</b>
<b>CHAPTER 2 DEFINITIONS .....</b>	<b>3</b>
Section	
201 General .....	3
202 Definitions .....	3
<b>CHAPTER 3 OCCUPANCY CLASSIFICATION AND USE .....</b>	<b>35</b>
Section	
301 Scope .....	35
302 Occupancy Classification and Use Designation....	35
303 Assembly Group A.....	35
304 Business Group B.....	36
305 Educational Group E .....	36
306 Factory Group F.....	37
307 High-hazard Group H.....	37
308 Institutional Group I.....	41
309 Mercantile Group M.....	42
310 Residential Group R.....	42
311 Storage Group S .....	43
312 Utility and Miscellaneous Group U .....	44
<b>CHAPTER 4 SPECIAL DETAILED REQUIREMENTS BASED ON OCCUPANCY AND USE .....</b>	<b>45</b>
Section	
401 Scope .....	45
402 Covered Mall and Open Mall Buildings .....	45
403 High-rise Buildings .....	49
404 Atriums.....	52
405 Underground Buildings .....	53
406 Motor-vehicle-related Occupancies .....	54
407 Group I-2 .....	58
408 Group I-3 .....	61
409 Motion Picture Projection Rooms .....	63
410 Stages, Platforms and Technical Production Areas .....	64
411 Special Amusement Buildings.....	66
412 Aircraft-related Occupancies .....	66
413 Combustible Storage .....	70
414 Hazardous Materials .....	70
415 Groups H-1, H-2, H-3, H-4 and H-5 .....	73
416 Spray Application of Flammable Finishes.....	83
417 Drying Rooms .....	83
418 Organic Coatings.....	84
419 Live/work Units.....	84
420 Groups I-1, R-1, R-2, R-3 and R-4 .....	85
421 Hydrogen Fuel Gas Rooms .....	86
422 Ambulatory Care Facilities .....	86
423 Storm Shelters .....	87
424 Children's Play Structures .....	87
425 Hyperbaric Facilities .....	87
426 Combustible Dusts, Grain Processing and Storage .....	87
427 Medical Gas Systems.....	88
428 Higher Education Laboratories .....	89
<b>CHAPTER 5 GENERAL BUILDING HEIGHTS AND AREAS .....</b>	<b>91</b>
Section	
501 General.....	91
502 Building Address (Deleted).....	91
503 General Building Height and Area Limitations....	91
504 Building Height and Number of Stories .....	91
505 Mezzanines and Equipment Platforms.....	94
506 Building Area.....	95
507 Unlimited Area Buildings .....	99
508 Mixed Use and Occupancy .....	101
509 Incidental Uses.....	102
510 Special Provisions .....	102
<b>CHAPTER 6 TYPES OF CONSTRUCTION.....</b>	<b>107</b>
Section	
601 General.....	107
602 Construction Classification .....	107
603 Combustible Material in Types I and II Construction .....	108
<b>CHAPTER 7 FIRE AND SMOKE PROTECTION FEATURES.....</b>	<b>111</b>
Section	
701 General.....	111

## TABLE OF CONTENTS

702	Multiple Use Fire Assemblies . . . . .	111
703	Fire-resistance Ratings and Fire Tests . . . . .	111
704	Fire-resistance Rating of Structural Members . . . . .	112
705	Exterior Walls. . . . .	114
706	Fire Walls . . . . .	118
707	Fire Barriers . . . . .	120
708	Fire Partitions . . . . .	121
709	Smoke Barriers . . . . .	122
710	Smoke Partitions . . . . .	123
711	Floor and Roof Assemblies . . . . .	124
712	Vertical Openings. . . . .	124
713	Shaft Enclosures. . . . .	126
714	Penetrations . . . . .	127
715	Fire-resistant Joint Systems . . . . .	130
716	Opening Protectives . . . . .	131
717	Ducts and Air Transfer Openings. . . . .	137
718	Concealed Spaces. . . . .	142
719	Fire-resistance Requirements for Plaster . . . . .	144
720	Thermal- and Sound-insulating Materials . . . . .	144
721	Prescriptive Fire Resistance . . . . .	145
722	Calculated Fire Resistance . . . . .	145
<b>CHAPTER 8 INTERIOR FINISHES. . . . .</b>		<b>197</b>
Section		
801	Scope . . . . .	197
802	General . . . . .	197
803	Wall and Ceiling Finishes . . . . .	197
804	Interior Floor Finish . . . . .	200
805	Combustible Materials in Types I and II Construction. . . . .	201
806	Decorative Materials and Trim. . . . .	201
807	Insulation . . . . .	202
808	Acoustical Ceiling Systems . . . . .	202
<b>CHAPTER 9 FIRE PROTECTION AND LIFE SAFETY SYSTEMS. . . . .</b>		<b>203</b>
Section		
901	General . . . . .	203
902	Fire Pump and Riser Room Size . . . . .	204
903	Automatic Sprinkler Systems. . . . .	204
904	Alternative Automatic Fire-extinguishing Systems . . . . .	211
905	Standpipe Systems . . . . .	213
906	Portable Fire Extinguishers . . . . .	217
907	Fire Alarm and Detection Systems . . . . .	219
908	Emergency Alarm Systems . . . . .	229
909	Smoke Control Systems. . . . .	230
910	Smoke and Heat Removal . . . . .	237
911	Fire Command Center . . . . .	238
912	Fire Department Connections . . . . .	239
913	Fire Pumps . . . . .	240
914	Emergency Responder Safety Features . . . . .	241
915	Carbon Monoxide Detection . . . . .	241
916	Gas Detection Systems . . . . .	242
917	Mass Notification Systems . . . . .	243
918	Emergency Responder Radio Coverage . . . . .	243
<b>CHAPTER 10 MEANS OF EGRESS. . . . .</b>		<b>245</b>
Section		
1001	Administration . . . . .	245
1002	Maintenance and Plans . . . . .	245
1003	General Means of Egress . . . . .	245
1004	Occupant Load . . . . .	246
1005	Means of Egress Sizing. . . . .	248
1006	Number of Exits and Exit Access Doorways . . . . .	249
1007	Exit and Exit Access Doorway Configuration . . . . .	252
1008	Means of Egress Illumination. . . . .	252
1009	Accessible Means of Egress . . . . .	253
1010	Doors, Gates and Turnstiles . . . . .	256
1011	Stairways. . . . .	264
1012	Ramps . . . . .	267
1013	Exit Signs . . . . .	268
1014	Handrails. . . . .	269
1015	Guards. . . . .	270
1016	Exit Access . . . . .	272
1017	Exit Access Travel Distance. . . . .	273
1018	Aisles . . . . .	273
1019	Exit Access Stairways and Ramps . . . . .	274
1020	Corridors . . . . .	274
1021	Egress Balconies. . . . .	276
1022	Exits . . . . .	276
1023	Interior Exit Stairways and Ramps. . . . .	276
1024	Exit Passageways . . . . .	278
1025	Luminous Egress Path Markings . . . . .	279
1026	Horizontal Exits . . . . .	280
1027	Exterior Exit Stairways and Ramps . . . . .	281

1028	Exit Discharge .....	282	1408	High-pressure Decorative Exterior-grade Compact Laminates (HPL) .....	327
1029	Assembly .....	283	1409	Plastic Composite Decking .....	328
1030	Emergency Escape and Rescue .....	289			
<b>CHAPTER 11 ACCESSIBILITY .....</b> <b>291</b>			<b>CHAPTER 15 ROOF ASSEMBLIES AND ROOFTOP STRUCTURES .....</b> <b>329</b>		
Section					
1101	General .....	291	1501	General .....	329
1102	Compliance .....	291	1502	Roof Drainage .....	329
1103	Scoping Requirements .....	292	1503	Weather Protection .....	329
1104	Accessible Route .....	293	1504	Performance Requirements .....	330
1105	Accessible Entrances .....	295	1505	Fire Classification .....	331
1106	Parking and Passenger Loading Facilities .....	295	1506	Materials .....	332
1107	Dwelling Units and Sleeping Units .....	297	1507	Requirements for Roof Coverings .....	332
1108	Special Occupancies .....	300	1508	Roof Insulation .....	344
1109	Other Features and Facilities .....	302	1509	Radiant Barriers Installed Above Deck .....	344
1110	Recreational Facilities .....	305	1510	Rooftop Structures .....	344
1111	Signage .....	307	1511	Reroofing .....	346
1112	Variations .....	308	1512	Photovoltaic Panels and Modules .....	347
<b>CHAPTER 12 INTERIOR ENVIRONMENT .....</b> <b>309</b>			<b>CHAPTER 16 STRUCTURAL DESIGN .....</b> <b>349</b>		
Section					
1201	General .....	309	1601	General .....	349
1202	Ventilation .....	309	1602	Notations .....	349
1203	Temperature Control (Deleted) .....	311	1603	Construction Documents .....	349
1204	Lighting .....	311	1604	General Design Requirements .....	350
1205	Yards or Courts .....	312	1605	Load Combinations .....	353
1206	Sound Transmission .....	312	1606	Dead Loads .....	355
1207	Interior Space Dimensions .....	312	1607	Live Loads .....	355
1208	Access to Unoccupied Spaces .....	313	1608	Snow Loads .....	362
1209	Toilet and Bathroom Requirements .....	313	1609	Wind Loads .....	362
<b>CHAPTER 13 ENERGY EFFICIENCY (DELETED) .....</b> <b>315</b>			1610	Soil Lateral Loads .....	379
<b>CHAPTER 14 EXTERIOR WALLS .....</b> <b>317</b>			1611	Rain Loads .....	379
Section					
1401	General .....	317	1612	Flood Loads .....	380
1402	Performance Requirements .....	317	1613	Earthquake Loads .....	381
1403	Materials .....	318	1614	Atmospheric Ice Loads .....	384
1404	Installation of Wall Coverings .....	318	1615	Tsunami Loads .....	384
1405	Combustible Materials on the Exterior Side of Exterior Walls .....	324	1616	Structural Integrity .....	384
1406	Metal Composite Materials (MCM) .....	325			
1407	Exterior Insulation and Finish Systems (EIFS) .....	327			
<b>CHAPTER 17 SPECIAL INSPECTIONS AND TESTS .....</b> <b>397</b>					
Section					
1701	General .....	397			
1702	New Materials .....	397			
1703	Approvals .....	397			

## TABLE OF CONTENTS

1704	Special Inspections and Tests, Contractor Responsibility and Structural Observation .....	398
1705	Required Special Inspections and Tests .....	400
1706	Design Strengths of Materials.....	407
1707	Alternative Test Procedure .....	407
1708	In-situ Load Tests .....	407
1709	Preconstruction Load Tests.....	407
<b>CHAPTER 18 SOILS AND FOUNDATIONS.....</b>		<b>409</b>
Section		
1801	General .....	409
1802	Design Basis .....	409
1803	Geotechnical Investigations .....	409
1804	Excavation, Grading and Fill.....	411
1805	Dampproofing and Waterproofing .....	412
1806	Presumptive Load-bearing Values of Soils.....	414
1807	Foundation Walls, Retaining Walls and Embedded Posts and Poles .....	414
1808	Foundations.....	419
1809	Shallow Foundations.....	423
1810	Deep Foundations .....	425
<b>CHAPTER 19 CONCRETE .....</b>		<b>439</b>
Section		
1901	General .....	439
1902	Definitions.....	439
1903	Specifications for Tests and Materials .....	439
1904	Durability Requirements.....	440
1905	Modifications to ACI 318 .....	440
1906	Structural Plain Concrete.....	442
1907	Minimum Slab Provisions.....	442
1908	Shotcrete .....	443
<b>CHAPTER 20 ALUMINUM.....</b>		<b>445</b>
Section		
2001	General .....	445
2002	Materials .....	445
<b>CHAPTER 21 MASONRY .....</b>		<b>447</b>
Section		
2101	General .....	447
2102	Notations .....	447
2103	Masonry Construction Materials.....	447
2104	Construction .....	448
2105	Quality Assurance.....	448
2106	Seismic Design .....	448
2107	Allowable Stress Design.....	448
2108	Strength Design of Masonry.....	449
2109	Empirical Design of Adobe Masonry .....	449
2110	Glass Unit Masonry .....	451
2111	Masonry Fireplaces.....	451
2112	Masonry Heaters.....	453
2113	Masonry Chimneys.....	454
2114	Dry-stack Masonry .....	458
<b>CHAPTER 22 STEEL .....</b>		<b>459</b>
Section		
2201	General .....	459
2202	Identification of Steel for Structural Purposes ..	459
2203	Protection of Steel for Structural Purposes .....	459
2204	Connections .....	459
2205	Structural Steel .....	459
2206	Composite Structural Steel and Concrete Structures.....	460
2207	Steel Joists.....	460
2208	Steel Cable Structures.....	461
2209	Steel Storage Racks .....	461
2210	Cold-formed Steel.....	461
2211	Cold-formed Steel Light-frame Construction....	461
<b>CHAPTER 23 WOOD .....</b>		<b>463</b>
Section		
2301	General .....	463
2302	Design Requirements .....	463
2303	Minimum Standards and Quality .....	463
2304	General Construction Requirements.....	467
2305	General Design Requirements for Lateral Force-resisting Systems .....	480
2306	Allowable Stress Design.....	481
2307	Load and Resistance Factor Design .....	483
2308	Conventional Light-frame Construction.....	483
2309	Wood Frame Construction Manual.....	514
<b>CHAPTER 24 GLASS AND GLAZING .....</b>		<b>535</b>
Section		
2401	General .....	535
2402	Glazing Replacement .....	535
2403	General Requirements for Glass.....	535

2404 Wind, Snow, Seismic and Dead Loads on Glass.....	535	2612 Plastic Composites .....	560
2405 Sloped Glazing and Skylights.....	537	2613 Fiber-reinforced Polymer .....	560
2406 Safety Glazing.....	538	2614 Reflective Plastic Core Insulation.....	561
2407 Glass in Handrails and Guards .....	540	<b>CHAPTER 27 ELECTRICAL .....</b>	<b>563</b>
2408 Glazing in Athletic Facilities.....	540	Section	
2409 Glass in Walkways, Elevator Hoistways and Elevator Cars .....	541	2701 General (Deleted) .....	563
<b>CHAPTER 25 GYPSUM BOARD, GYPSUM PANEL PRODUCTS AND PLASTER.....</b>	<b>543</b>	2702 Emergency and Standby Power Systems .....	563
Section		<b>CHAPTER 28 MECHANICAL SYSTEMS (DELETED).....</b>	<b>565</b>
2501 General .....	543	<b>CHAPTER 29 PLUMBING SYSTEMS (DELETED).....</b>	<b>567</b>
2502 Performance.....	543	<b>CHAPTER 30 ELEVATORS AND CONVEYING SYSTEMS .....</b>	<b>569</b>
2503 Inspection .....	543	Section	
2504 Vertical and Horizontal Assemblies .....	543	3001 General .....	569
2505 Shear Wall Construction .....	543	3002 Hoistway Enclosures.....	569
2506 Gypsum Board and Gypsum Panel Product Materials.....	543	3003 Emergency Operations .....	570
2507 Lathing and Plastering.....	544	3004 Conveying Systems.....	570
2508 Gypsum Construction .....	544	3005 Machine Rooms .....	571
2509 Showers and Water Closets.....	546	3006 Elevator Lobbies and Hoistway Opening Protection.....	571
2510 Lathing and Furring for Cement Plaster (Stucco) .....	546	3007 Fire Service Access Elevator .....	572
2511 Interior Plaster.....	547	3008 Occupant Evacuation Elevators .....	573
2512 Exterior Plaster .....	547	<b>CHAPTER 31 SPECIAL CONSTRUCTION.....</b>	<b>577</b>
2513 Exposed Aggregate Plaster .....	548	Section	
2514 Reinforced Gypsum Concrete.....	548	3101 General .....	577
<b>CHAPTER 26 PLASTIC .....</b>	<b>549</b>	3102 Membrane Structures .....	577
Section		3103 Temporary Structures .....	578
2601 General .....	549	3104 Pedestrian Walkways and Tunnels .....	579
2602 Finish and Trim.....	549	3105 Awnings and Canopies .....	580
2603 Foam Plastic Insulation.....	549	3106 Marquees.....	580
2604 Interior Finish and Trim .....	555	3107 Signs .....	580
2605 Plastic Veneer .....	555	3108 Telecommunication and Broadcast Towers .....	580
2606 Light-transmitting Plastics .....	556	3109 Swimming Pools, Spas and Hot Tubs.....	581
2607 Light-transmitting Plastic Wall Panels .....	557	3110 Automatic Vehicular Gates.....	582
2608 Light-transmitting Plastic Glazing .....	558	3111 Solar Energy Systems.....	582
2609 Light-transmitting Plastic Roof Panels .....	558	3112 Greenhouses .....	582
2610 Light-transmitting Plastic Skylight Glazing .....	559	3113 Relocatable Buildings (Deleted).....	583
2611 Light-transmitting Plastic Interior Signs.....	560		

## TABLE OF CONTENTS

<b>CHAPTER 32 ENCROACHMENTS INTO THE PUBLIC RIGHT-OF-WAY .....</b>	<b>585</b>	<b>APPENDIX G FLOOD-RESISTANT CONSTRUCTION (DELETED)....</b>	<b>623</b>
Section			
3201 General .....	585	H101 General .....	625
3202 Encroachments .....	585	H102 Definitions .....	625
<b>CHAPTER 33 SAFEGUARDS DURING CONSTRUCTION .....</b>	<b>587</b>	H103 Location .....	625
Section		H104 Identification.....	625
3301 General .....	587	H105 Design and Construction.....	625
3302 Construction Safeguards .....	587	H106 Electrical.....	626
3303 Demolition.....	587	H107 Combustible Materials .....	626
3304 Site Work.....	587	H108 Animated Devices.....	626
3305 Sanitary (Deleted) .....	588	H109 Ground Signs .....	626
3306 Protection of Pedestrians.....	588	H110 Roof Signs.....	627
3307 Protection of Adjoining Property .....	589	H111 Wall Signs.....	627
3308 Temporary Use of Streets, Alleys and Public Property .....	589	H112 Projecting Signs .....	627
3309 Fire Extinguishers .....	589	H113 Marquee Signs .....	628
3310 Means of Egress .....	589	H114 Portable Signs .....	628
3311 Standpipes .....	589	H115 Referenced Standards .....	628
3312 Automatic Sprinkler System.....	590		
3313 Water Supply for Fire Protection .....	590		
3314 Fire Watch During Construction.....	590		
<b>CHAPTER 34 RESERVED.....</b>	<b>591</b>		
<b>CHAPTER 35 REFERENCED STANDARDS .....</b>	<b>593</b>		
<b>APPENDIX A EMPLOYEE QUALIFICATIONS (DELETED)...</b>	<b>623</b>	<b>APPENDIX I PATIO COVERS (DELETED)....</b>	<b>629</b>
<b>APPENDIX B BOARD OF APPEALS (DELETED).....</b>	<b>623</b>	<b>APPENDIX J GRADING (DELETED) .....</b>	<b>629</b>
<b>APPENDIX C GROUP U—AGRICULTURAL BUILDINGS (DELETED) .....</b>	<b>623</b>	<b>APPENDIX K ADMINISTRATIVE PROVISIONS (DELETED).....</b>	<b>629</b>
<b>APPENDIX D FIRE DISTRICTS (DELETED) .....</b>	<b>623</b>	<b>APPENDIX L EARTHQUAKE RECORDING INSTRUMENTATION (DELETED).....</b>	<b>629</b>
<b>APPENDIX E SUPPLEMENTARY ACCESSIBILITY REQUIREMENTS (DELETED)....</b>	<b>623</b>	<b>APPENDIX M TSUNAMI-GENERATED FLOOD HAZARD (DELETED)....</b>	<b>629</b>
<b>APPENDIX F RODENTPROOFING (DELETED).....</b>	<b>623</b>	<b>APPENDIX N REPLICABLE BUILDINGS (DELETED).....</b>	<b>629</b>
		<b>INDEX.....</b>	<b>631</b>