


ANDREW M. CUOMO GOVERNOR
ROSSANA ROSADO SECRETARY OF STATE



2020 BUILDING CODE
of NEW YORK STATE



**Building Standards
and Codes**



2020 Building Code of New York State

Publication Date: November 2019

ISBN: 978-1-60983-941-3

COPYRIGHT © 2019
by
INTERNATIONAL CODE COUNCIL, INC.
and
NEW YORK STATE DEPARTMENT OF STATE

ALL RIGHTS RESERVED. This 2020 *Building Code of New York State* is a copyrighted work owned by the International Code Council, Inc. (“ICC”). This work contains: (1) portions of the ICC International Codes® (I-Codes®); (2) material that is a derivative of the I-Codes; and (3) wholly original materials prepared by the New York State Department of State (NYSDOS) or by the New York State Fire Prevention and Building Code Council (the “Code Council”). The International Code Council, Inc., has copyright ownership of the I-Codes. The International Code Council and the New York State Department of State have joint copyright ownership of the material that is a derivative of the I-Codes. The New York State Department of State has copyright ownership of the wholly original materials prepared by the New York State Department of State and/or by the Code Council. As to the ICC International Codes, all rights, including the right of reproduction in whole or in part in any form, are reserved to the International Code Council. As to the material that is derivative of the I-Codes, all rights, including the right of reproduction in whole or in part in any form, are reserved to the International Code Council and the New York State Department of State, jointly. As to the wholly original materials prepared by the New York State Department of State or by the Code Council, all rights, including the right of reproduction in whole or in part in any form, are reserved to the New York State Department of State. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying or recording by or in an information storage retrieval system). For information on use rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, IL 60478. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: “International Code Council,” the “International Code Council” logo, “ICC,” the “ICC” logo, “International Building Code,” “IBC” and other names and trademarks appearing in this book are registered trademarks of the International Code Council, Inc., and/or its licensors (as applicable), and may not be used without permission.

ACKNOWLEDGMENTS

With gratitude, the Department of State acknowledges the contributions of the following individuals in the creation of the 2020 Codes of New York State:

STATE FIRE PREVENTION AND BUILDING CODE COUNCIL

Rossana Rosado	Chair – Secretary of State, New York State Department of State Designee - Matthew W. Tebo, Esq.
Francis J. Nerney, Jr.	State Fire Administrator, Office of Fire Prevention and Control Designee - Paul Martin
RuthAnne Visnauskas	Commissioner, Division of Housing and Community Renewal Designee - Michael Weber Designee - Joseph Palozzola
Roberta Reardon	Commissioner, New York State Department of Labor Designee - Vincent R. Rapacciuolo
Honorable Bill de Blasio	Mayor, City of New York Designee - Keith Wen, NYC Department of Buildings
Honorable Michael R. Sabatino, Jr.	Councilmember, City of Yonkers
Claudia K. Braymer, Esq.	County Board of Supervisors, Warren County
David A. Seeley	Supervisor, Town of Irondequoit
Timothy DeRuyscher, P.E. FSFPE	Professional Engineer Representative
Patrick Dolan	Trade Union Representative, Steamfitters Union, 638
Shawn Hamlin, R.A.	Registered Architect Representative, Hamlin Design Group
Robert Hughes	Code Enforcement Representative, Village of Pleasantville
Dominic Marinelli	Persons with Disabilities Representative, United Spinal Association
Joseph J. Toomey	Fire Service Representative, Albany Fire Department
William W. Tuyn	Builders Representative, Forbes Capretto Homes

DEPARTMENT OF STATE

Rossana Rosado	Secretary of State
Brendan Hughes	Executive Deputy Secretary of State
James W. Leary, Esq.	Assistant Executive Deputy Secretary of State
Mark P. Pattison	Deputy Secretary of State for Local Government
Matthew W. Tebo, Esq.	Deputy Secretary of State for Agency Transformation and External Affairs
John R. Addario, P.E.	Director of the Division of Building Standards and Codes
Brian Tollisen, P.E.	Deputy Director of the Division of Building Standards and Codes
Gerard A. Hathaway, R.A.	Assistant Director for Code Development
Kevin Duerr-Clark, P. E.	Assistant Director for Technical Support
Francis “Nick” McAndrew, P.E.	Assistant Director for Educational Services
Joseph Hill, R.A.	Assistant Director for Code Administration
Jeffrey M. Hinderliter, P.E.	Professional Engineer
Emma Gonzalez-Laders, R.A., LEED AP	Senior Architect
Daniel Carroll	Code Compliance Specialist I
Janet Miller	Program Aide
Joseph P. Ball, Esq.	Supervising Attorney
Panagiota K. Hyde, Esq.	Senior Attorney

IN MEMORIAM

John H. Flanagan	Code Enforcement Representative, Code Council Member (2003–2017)
Honorable Judith Kennedy	Mayor, City of Newburgh, Code Council Member (2013–2018)
Brendan Fitzgerald	Executive Deputy Secretary of State (2016–2018)

PREFACE

Introduction

The *Building Code of New York State* establishes minimum requirements for building systems using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new building designs. This 2020 edition was developed as a derivative work of the 2018 edition of the *International Building Code*® (IBC®) published by the International Code Council® (ICC®).

Intention

This code is intended to establish provisions that adequately protect public health, safety and welfare; that do not unnecessarily increase construction costs; that do not restrict the use of new materials, products or methods of construction; and that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

Letter Designations in Front of Section Numbers

The bracketed letter designations for committees responsible for portions of this code are as follows:

ICC Code Development Committee

- [A] = Administrative Code Development Committee;
- [BE] = IBC—Egress Code Development Committee;
- [BF] = IBC—Fire Safety Code Development Committee;
- [BG] = IBC—General Code Development Committee;
- [BS] = IBC—Structural Code Development Committee;
- [E] = International Commercial Energy Conservation Code Development Committee or International Residential Energy Conservation Code Development Committee;
- [EB] = International Existing Building Code Development Committee;
- [F] = International Fire Code Development Committee;
- [FG] = International Fuel Gas Code Development Committee;
- [M] = International Mechanical Code Development Committee; and
- [P] = International Plumbing Code Development Committee.

New York State Code Development

- [NY] = New York State Department of State.

Marginal Markings

Solid vertical lines in the margins within the body of the code indicate a technical change from the requirements of the 2015 edition of the I-Codes®. Deletion indicators in the form of an arrow (➡) are provided in the margin where an entire section, paragraph, exception or table has been deleted or an item in a list of items or a table has been deleted.

A single asterisk [*] placed in the margin indicates that text or a table has been relocated within the code. A double asterisk **[**] placed in the margin indicates that the text or table immediately following it has been relocated there from elsewhere in the code. The following table indicates such relocations in the 2020 edition of the *Building Code of New York State*.

2020 LOCATION	2015 LOCATION
705.2.3.1	1406.3
705.2.4	1406.4
708.4.2	718.3.2
708.4.2	718.3.3
708.4.2	718.4.2
708.4.2	718.4.3
2304.11.1.1	602.4.3
2304.11.1.2	602.4.4
2304.11.1.3	602.4.5
2304.11.3	602.4.6
2304.11.3.2	602.4.6.1
2304.11.3.1	602.4.6.2
2304.11.4.1	602.4.7
2304.11.2	602.4.8
2304.11.2.2	602.4.8.1
2304.11.2.1	602.4.8.2
T2304.11.4.1	602.4

Italicized Terms

Selected words and terms defined in Chapter 2, Definitions, are italicized where they appear in code text and the Chapter 2 definition applies. Where such words and terms are not italicized, common-use definitions apply. The words and terms selected have code-specific definitions that the user should read carefully to facilitate better understanding of the code. **Note:** In Sections 1903 through 1905, italics indicate provisions that differ from ACI 318.

EFFECTIVE USE OF THE BUILDING CODE OF NEW YORK STATE

The *Building Code of New York State* (BCNYS) is a code that provides minimum requirements to safeguard the public health, safety and general welfare of the occupants of new and existing buildings and structures.

The BCNYS addresses structural strength, means of egress, sanitation, adequate lighting and ventilation, accessibility, energy conservation and life safety in regard to new and existing buildings, facilities and systems.

The BCNYS applies to all occupancies, including one- and two-family dwellings and townhouses that are not within the scope of the *Residential Code of New York State* (RCNYS). The RCNYS is referenced for coverage of detached one- and two-family dwellings and townhouses as defined in the exception to Section 101.2 and the definition for “Townhouse” in Chapter 2. The BCNYS applies to all types of buildings and structures unless exempted.

Arrangement and Format of the 2020 BCNYS

Before applying the requirements of the BCNYS, it is beneficial to understand its arrangement and format. The BCNYS, like other codes published by ICC, is arranged and organized to follow sequential steps that generally occur during a plan review or inspection.

Chapters	Subjects
1–2	Administration and definitions
3	Use and occupancy classifications
4, 31	Special requirements for specific occupancies or elements
5–6	Height and area limitations based on type of construction
7–9	Fire resistance and protection requirements
10	Requirements for evacuation
11	Specific requirements to allow use and access to a building for persons with disabilities
12–13, 27–30	Building systems, such as lighting, HVAC, plumbing fixtures, elevators
14–26	Structural components—performance and stability
32	Encroachment outside of property lines
33	Safeguards during construction
35	Referenced standards
Appendices A–P	Appendices

The BCNYS requirements for hazardous materials, fire-resistance-rated construction, interior finish, fire protection systems, means of egress, emergency and standby power, and temporary structures are directly correlated with the requirements of the *Fire Code of New York State* (FCNYS). The following chapters/sections of the BCNYS are correlated to the FCNYS:

BCNYS Chapter/Section	FCNYS Chapter/Section	Subject
Sections 307, 414, 415	Chapters 50–67	Hazardous materials and Group H requirements
Chapter 7	Chapter 7	Fire-resistance-rated construction (Fire and smoke protection features in the IFC)
Chapter 8	Chapter 8	Interior finish, decorative materials and furnishings
Chapter 9	Chapter 9	Fire protection systems
Chapter 10	Chapter 10	Means of egress
Chapter 27	Section 604	Standby and emergency power
Section 3103	Chapter 31	Temporary structures

The BCNYS requirements for smoke control systems, and smoke and fire dampers are directly correlated to the requirements of the *Mechanical Code of New York State* (MCNYS). BCNYS Chapter 28 is a reference to the MCNYS and the *Fuel Gas Code of New York State* (FGCNYS) for chimneys, fireplaces and barbecues, and all aspects of mechanical systems. The following chapters/sections of the BCNYS are correlated with the MCNYS:

BCNYS Chapter/Section	MCNYS Chapter/Section	Subject
Section 717	Section 607	Smoke and fire dampers
Section 909	Section 513	Smoke control

The BCNYS requirements for plumbing fixtures and toilet rooms are directly correlated to the requirements of the *Plumbing Code of New York State* (PCNYS). The following chapters/sections of the BCNYS are correlated with the PCNYS:

BCNYS Chapter/Section	PCNYS Chapter/Section	Subject
Chapter 29	Chapters 3 & 4	Plumbing fixtures and facilities

The following is a chapter-by-chapter synopsis of the scope and intent of the provisions of the *Building Code of New York State*.

Chapter 1 Scope and Administration. Chapter 1 establishes the limits of applicability of the code and describes how the code is to be applied and enforced. Section 101 identifies which buildings and structures come under its purview and references other codes as applicable. Standards and codes are scoped to the extent referenced (see Section 102.4).

Chapter 2 Definitions. An alphabetical listing of all defined terms is located in Chapter 2. Defined terms that are pertinent to a specific chapter or section are also found in that chapter or section with a reference back to Chapter 2 for the definition. While a defined term may be listed in one chapter or another, the meaning is applicable throughout the code.

Codes are technical documents and every word, term and punctuation mark can impact the meaning of the code text and the intended results. The code often uses terms that have a unique meaning in the code and the code meaning can differ substantially from the ordinarily understood meaning of the term as used outside of the code. Where understanding of a term's definition is especially key to or necessary for understanding a particular code provision, the term is shown in *italics* wherever it appears in the code.

The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct administration and enforcement of the code. Where a term is not defined, such terms shall have the ordinarily accepted meaning.

Chapter 3 Use and Occupancy Classification. Chapter 3 provides for the classification of buildings, structures and parts thereof based on the purpose or purposes for which they are used. Section 302 identifies the groups into which all buildings, structures and parts thereof must be classified. Sections 303 through 312 identify the occupancy characteristics of each group classification. In some sections, specific group classifications having requirements in common are collectively organized such that one term applies to all. For example, Groups A-1, A-2, A-3, A-4 and A-5 are individual groups for assembly-type buildings. The general term “Group A,” however, includes each of these individual groups. Other groups include Business (B), Educational (E), Factory (F-1, F-2), High Hazard (H-1, H-2, H-3, H-4, H-5), Institutional (I-1, I-2, I-3, I-4), Mercantile (M), Residential (R-1, R-2, R-3, R-4), Storage (S-1, S-2) and Utility (U). In some occupancies, the smaller number means a higher hazard, but that is not always the case.

Defining the use of the buildings is very important as it sets the tone for the remaining chapters of the code. Occupancy works with the height, area and construction type requirements in Chapters 5 and 6, as well as the special provisions in Chapter 4, to determine “equivalent risk,” or providing a reasonable level of protection or life safety for building occupants. The determination of equivalent risk involves three interdependent considerations: (1) the level of fire hazard associated with the specific occupancy of the facility; (2) the reduction of fire hazard by limiting the floor area and the height of the building based on the fuel load (combustible contents and burnable building components); and (3) the level of overall fire resistance provided by the type of construction used for the building. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type.

Occupancy classification also plays a key part in organizing and prescribing the appropriate protection measures. As such, threshold requirements for fire protection and means of egress systems are based on occupancy classification (see Chapters 9 and 10). Other sections of the code also contain requirements respective to the classification of building groups. For example, Section 706 specifies requirements for fire wall fire-resistance ratings that are tied to the occupancy classification of a building and Section 803.11 contains interior finish requirements that are dependent upon the occupancy classification. The use of the space, rather than the occupancy of the building, is utilized for determining occupant loading (Section 1004) and live loading (Section 1607).

Over the useful life of a building, the activities in the building will evolve and change. Where the provisions of the code address uses differently, moving from one activity to another or from one level of activity to another is, by definition, a change of occupancy. The new occupancy must be in compliance with the applicable provisions of the *Existing Building Code of New York State* (EBCNYS).

Chapter 4 Special Detailed Requirements Based on Use and Occupancy. Chapter 4 contains the requirements for protecting special uses and occupancies, which are supplemental to the remainder of the code. Chapter 4 contains provisions that may alter requirements found elsewhere in the code; however, the general requirements of the code still apply unless modified within the chapter. For example, the height and area limitations established in Chapter 5 apply to all special occupancies unless Chapter 4 contains height and area limitations. In this case, the limitations in Chapter 4 supersede those in other sections. An example of this is the height and area limitations for open parking garages given in Section 406.5.4, which supersede the limitations given in Sections 504 and 506.

In some instances, it may not be necessary to apply the provisions of Chapter 4. For example, if a covered mall building complies with the provisions of the code for Group M, Section 402 does not apply; however, other sections that address a use, process or operation must be applied to that specific occupancy, such as stages and platforms, special amusement buildings and hazardous materials (Sections 410, 411 and 414).

The chapter includes requirements for buildings and conditions that apply to one or more groups, such as high-rise buildings, underground buildings or atriums. Special uses may also imply specific occupancies and operations, such as for Group H, hazardous materials, application of flammable finishes, drying rooms, organic coatings and combustible storage or hydrogen fuel gas rooms, all of which are coordinated with the FCNYS. Unique consideration is taken for special use areas, such as covered mall buildings, motor-vehicle-related occupancies, special amusement buildings and aircraft-related occupancies. Special facilities within other occupancies are considered, such as stages and platforms, motion picture projection rooms, children’s play structures and storm shelters. Finally, in order that the overall package of protection features can be easily understood, unique

considerations for specific occupancies are addressed: Groups I-1, I-2, I-3, R-1, R-2, R-3 and R-4; ambulatory care facilities and live/work units

Chapter 5 General Building Heights and Areas. Chapter 5 contains the provisions that regulate the minimum type of construction for area limits and height limits based on the occupancy of the building. Height and area increases (including allowances for basements, mezzanines and equipment platforms) are permitted based on open frontage for fire department access, separation and the type of sprinkler protection provided (Sections 503–506, 510). These thresholds are reduced for buildings over three stories in height in accordance with Sections 506.2.3 and 506.2.4. Provisions include the protection and/or separation of incidental uses (Table 509), accessory occupancies (Section 508.2) and mixed uses in the same building (Sections 506.2.2, 506.2.4, 508.3, 508.4 and 510). Unlimited area buildings are permitted in certain occupancies when they meet special provisions (Section 507).

Tables 504.3, 504.4 and 506.2 are the keystones in setting thresholds for building size based on the building's use and the materials with which it is constructed. If one then looks at Tables 504.3, 504.4 and 506.2, the relationship among group classification, allowable heights and areas and types of construction becomes apparent. Respective to each group classification, the greater the fire-resistance rating of structural elements, as represented by the type of construction, the greater the floor area and height allowances. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. In addition, the tables list criteria for buildings with and without automatic sprinkler systems.

Chapter 6 Types of Construction. The interdependence of these fire safety considerations can be seen by first looking at Tables 601 and 602, which show the fire-resistance ratings of the principal structural elements comprising a building in relation to the five classifications for types of construction. Type I construction is the classification that generally requires the highest fire-resistance ratings for structural elements, whereas Type V construction, which is considered a combustible type of construction, generally requires the least amount of fire-resistance-rated structural elements. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. Section 603 includes a list of combustible elements that can be part of a noncombustible building (Types I and II construction).

Chapter 7 Fire and Smoke Protection Features. The provisions of Chapter 7 present the fundamental concepts of fire performance that all buildings are expected to achieve in some form. This chapter identifies the acceptable materials, techniques and methods by which proposed construction can be designed and evaluated against to determine a building's ability to limit the impact of fire. The fire-resistance-rated construction requirements within Chapter 7 provide passive resistance to the spread and effects of fire. Types of separations addressed include fire walls, fire barriers, fire partitions, horizontal assemblies, smoke barriers and smoke partitions. A fire produces heat that can weaken structural components and smoke products that cause property damage and place occupants at risk. The requirements of Chapter 7 work in unison with height and area requirements (Chapter 5), active fire detection and suppression systems (Chapter 9) and occupant egress requirements (Chapter 10) to contain a fire should it occur while helping ensure occupants are able to safely exit.

Chapter 8 Interior Finishes. This chapter contains the performance requirements for controlling fire growth within buildings by restricting interior finish and decorative materials. Past fire experience has shown that interior finish and decorative materials are key elements in the development and spread of fire. The provisions of Chapter 8 require materials used as interior finishes and decorations to meet certain flame-spread index or flame-propagation criteria based on the relative fire hazard associated with the occupancy. As smoke is also a hazard associated with fire, this chapter contains limits on the smoke development characteristics of interior finishes. The performance of the material is evaluated based on test standards.

Chapter 9 Fire Protection Systems. Chapter 9 prescribes the minimum requirements for active systems of fire protection equipment to perform the following functions: detect a fire; alert the occupants or fire department of a fire emergency; and control smoke and control or extinguish the fire. Generally, the requirements are based on the occupancy, the height and the area of the building, because these are the factors that most affect fire-fighting capabilities and the relative hazard of a specific building or portion thereof. This chapter parallels and is substantially duplicated in Chapter 9 of the *Fire Code of New York State* (FCNYS); however, the FCNYS Chapter 9 also contains

periodic testing criteria that are not contained in the BCNYS. In addition, the special fire protection system requirements based on use and occupancy found in BCNYS Chapter 4 are duplicated in FCNYS Chapter 9 as a user convenience.

Chapter 10 Means of Egress. The general criteria set forth in Chapter 10 regulating the design of the means of egress are established as the primary method for protection of people in buildings by allowing timely relocation or evacuation of building occupants. Both prescriptive and performance language is utilized in this chapter to provide for a basic approach in the determination of a safe exiting system for all occupancies. It addresses all portions of the egress system (i.e., exit access, exits and exit discharge) and includes design requirements as well as provisions regulating individual components. The requirements detail the size, arrangement, number and protection of means of egress components. Functional and operational characteristics also are specified for the components that will permit their safe use without special knowledge or effort. The means of egress protection requirements work in coordination with other sections of the code, such as protection of vertical openings (see Chapter 7), interior finish (see Chapter 8), fire suppression and detection systems (see Chapter 9) and numerous others, all having an impact on life safety. Chapter 10 of the BCNYS is duplicated in Chapter 10 of the FCNYS; however, the FCNYS contains one additional section on the means of egress system in existing buildings.

Chapter 11 Accessibility. Chapter 11 contains provisions that set forth requirements for accessibility of buildings and their associated sites and facilities for people with physical disabilities. The fundamental philosophy of the code on the subject of accessibility is that everything is required to be accessible. This is reflected in the basic applicability requirement (see Section 1103.1). The code's scoping requirements then address the conditions under which accessibility is not required in terms of exceptions to this general mandate. While the BCNYS contains scoping provisions for accessibility (for example, what, where and how many), ICC A117.1, *Accessible and Usable Buildings and Facilities*, is the referenced standard for the technical provisions (in other words, how).

There are many accessibility issues that not only benefit people with disabilities, but also provide a tangible benefit to people without disabilities. This type of requirement can be set forth in the code as generally applicable without necessarily identifying it specifically as an accessibility-related issue. Such a requirement would then be considered as having been "mainstreamed." For example, visible alarms are located in Chapter 9 and accessible means of egress and ramp requirements are addressed in Chapter 10.

Accessibility criteria for existing buildings are addressed in the *Existing Building Code of New York State* (EBCNYS).

Appendix E is supplemental information included in the code to address accessibility for items in the 2010 *ADA Standards for Accessible Design* that were not typically enforceable through the standard traditional building code enforcement approach system (for example, beds, room signage). The *Residential Code of New York State* (RCNYS) references Chapter 11 for accessibility provisions; therefore, this chapter may be applicable to housing covered under the RCNYS.

Chapter 12 Interior Environment. Chapter 12 provides minimum standards for the interior environment of a building. The standards address the minimum sizes of spaces, minimum temperature levels, and minimum light and ventilation levels. The collection of requirements addresses limiting sound transmission through walls, ventilation of attic spaces and under floor spaces (crawl spaces). Finally, the chapter provides minimum standards for toilet and bathroom construction, including privacy shielding and standards for walls, partitions and floors to resist water intrusion and damage.

Chapter 13 Energy Efficiency. The purpose of Chapter 13 is to provide minimum design requirements that will promote efficient utilization of energy in buildings. The requirements are directed toward the design of building envelopes with adequate thermal resistance and low air leakage, and toward the design and selection of mechanical, water heating, electrical and illumination systems that promote effective use of depletable energy resources. For the specifics of these criteria, Chapter 13 requires design and construction in compliance with the *Energy Conservation Construction Code of New York State* (ECCCNYS).

Chapter 14 Exterior Walls. This chapter addresses requirements for exterior walls of buildings. Minimum standards for wall covering materials, installation of wall coverings and the ability of the wall to provide weather protection are provided. This chapter also requires exterior walls that are close to lot lines, or that are bearing walls for certain types of construction, to comply with the min-

imum fire-resistance ratings specified in Chapters 6 and 7. The installation of each type of wall covering, be it wood, masonry, vinyl, metal composite material or an exterior insulation and finish system, is critical to its long-term performance in protecting the interior of the building from the elements and the spread of fire. Limitations on the use of combustible materials on exterior building elements such as balconies, eaves, decks and architectural trim are also addressed in this chapter.

Chapter 15 Roof Assemblies and Rooftop Structures. Chapter 15 provides standards for both roof assemblies and structures that sit on top of the roofs of buildings. The criteria address roof construction and covering, including the weather-protective barrier at the roof and, in most circumstances, a fire-resistant barrier. The chapter is prescriptive in nature and is based on decades of experience with various traditional materials, but it also addresses newer products such as photovoltaic shingles. These prescriptive rules are very important for satisfying performance of one type of roof covering or another. Section 1510 addresses rooftop structures, including penthouses, tanks, towers and spires. Rooftop penthouses larger than prescribed in this chapter must be treated as a story under Chapter 5.

Chapter 16 Structural Design. Chapter 16 prescribes minimum structural loading requirements for use in the design and construction of buildings and structural components. It includes minimum design loads, assignment of risk categories and permitted design methodologies. Standards are provided for minimum design loads (live, dead, snow, wind, rain, flood, ice and earthquake as well as the required load combinations). The application of these loads and adherence to the serviceability criteria will enhance the protection of life and property. The chapter references and relies on many nationally recognized design standards. A key standard is the American Society of Civil Engineers' *Minimum Design Loads for Buildings and Other Structures* (ASCE 7). Structural design must address the conditions of the site and location. Therefore, maps are provided of rainfall, seismic, snow and wind criteria in different regions.

Chapter 17 Special Inspections and Tests. Chapter 17 provides a variety of procedures and criteria for testing materials and assemblies, labeling materials and assemblies and special inspection of structural assemblies. This chapter expands on the inspections of Chapter 1 by requiring special inspection where indicated and, in some cases, structural observation. It also spells out additional responsibilities for the owner, contractor, design professionals and special inspectors. Proper assembly of structural components, proper quality of materials used and proper application of materials are essential to ensuring that a building, once constructed, complies with the structural and fire-resistance minimums of the code and the approved design. To determine this compliance often requires continuous or frequent inspection and testing. Chapter 17 establishes standards for special inspection, testing and reporting of the work to the building official.

Chapter 18 Soils and Foundations. Chapter 18 provides criteria for geotechnical and structural considerations in the selection, design and installation of foundation systems to support the loads from the structure above. This chapter includes requirements for soils investigation and site preparation for receiving a foundation, including the allowed load-bearing values for soils and for protecting the foundation from water intrusion. Section 1808 addresses the basic requirements for all foundation types. Later sections address foundation requirements that are specific to shallow foundations and deep foundations. Due care must be exercised in the planning and design of foundation systems based on obtaining sufficient soils information, the use of accepted engineering procedures, experience and good technical judgment.

Chapter 19 Concrete. This chapter provides minimum accepted practices for the design and construction of buildings and structural components using concrete—both plain and reinforced. Chapter 19 relies primarily on the reference to American Concrete Institute (ACI) 318, *Building Code Requirements for Structural Concrete*. This chapter also includes references to additional standards. Structural concrete must be designed and constructed to comply with this code and all listed standards. There are specific sections of the chapter addressing concrete slabs, anchorage to concrete and shotcrete. Because of the variable properties of material and numerous design and construction options available in the uses of concrete, due care and control throughout the construction process is necessary.

Chapter 20 Aluminum. Chapter 20 contains standards for the use of aluminum in building construction. Only the structural applications of aluminum are addressed. This chapter does not address the use of aluminum in specialty products such as storefront or window framing or archi-

textural hardware. The use of aluminum in heating, ventilating or air-conditioning systems is addressed in the *Mechanical Code of New York State* (MCNYS). This chapter references national standards from the Aluminum Association for use of aluminum in building construction, AA ASM 35, *Aluminum Sheet Metal Work in Building Construction*, and AA ADM 1, *Aluminum Design Manual*. By utilizing the standards set forth, a proper application of this material can be obtained.

Chapter 21 Masonry. This chapter provides comprehensive and practical requirements for masonry construction. The provisions of Chapter 21 require minimum accepted practices and the use of standards for the design and construction of masonry structures. The provisions address: material specifications and test methods; types of wall construction; criteria for engineered and empirical designs; and required details of construction, including the execution of construction. Masonry design methodologies including allowable stress design, strength design and empirical design are covered by provisions of this chapter. Also addressed are masonry fireplaces and chimneys, masonry heaters and glass unit masonry. Fire-resistant construction using masonry is also required to comply with Chapter 7. Masonry foundations are also subject to the requirements of Chapter 18.

Chapter 22 Steel. Chapter 22 provides the requirements necessary for the design and construction of structural steel (including composite construction), cold-formed steel, steel joists, steel cable structures and steel storage racks. This chapter specifies appropriate design and construction standards for these types of structures. It also provides a road map of the applicable technical requirements for steel structures. Because steel is a noncombustible building material, it is commonly associated with Types I and II construction; however, it is permitted to be used in all types of construction. Chapter 22 requires that the design and use of steel materials be in accordance with the specifications and standards of the American Institute of Steel Construction, the American Iron and Steel Institute, the Steel Joist Institute and the American Society of Civil Engineers.

Chapter 23 Wood. This chapter provides minimum requirements for the design of buildings and structures that use wood and wood-based products. The chapter is organized around three design methodologies: allowable stress design (ASD), load and resistance factor design (LRFD) and conventional light-frame construction. Included in this chapter are references to design and manufacturing standards for various wood and wood-based products; general construction requirements; design criteria for lateral force-resisting systems and specific requirements for the application of the three design methods. In general, only Type III, IV or V buildings may be constructed, in part or in whole, of wood.

Chapter 24 Glass and Glazing. This chapter establishes regulations for glass and glazing that, when installed in buildings and structures, are subjected to wind, snow and dead loads. Engineering and design requirements are included in the chapter. Additional structural requirements are found in Chapter 16. Another concern of this chapter is glass and glazing used in areas where it is likely to be impacted by the occupants. Section 2406 identifies hazardous locations where glazing installed must either be safety glazing or blocked to prevent human impact. Safety glazing must meet stringent standards and be appropriately marked or identified. Additional requirements are provided for glass and glazing in guards, handrails, elevator hoistways and elevator cars, as well as in athletic facilities.

Chapter 25 Gypsum Board, Gypsum Panel Products and Plaster. Chapter 25 contains the provisions and referenced standards that regulate the design, construction and quality of gypsum board, gypsum panel products and plaster. It also addresses reinforced gypsum concrete. These represent the most common interior and exterior finish materials in the building industry. This chapter primarily addresses quality-control-related issues with regard to material specifications and installation requirements. Most products are manufactured under the control of industry standards. The building official or inspector primarily needs to verify that the appropriate product is used and properly installed for the intended use and location. While often simply used as wall and ceiling coverings, proper design and application are necessary to provide weather resistance and required fire protection for both structural and nonstructural building components.

Chapter 26 Plastic. The use of plastics in building construction and components is addressed in Chapter 26. This chapter provides standards addressing foam plastic insulation, foam plastics used as interior finish and trim, and other plastic veneers used on the inside or outside of a building. Plastic siding is regulated by Chapter 14. Sections 2606 through 2611 address the use of light-transmit-

ting plastics in various configurations such as walls, roof panels, skylights, signs and as glazing. Requirements for the use of fiber-reinforced polymers, fiberglass-reinforced polymers and reflective plastic core insulation are also contained in this chapter. Additionally, requirements specific to the use of wood-plastic composites and plastic lumber are contained in this chapter. Some plastics exhibit rapid flame spread and heavy smoke density characteristics when exposed to fire. Exposure to the heat generated by a fire can cause some plastics to deform, which can affect their performance. The requirements and limitations of this chapter are necessary to control the use of plastic and foam plastic products such that they do not compromise the safety of building occupants.

Chapter 27 Electrical. Since electrical systems and components are an integral part of almost all structures, it is necessary for the code to address the installation of such systems. For this purpose, Chapter 27 references the *National Electrical Code* (NEC). In addition, Section 2702 addresses emergency and standby power requirements. Such systems must comply with the *Fire Code of New York State* (FCNYS) and referenced standards. This section also provides references to the various code sections requiring emergency and standby power, such as high-rise buildings and buildings containing hazardous materials.

Chapter 28 Mechanical Systems. Nearly all buildings will include mechanical systems. This chapter provides references to the *Mechanical Code of New York State* (MCNYS) and the *Fuel Gas Code of New York State* (FGCNYS) for the design and installation of mechanical systems. In addition, Chapter 21 of this code is referenced for masonry chimneys, fireplaces and barbecues

Chapter 29 Plumbing Systems. Chapter 29 regulates the minimum number of plumbing fixtures that must be provided for every type of building. This chapter also regulates the location of the required fixtures in various types of buildings. The regulations in this chapter come directly from Chapters 3 and 4 of the *Plumbing Code of New York State* (PCNYS).

Chapter 30 Elevators and Conveying Systems. Chapter 30 provides standards for the installation of elevators into buildings. Referenced standards provide the requirements for the elevator system and mechanisms. Detailed standards are provided in the chapter for hoistway enclosures, machine rooms and requirements for sizing of elevators. Beginning in the 2015 edition of this code, the elevator lobby requirements were moved from Chapter 7 to Chapter 30 to pull all the elevator-related construction requirements together. New provisions were added in the 2009 edition for fire service access elevators required in high-rise buildings and for the optional choice of occupant evacuation elevators (see Section 403).

Chapter 31 Special Construction. Chapter 31 contains a collection of regulations for a variety of unique structures and architectural features. Pedestrian walkways and tunnels connecting two buildings are addressed in Section 3104. Membrane and air-supported structures are addressed by Section 3102. Safeguards for swimming pool safety are addressed by Section 3109. Standards for temporary structures, including permit requirements, are provided in Section 3103. Structures as varied as awnings, marquees, signs, telecommunication and broadcast towers and automatic vehicular gates are also addressed (see Sections 3105 through 3108 and 3110).

Chapter 32 Encroachments into the Public Right-of-way. Buildings and structures from time to time are designed to extend over a property line and into the public right-of-way. Local regulations outside of the building code usually set limits to such encroachments, and such regulations take precedence over the provisions of this chapter. Standards are provided for encroachments below grade for structural support, vaults and areaways. Encroachments above grade are divided into below 8 feet, 8 feet to 15 feet, and above 15 feet, because of headroom and vehicular height issues. This includes steps, columns, awnings, canopies, marquees, signs, windows and balconies. Similar architectural features above grade are also addressed. Pedestrian walkways must also comply with Chapter 31.

Chapter 33 Safeguards During Construction. Chapter 33 provides safety requirements during construction and demolition of buildings and structures. These requirements are intended to protect the public from injury and adjoining property from damage. In addition the chapter provides for the progressive installation and operation of exit stairways and standpipe systems during construction.

Chapter 34 Reserved.

Chapter 35 Referenced Standards. The code contains numerous references to standards that are used to regulate materials and methods of construction. Chapter 35 contains a comprehensive list of all standards that are referenced in the code, including the appendices. The standards are part of the code to the extent of the reference to the standard. Compliance with the referenced standard is necessary for compliance with this code. By providing specifically adopted standards, the construction and installation requirements necessary for compliance with the code can be readily determined. The basis for code compliance is, therefore, established and available on an equal basis to the building official, contractor, designer and owner.

Chapter 35 is organized in a manner that makes it easy to locate specific standards. It lists all of the referenced standards, alphabetically, by acronym of the promulgating agency of the standard. Each agency's standards are then listed in either alphabetical or numeric order based upon the standard identification. The list also contains the title of the standard; the edition (date) of the standard referenced; any addenda; and the section or sections of this code that reference the standard.

Appendices. Appendices are provided in the BCNYS to offer supplemental criteria to the provisions in the main chapters of the code. Appendices provide additional information for administration of the Department of Building Safety as well as standards not typically administered by all building departments. Appendices have the same force and effect as the first 35 chapters of the BCNYS only when explicitly adopted (see Section 101.2.2).

Appendix A Employee Qualifications. This appendix is informative and not part of the code. Effective administration and enforcement of the code depends on the training and expertise of the personnel employed by the jurisdiction and his or her knowledge of the codes. Appendix A provides optional standards for experience, training and certification for the building official and the other staff mentioned in Chapter 1.

Appendix B Reserved.

Appendix C Group U—Agricultural Buildings. This appendix is informative and not part of the code. Appendix C provides a more liberal set of standards for the construction of agricultural buildings, rather than strictly following the Utility building provision, reflective of their specific usage and limited occupant load. The provisions of this appendix, when adopted, allow reasonable heights and areas commensurate with the risk of agricultural buildings.

Appendix D Fire Districts. This appendix is informative and not part of the code. Fire districts have been a tool used to limit conflagration hazards in areas of a city with intense and concentrated development. Fire district standards restrict certain occupancies within the district, as well as setting higher minimum construction standards.

Appendix E Supplementary Accessibility Requirements. The Architectural and Transportation Barriers Compliance Board (U.S. Access Board) has revised and updated its accessibility guidelines for buildings and facilities covered by the Americans with Disabilities Act (ADA) and the Architectural Barriers Act (ABA). Appendix E includes scoping requirements contained in the 2010 *ADA Standards for Accessible Design* that are not in Chapter 11 and not otherwise mentioned or mainstreamed throughout the code. Items in the appendix address subjects not typically addressed in building codes (for example, beds, room signage, transportation facilities).

Appendix F Rodentproofing. The provisions of this appendix are minimum mechanical methods to prevent the entry of rodents into a building. These standards, when used in conjunction with cleanliness and maintenance programs, can significantly reduce the potential of rodents invading a building.

Appendix G Flood-resistant Construction. This appendix is informative and not part of the code. Appendix G is intended to fulfill the flood-plain management and administrative requirements of the National Flood Insurance Program (NFIP) that are not included in the code. Communities that adopt the IBC and Appendix G will meet the minimum requirements of NFIP as set forth in Title 44 of the Code of Federal Regulations.

Appendix H Signs. This appendix is informative and not part of the code. Appendix H gathers in one place the various code standards that regulate the construction and protection of outdoor signs. Whenever possible, this appendix provides standards in performance language, thus allowing the widest possible application.

Appendix I Patio Covers. Appendix I provides standards applicable to the construction and use of patio covers. It is limited in application to patio covers accessory to dwelling units. Covers of patios and other outdoor areas associated with restaurants, mercantile buildings, offices, nursing homes or other nondwelling occupancies would be subject to standards in the main code and not this appendix.

Appendix J Grading. This appendix is informative and not part of the code. Appendix J provides standards for the grading of properties. This appendix also provides standards for administration and enforcement of a grading program including permit and inspection requirements. Appendix J was originally developed in the 1960s and used for many years in jurisdictions throughout the western states. It is intended to provide consistent and uniform code requirements anywhere grading is considered an issue.

Appendix K Administrative Provisions. This appendix is informative and not part of the code. Appendix K primarily provides administrative provisions for jurisdictions adopting and enforcing NFPA 70-the *National Electrical Code* (NEC). Annex H of NFPA 70 also contains administrative provisions for the NEC; however, some of its provisions are not compatible with BCNYS Chapter 1. Section K110 also contains technical provisions that are unique to this appendix and are in addition to technical standards of NFPA 70.

Appendix L Earthquake Recording Instrumentation. This appendix is informative and not part of the code. The purpose of this appendix is to foster the collection of ground motion data, particularly from strong-motion earthquakes. When this ground motion data is synthesized, it may be useful in developing future improvements to the earthquake provisions of the code.

Appendix M Tsunami-Generated Flood Hazard. This appendix is informative and not part of the code. Addressing a tsunami risk for all types of construction in a tsunami hazard zone through building code requirements would typically not be cost effective, making tsunami-resistant construction impractical at an individual building level. However, this appendix does allow the adoption and enforcement of requirements for tsunami hazard zones that regulate the presence of high-risk or high-hazard structures.

Appendix N Replicable Buildings. This appendix is informative and not part of the code. Many jurisdictions have recognized the need for some form of expedited review process for replicable buildings. By codifying the approach contained in the ICC G1-2010 *Guidelines for Replicable Buildings*, this appendix provides jurisdictions with a means of incorporating replicable building requirements into their building code adoption process. The intent is to streamline the plan review process at the local level by removing redundant reviews.

Appendix O Assistive Listening Systems Performance Standards. Section 378(10) of Article 18 of Executive Law requires the *Uniform Code* to establish standards for assistive listening systems in places of public assembly. This appendix is a performance standard to regulate these systems, which are intended for use by persons who are deaf or hard of hearing and require the use of such a system to improve their reception of sound.

Appendix P Diaper Changing Stations. In 2018, the New York State Legislature passed regulations requiring certain occupancies to install and maintain baby diaper changing stations that would be available to both men and women. This appendix establishes the standards for the installation of diaper changing stations in all newly constructed buildings that have one or more areas classified as Group A occupancy or Group M occupancies and in all existing buildings that have one or more areas classified as Group A occupancy or Group M occupancy and undergo a substantial renovation.

TABLE OF CONTENTS

CHAPTER 1 SCOPE AND ADMINISTRATION 1

Section

101	Title, Scope, and Purpose	1
102	Applicability	2
103	Administration and Enforcement	4
104	Materials, Equipment and Methods of Construction	5
105	Building Permits, Construction Inspections, Stop Work Orders, Certificates of Occupancy and Operating Permits	5
106	Submittal Documents	7
107	Service Utilities	8
108	Temporary Structures	8
109	Inspection of Solid Fuel Burning Heating Appliances, Chimneys and Flues	8

CHAPTER 2 DEFINITIONS 11

Section

201	General	11
202	Definitions	11

CHAPTER 3 OCCUPANCY CLASSIFICATION AND USE 43

Section

301	Scope	43
302	Occupancy Classification and Use Designation. . .	43
303	Assembly Group A	43
304	Business Group B	44
305	Educational Group E	44
306	Factory Group F	44
307	High-hazard Group H	45
308	Institutional Group I	49
309	Mercantile Group M	50
310	Residential Group R	50
311	Storage Group S	51
312	Utility and Miscellaneous Group U	52

CHAPTER 4 SPECIAL DETAILED REQUIREMENTS BASED ON OCCUPANCY AND USE 53

Section

401	Scope	53
402	Covered Mall and Open Mall Buildings	53

403	High-rise Buildings	57
404	Atriums	60
405	Underground Buildings	61
406	Motor-vehicle-related Occupancies	62
407	Group I-2	66
408	Group I-3	69
409	Motion Picture Projection Rooms	71
410	Stages, Platforms and Technical Production Areas	72
411	Special Amusement Buildings	74
412	Aircraft-related Occupancies	74
413	Combustible Storage	78
414	Hazardous Materials	78
415	Groups H-1, H-2, H-3, H-4 and H-5	81
416	Spray Application of Flammable Finishes	91
417	Drying Rooms	92
418	Organic Coatings	92
419	Live/work Units	92
420	Groups I-1, R-1, R-2, R-3 and R-4	93
421	Hydrogen Fuel Gas Rooms	94
422	Ambulatory Care Facilities	94
423	Storm Shelters	95
424	Children's Play Structures	95
425	Hyperbaric Facilities	96
426	Combustible Dusts, Grain Processing and Storage	96
427	Medical Gas Systems	97
428	Higher Education Laboratories	97
429	Health Care Facilities	99
430	Live Fire Training Facilities	100

CHAPTER 5 GENERAL BUILDING HEIGHTS AND AREAS 101

Section

501	General	101
502	Building Address	101
503	General Building Height and Area Limitations. . .	101
504	Building Height and Number of Stories	101
505	Mezzanines and Equipment Platforms	102
506	Building Area	105
507	Unlimited Area Buildings	109
508	Mixed Use and Occupancy	111

TABLE OF CONTENTS

509	Incidental Uses	112	807	Insulation	214
510	Special Provisions	113	808	Acoustical Ceiling Systems	214
CHAPTER 6 TYPES OF CONSTRUCTION 117			CHAPTER 9 FIRE PROTECTION AND LIFE SAFETY SYSTEMS. 215		
Section			Section		
601	General	117	901	General	215
602	Construction Classification	117	902	Fire Pump and Riser Room Size	216
603	Combustible Material in Types I and II Construction	118	903	Automatic Sprinkler Systems	216
CHAPTER 7 FIRE AND SMOKE PROTECTION FEATURES 121			904	Alternative Automatic Fire-extinguishing Systems	222
Section			905	Standpipe Systems	225
701	General	121	906	Portable Fire Extinguishers	227
702	Multiple Use Fire Assemblies	121	907	Fire Alarm and Detection Systems	229
703	Fire-resistance Ratings and Fire Tests	121	908	Emergency Alarm Systems	239
704	Fire-resistance Rating of Structural Members	122	909	Smoke Control Systems	240
705	Exterior Walls	124	910	Smoke and Heat Removal	248
706	Fire Walls	128	911	Fire Command Center	249
707	Fire Barriers	130	912	Fire Department Connections	250
708	Fire Partitions	132	913	Fire Pumps	251
709	Smoke Barriers	133	914	Emergency Responder Safety Features	251
710	Smoke Partitions	134	915	Carbon Monoxide Detection	251
711	Floor and Roof Assemblies	134	916	Gas Detection Systems	252
712	Vertical Openings	135	917	Mass Notification Systems	252
713	Shaft Enclosures	136	918	Emergency Responder Radio Coverage	252
714	Penetrations	138	CHAPTER 10 MEANS OF EGRESS. 253		
715	Fire-resistant Joint Systems	141	Section		
716	Opening Protectives	142	1001	Administration	253
717	Ducts and Air Transfer Openings	148	1002	Maintenance and Plans	253
718	Concealed Spaces	153	1003	General Means of Egress	253
719	Fire-resistance Requirements for Plaster	155	1004	Occupant Load	254
720	Thermal- and Sound-insulating Materials	155	1005	Means of Egress Sizing	255
721	Prescriptive Fire Resistance	156	1006	Number of Exits and Exit Access Doorways	257
722	Calculated Fire Resistance	156	1007	Exit and Exit Access Doorway Configuration	259
CHAPTER 8 INTERIOR FINISHES. 209			1008	Means of Egress Illumination	260
Section			1009	Accessible Means of Egress	261
801	Scope	209	1010	Doors, Gates and Turnstiles	264
802	General	209	1011	Stairways	272
803	Wall and Ceiling Finishes	209	1012	Ramps	275
804	Interior Floor Finish	212	1013	Exit Signs	276
805	Combustible Materials in Types I and II Construction	213	1014	Handrails	277
806	Decorative Materials and Trim	213	1015	Guards	279

1016	Exit Access	280
1017	Exit Access Travel Distance	281
1018	Aisles	282
1019	Exit Access Stairways and Ramps	282
1020	Corridors	282
1021	Egress Balconies	284
1022	Exits	284
1023	Interior Exit Stairways and Ramps	284
1024	Exit Passageways	286
1025	Luminous Egress Path Markings	287
1026	Horizontal Exits	288
1027	Exterior Exit Stairways and Ramps	289
1028	Exit Discharge	290
1029	Assembly	291
1030	Emergency Escape and Rescue	298

CHAPTER 11 ACCESSIBILITY 299

Section

1101	General	299
1102	Compliance	299
1103	Scoping Requirements	299
1104	Accessible Route	300
1105	Accessible Entrances	301
1106	Parking and Passenger Loading Facilities	301
1107	Dwelling Units and Sleeping Units	302
1108	Special Occupancies	306
1109	Other Features and Facilities	308
1110	Recreational Facilities	311
1111	Signage	313

CHAPTER 12 INTERIOR ENVIRONMENT 315

Section

1201	General	315
1202	Ventilation	315
1203	Temperature Control	317
1204	Lighting	317
1205	Yards or Courts	318
1206	Sound Transmission	318
1207	Interior Space Dimensions	318
1208	Access to Unoccupied Spaces	319
1209	Toilet and Bathroom Requirements	319

CHAPTER 13 ENERGY EFFICIENCY 321

Section

1301	General	321
------	---------------	-----

CHAPTER 14 EXTERIOR WALLS 323

Section

1401	General	323
1402	Performance Requirements	323
1403	Materials	324
1404	Installation of Wall Coverings	324
1405	Combustible Materials on the Exterior Side of Exterior Walls	330
1406	Metal Composite Materials (MCM)	330
1407	Exterior Insulation and Finish Systems (EIFS)	333
1408	High-pressure Decorative Exterior-grade Compact Laminates (HPL)	333
1409	Plastic Composite Decking	334

CHAPTER 15 ROOF ASSEMBLIES AND ROOFTOP STRUCTURES 335

Section

1501	General	335
1502	Roof Drainage	335
1503	Weather Protection	335
1504	Performance Requirements	335
1505	Fire Classification	337
1506	Materials	338
1507	Requirements for Roof Coverings	338
1508	Roof Insulation	349
1509	Radiant Barriers Installed Above Deck	350
1510	Rooftop Structures	350
1511	Reroofing	352
1512	Photovoltaic Panels and Modules	353

CHAPTER 16 STRUCTURAL DESIGN 355

Section

1601	General	355
1602	Notations	355
1603	Construction Documents	355
1604	General Design Requirements	356
1605	Load Combinations	359
1606	Dead Loads	361
1607	Live Loads	361
1608	Snow Loads	367
1609	Wind Loads	367
1610	Soil Lateral Loads	375
1611	Rain Loads	375
1612	Flood Loads	376

TABLE OF CONTENTS

1613	Earthquake Loads	378	CHAPTER 20 ALUMINUM.	437
1614	Atmospheric Ice Loads	383	Section	
1615	Tsunami Loads	383	2001 General	437
1616	Structural Integrity	383	2002 Materials	437
CHAPTER 17 SPECIAL INSPECTIONS AND TESTS.			CHAPTER 21 MASONRY	439
387			Section	
Section			2101 General	439
1701	General	387	2102 Notations.	439
1702	New Materials	387	2103 Masonry Construction Materials.	439
1703	Approvals	387	2104 Construction	440
1704	Special Inspections and Tests, Contractor Responsibility and Structural Observation	388	2105 Quality Assurance.	440
1705	Required Special Inspections and Tests	390	2106 Seismic Design	440
1706	Design Strengths of Materials.	398	2107 Allowable Stress Design.	440
1707	Alternative Test Procedure	398	2108 Strength Design of Masonry.	441
1708	In-situ Load Tests	398	2109 Empirical Design of Adobe Masonry.	441
1709	Preconstruction Load Tests.	399	2110 Glass Unit Masonry	443
CHAPTER 18 SOILS AND FOUNDATIONS.			2111 Masonry Fireplaces.	443
401			2112 Masonry Heaters.	445
Section			2113 Masonry Chimneys.	446
1801	General	401	2114 Dry-stack Masonry	450
1802	Design Basis	401	CHAPTER 22 STEEL	451
1803	Geotechnical Investigations	401	Section	
1804	Excavation, Grading and Fill.	403	2201 General	451
1805	Dampproofing and Waterproofing	404	2202 Identification of Steel for Structural Purposes . . .	451
1806	Presumptive Load-bearing Values of Soils.	405	2203 Protection of Steel for Structural Purposes	451
1807	Foundation Walls, Retaining Walls and Embedded Posts and Poles.	406	2204 Connections.	451
1808	Foundations.	410	2205 Structural Steel	451
1809	Shallow Foundations.	415	2206 Composite Structural Steel and Concrete Structures.	452
1810	Deep Foundations	416	2207 Steel Joists.	452
CHAPTER 19 CONCRETE			2208 Steel Cable Structures.	453
431			2209 Steel Storage Racks.	453
Section			2210 Cold-formed Steel.	453
1901	General	431	2211 Cold-formed Steel Light-frame Construction. . . .	453
1902	Definitions.	431	CHAPTER 23 WOOD	455
1903	Specifications for Tests and Materials	431	Section	
1904	Durability Requirements	431	2301 General	455
1905	Modifications to ACI 318	432	2302 Design Requirements	455
1906	Structural Plain Concrete.	434	2303 Minimum Standards and Quality	455
1907	Minimum Slab Provisions.	434	2304 General Construction Requirements.	459
1908	Shotcrete	434		

2305	General Design Requirements for Lateral Force-resisting Systems	472
2306	Allowable Stress Design	474
2307	Load and Resistance Factor Design	475
2308	Conventional Light-frame Construction	475
2309	Wood Frame Construction Manual	506

CHAPTER 24 GLASS AND GLAZING 527

Section

2401	General	527
2402	Glazing Replacement	527
2403	General Requirements for Glass	527
2404	Wind, Snow, Seismic and Dead Loads on Glass.	527
2405	Sloped Glazing and Skylights	529
2406	Safety Glazing	530
2407	Glass in Handrails and Guards	532
2408	Glazing in Athletic Facilities.	532
2409	Glass in Walkways, Elevator Hoistways and Elevator Cars	533

CHAPTER 25 GYPSUM BOARD, GYPSUM PANEL PRODUCTS AND PLASTER. 535

Section

2501	General	535
2502	Performance.	535
2503	Inspection	535
2504	Vertical and Horizontal Assemblies	535
2505	Shear Wall Construction	535
2506	Gypsum Board and Gypsum Panel Product Materials.	535
2507	Lathing and Plastering.	535
2508	Gypsum Construction	536
2509	Showers and Water Closets.	537
2510	Lathing and Furring for Cement Plaster (Stucco)	538
2511	Interior Plaster.	539
2512	Exterior Plaster	539
2513	Exposed Aggregate Plaster	540
2514	Reinforced Gypsum Concrete.	540

CHAPTER 26 PLASTIC 541

Section

2601	General	541
2602	Finish and Trim	541

2603	Foam Plastic Insulation.	541
2604	Interior Finish and Trim	545
2605	Plastic Veneer	547
2606	Light-transmitting Plastics	547
2607	Light-transmitting Plastic Wall Panels	549
2608	Light-transmitting Plastic Glazing	550
2609	Light-transmitting Plastic Roof Panels.	550
2610	Light-transmitting Plastic Skylight Glazing	551
2611	Light-transmitting Plastic Interior Signs.	552
2612	Plastic Composites	552
2613	Fiber-reinforced Polymer	552
2614	Reflective Plastic Core Insulation.	553

CHAPTER 27 ELECTRICAL 555

Section

2701	General	555
2702	Emergency and Standby Power Systems	555

CHAPTER 28 MECHANICAL SYSTEMS 557

Section

2801	General	557
------	-------------------	-----

CHAPTER 29 PLUMBING SYSTEMS. 559

Section

2901	General	559
2902	Minimum Plumbing Facilities	559

CHAPTER 30 ELEVATORS AND CONVEYING SYSTEMS 565

Section

3001	General	565
3002	Hoistway Enclosures.	565
3003	Emergency Operations	566
3004	Conveying Systems.	566
3005	Machine Rooms	566
3006	Elevator Lobbies and Hoistway Opening Protection.	567
3007	Fire Service Access Elevator	568
3008	Occupant Evacuation Elevators	569

CHAPTER 31 SPECIAL CONSTRUCTION. 573

Section

3101	General	573
3102	Membrane Structures	573
3103	Temporary Structures	574
3104	Pedestrian Walkways and Tunnels	574

TABLE OF CONTENTS

3105	Awnings and Canopies	576	APPENDIX C GROUP U—AGRICULTURAL BUILDINGS	623
3106	Marquees	576	Section	
3107	Signs	576	C101 General	623
3108	Telecommunication and Broadcast Towers	576	C102 Allowable Height and Area	623
3109	Swimming Pools, Spas and Hot Tubs	576	C103 Mixed Occupancies	623
3110	Automatic Vehicular Gates	579	C104 Exits	623
3111	Solar Energy Systems	579	APPENDIX D FIRE DISTRICTS	625
3112	Greenhouses	580	Section	
3113	Relocatable Buildings	580	D101 General	625
CHAPTER 32 ENCROACHMENTS INTO THE PUBLIC RIGHT-OF-WAY	581		D102 Building Restrictions	625
Section			D103 Changes to Buildings	626
3201 General	581		D104 Buildings Located Partially in the Fire District	626
3202 Encroachments	581		D105 Exceptions to Restrictions in Fire District	626
CHAPTER 33 SAFEGUARDS DURING CONSTRUCTION	583		D106 Referenced Standards	626
Section			APPENDIX E SUPPLEMENTARY ACCESSIBILITY REQUIREMENTS	629
3301 General	583		Section	
3302 Construction Safeguards	583		E101 General	629
3303 Demolition	583		E102 Definitions	629
3304 Site Work	583		E103 Accessible Route	629
3305 Sanitary	584		E104 Special Occupancies	629
3306 Protection of Pedestrians	584		E105 Other Features and Facilities	629
3307 Protection of Adjoining Property	585		E106 Telephones	630
3308 Temporary Use of Streets, Alleys and Public Property	585		E107 Signage	631
3309 Fire Extinguishers	585		E108 Bus Stops	631
3310 Means of Egress	585		E109 Transportation Facilities and Stations	632
3311 Standpipes	585		E110 Airports	632
3312 Automatic Sprinkler System	586		E111 Referenced Standards	633
3313 Water Supply for Fire Protection	586		APPENDIX F RODENTPROOFING	635
3314 Fire Watch During Construction	586		Section	
CHAPTER 34 RESERVED	587		F101 General	635
CHAPTER 35 REFERENCED STANDARDS	589		APPENDIX G FLOOD-RESISTANT CONSTRUCTION	637
APPENDIX A EMPLOYEE QUALIFICATIONS	619		Section	
Section			G101 Administration	637
A101 Building Official Qualifications	619		G102 Applicability	637
A102 Referenced Standards	619		G103 Powers and Duties	637
APPENDIX B RESERVED	621		G104 Permits	638
			G105 Variances	639

G201	Definitions	640
G301	Subdivisions	640
G401	Site Improvement	640
G501	Manufactured Homes	641
G601	Recreational Vehicles	641
G701	Tanks	641
G801	Other Building Work	641
G901	Temporary Structures and Temporary Storage	641
G1001	Utility and Miscellaneous Group U	642
G1101	Referenced Standards	642

APPENDIX H SIGNS 643

Section		
H101	General	643
H102	Definitions	643
H103	Location	643
H104	Identification	643
H105	Design and Construction	644
H106	Electrical	644
H107	Combustible Materials	644
H108	Animated Devices	644
H109	Ground Signs	644
H110	Roof Signs	645
H111	Wall Signs	645
H112	Projecting Signs	645
H113	Marquee Signs	646
H114	Portable Signs	646
H115	Referenced Standards	646

APPENDIX I PATIO COVERS 647

Section		
I101	General	647
I102	Definition	647
I103	Exterior Walls and Openings	647
I104	Height	647
I105	Structural Provisions	647

APPENDIX J GRADING 649

Section		
J101	General	649
J102	Definitions	649
J103	Permits Required	649
J104	Permit Application and Submittals	649
J105	Inspections	650

J106	Excavations	650
J107	Fills	650
J108	Setbacks	650
J109	Drainage and Terracing	652
J110	Erosion Control	652
J111	Referenced Standards	652

APPENDIX K ADMINISTRATIVE PROVISIONS 653

Section		
K101	General	653
K102	Applicability	653
K103	Permits	653
K104	Construction Documents	654
K105	Alternative Engineered Design	654
K106	Required Inspections	654
K107	Prefabricated Construction	654
K108	Testing	655
K109	Reconnection	655
K110	Condemning Electrical Systems	655
K111	Electrical Provisions	655

APPENDIX L EARTHQUAKE RECORDING INSTRUMENTATION 657

Section		
L101	General	657

APPENDIX M TSUNAMI-GENERATED FLOOD HAZARD 659

Section		
M101	Refuge Structures for Vertical Evacuation from Tsunami-generated Flood Hazard	659
M102	Referenced Standards	659

APPENDIX N REPLICABLE BUILDINGS 661

Section		
N101	Administration	661
N102	Definitions	661
N103	Replicable Design Requirements	661
N104	Replicable Design Submittal Requirements	661
N105	Review and Approval of Replicable Design	662
N106	Site-specific Application of Approved Replicable Design	662
N107	Site-specific Review and Approval of Replicable Design	662

TABLE OF CONTENTS

APPENDIX O ASSISTIVE LISTENING SYSTEMS PERFORMANCE STANDARDS... 663

Section

O101	General	663
O102	Induction Loop System	663
O103	Infrared System	663
O104	FM System	664

APPENDIX P DIAPER CHANGING STATIONS..... 665

Section

P101	Introduction	665
P102	Purpose	665
P103	Definitions	665
P104	General Requirements	666
P105	Accessibility, Construction and Installation Requirements	667
P106	Signage	667
P107	Maintenance	667
P108	Historic Buildings	667

INDEX 669