

## 2021 South Carolina Plumbing Code

First Printing: October 2022

ISBN: 978-1-958581-80-3 (soft-cover edition)

ISBN: 978-1-958581-81-0 (PDF download)

COPYRIGHT © 2022  
by  
INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2021 *South Carolina Plumbing Code* contains substantial copyrighted material from the 2021 *International Plumbing Code*<sup>®</sup>, first printing, which is a copyrighted work owned by the International Code Council, Inc. (“ICC”). Without separate written permission from the copyright owner, no part of this publication may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying or recording by or in an information storage and/or retrieval system). For information on use rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, Illinois 60478. Phone: 1-888-ICC-SAFE (422-7233).

Trademarks: “International Code Council,” the “International Code Council” logo, “ICC,” the “ICC” logo, “International Plumbing Code,” “IPC” and other names and trademarks appearing in this book are registered trademarks of the International Code Council, Inc., and/or its licensors (as applicable), and may not be used without permission.

# PREFACE

## Introduction

The *International Plumbing Code*® (IPC®) establishes minimum requirements for plumbing systems using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new plumbing designs. This 2021 edition is fully compatible with all of the International Codes® (I-Codes®) published by the International Code Council® (ICC®), including the *International Building Code*®, *International Energy Conservation Code*®, *International Existing Building Code*®, *International Fire Code*®, *International Fuel Gas Code*®, *International Green Construction Code*®, *International Mechanical Code*®, *International Private Sewage Disposal Code*®, *International Property Maintenance Code*®, *International Residential Code*®, *International Swimming Pool and Spa Code*®, *International Wildland-Urban Interface Code*®, *International Zoning Code*® and *International Code Council Performance Code*®.

The I-Codes, including this *International Plumbing Code*, are used in a variety of ways in both the public and private sectors. Most industry professionals are familiar with the I-Codes as the basis of laws and regulations in communities across the US and in other countries. However, the impact of the codes extends well beyond the regulatory arena, as they are used in a variety of nonregulatory settings, including:

- Voluntary compliance programs such as those promoting sustainability, energy efficiency and disaster resistance.
- The insurance industry, to estimate and manage risk, and as a tool in underwriting and rate decisions.
- Certification and credentialing of individuals involved in the fields of building design, construction and safety.
- Certification of building and construction-related products.
- US federal agencies, to guide construction in an array of government-owned properties.
- Facilities management.
- “Best practices” benchmarks for designers and builders, including those who are engaged in projects in jurisdictions that do not have a formal regulatory system or a governmental enforcement mechanism.
- College, university and professional school textbooks and curricula.
- Reference works related to building design and construction.

In addition to the codes themselves, the code development process brings together building professionals on a regular basis. It provides an international forum for discussion and deliberation about building design, construction methods, safety, performance requirements, technological advances and innovative products.

## Development

This 2021 edition presents the code as originally issued, with changes reflected in the 2003 through 2018 editions and with further changes approved by the ICC Code Development Process through 2019. A new edition such as this is promulgated every 3 years.

This code is founded on principles intended to establish provisions consistent with the scope of a plumbing code that adequately protects public health, safety and welfare; provisions that do not unnecessarily increase construction costs; provisions that do not restrict the use of new materials, products or methods of construction; and provisions that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

## Maintenance

The *International Plumbing Code* is kept up to date through the review of proposed changes submitted by code enforcement officials, industry representatives, design professionals and other interested parties. Proposed changes are carefully considered through an open code development process in which all interested and affected parties may participate.

The ICC Code Development Process reflects principles of openness, transparency, balance, due process and consensus, the principles embodied in OMB Circular A-119, which governs the federal government's use of private-sector standards. The ICC process is open to anyone; there is no cost to participate, and people can participate without travel cost through the ICC's cloud-based app, *cdpAccess*<sup>®</sup>. A broad cross-section of interests are represented in the ICC Code Development Process. The codes, which are updated regularly, include safeguards that allow for emergency action when required for health and safety reasons.

In order to ensure that organizations with a direct and material interest in the codes have a voice in the process, the ICC has developed partnerships with key industry segments that support the ICC's important public safety mission. Some code development committee members were nominated by the following industry partners and approved by the ICC Board:

- American Institute of Architects (AIA)
- American Society of Plumbing Engineers (ASPE)
- National Association of Home Builders (NAHB)
- Plumbing Heating and Cooling Contractors (PHCC)

The code development committees evaluate and make recommendations regarding proposed changes to the codes. Their recommendations are then subject to public comment and council-wide votes. The ICC's governmental members—public safety officials who have no financial or business interest in the outcome—cast the final votes on proposed changes.

The contents of this work are subject to change through the code development cycles and by any governmental entity that enacts the code into law. For more information regarding the code development process, contact the Codes and Standards Development Department of the International Code Council.

While the I-Code development procedure is thorough and comprehensive, the ICC, its members and those participating in the development of the codes disclaim any liability resulting from the publication or use of the I-Codes, or from compliance or noncompliance with their provisions. The ICC does not have the power or authority to police or enforce compliance with the contents of this code.

## Code Development Committee Responsibilities (Letter Designations in Front of Section Numbers)

In each code development cycle, proposed changes to the code are considered at the Committee Action Hearings by the International Plumbing Code Development Committee, whose action constitutes a recommendation to the voting membership for final action on the proposed change. Proposed changes to a code section that has a number beginning with a letter in brackets are considered by a different code development committee. For example, proposed changes to code sections that have [BS] in front of them (e.g., [BS] 309.2) are considered by the IBC—Structural Code Development Committee at the code development hearings.

The bracketed letter designations for committees responsible for portions of this code are as follows:

[A] = Administrative Code Development Committee

[BE] = IBC—Egress Code Development Committee

[BG] = IBC—General Code Development Committee

[BS] = IBC—Structural Code Development Committee

[E] = International Energy Conservation Code Development Committee

[F] = International Fire Code Development Committee

[M] = International Mechanical Code Development Committee

For the development of the 2024 edition of the I-Codes, there will be two groups of code development committees and they will meet in separate years, as shown in the following Code Development Hearings Table).

Code change proposals submitted for code sections that have a letter designation in front of them will be heard by the respective committee responsible for such code sections. Because different committees hold Committee Action Hearings in different years, proposals for the IPC will be heard by committees in both the 2021 (Group A) and the 2022 (Group B) code development cycles.

For example, every section of Chapter 1 of this code is designated as the responsibility of the Administrative Code Development Committee, which is part of the Group B portion of the hearings. This committee will hold its Committee Action Hearings in 2022 to consider code change proposals for Chapter 1 of all I-Codes except the *International Energy Conservation Code*, *International Residential Code* and *International Green Construction Code*. Therefore, any proposals received for Chapter 1 of this code will be assigned to the Administrative Code Development Committee for consideration in 2022.

It is very important that anyone submitting code change proposals understands which code development committee is responsible for the section of the code that is the subject of the code change proposal. For further information on the Code Development Committee responsibilities, please visit the ICC website at <https://www.iccsafe.org/products-and-services/i-codes/code-development/current-code-development-cycle>.

**CODE DEVELOPMENT HEARINGS**

<b>Group A Codes (Heard in 2021, Code Change Proposals Deadline: January 11, 2021)</b>	<b>Group B Codes (Heard in 2022, Code Change Proposals Deadline: January 10, 2022)</b>
<b>International Building Code</b> – Egress (Chapters 10, 11, Appendix E) – Fire Safety (Chapters 7, 8, 9, 14, 26) – General (Chapters 2–6, 12, 27–33, Appendices A, B, C, D, K, N)	Administrative Provisions (Chapter 1 of all codes except IECC, IRC and IgCC, administrative updates to currently referenced standards, and designated definitions)
<b>International Fire Code</b>	<b>International Building Code</b> – Structural (Chapters 15–25, Appendices F, G, H, I, J, L, M)
<b>International Fuel Gas Code</b>	<b>International Existing Building Code</b>
<b>International Mechanical Code</b>	<b>International Energy Conservation Code—Commercial</b>
<b>International Plumbing Code</b>	<b>International Energy Conservation Code—Residential</b> – IECC—Residential – IRC—Energy (Chapter 11)
<b>International Property Maintenance Code</b>	<b>International Green Construction Code</b> (Chapter 1)
<b>International Private Sewage Disposal Code</b>	<b>International Residential Code</b> – IRC—Building (Chapters 1–10, Appendices E, F, H, J, K, L, M, O, Q, R, S, T)
<b>International Residential Code</b> – IRC—Mechanical (Chapters 12–23) – IRC—Plumbing (Chapters 25–33, Appendices G, I, N, P)	

(continued)

**CODE DEVELOPMENT HEARINGS—continued**

<b>Group A Codes (Heard in 2021, Code Change Proposals Deadline: January 11, 2021)</b>	<b>Group B Codes (Heard in 2022, Code Change Proposals Deadline: January 10, 2022)</b>
International Swimming Pool and Spa Code	
International Wildland-Urban Interface Code	
International Zoning Code	

**Note:** Proposed changes to the *ICC Performance Code*® will be heard by the code development committee noted in brackets [ ] in the text of the *ICC Performance Code*®.

## Marginal Markings

Solid vertical lines in the margins within the body of the code indicate a technical change from the requirements of the 2018 edition of the *International Plumbing Code*. Double vertical lines in the margin of the code indicate a State of South Carolina amendment to the 2021 *International Plumbing Code*. Deletion indicators in the form of an arrow (➡) are provided in the margin where an entire section, paragraph, exception or table has been deleted or an item in a list of items or a table has been deleted. An open arrow (>) in the margin indicates model code language deleted by the State of South Carolina.

A single asterisk [\*] placed in the margin indicates that text or a table has been relocated within the code. A double asterisk [\*\*] placed in the margin indicates that the text or table immediately following it has been relocated there from elsewhere in the code. The following table indicates such relocations in the 2021 edition of the *International Plumbing Code*.

**RELOCATIONS**

<b>2021 LOCATION</b>	<b>2018 LOCATION</b>
104.8	103.4
104.8.1	103.4.1
111	106.3.1 and 106.5.6
112	107.5 and 107.5.1
109	106.6 and 106.6.1
107	107.6 and 107.7
108	110
110	107
113.2	109.1.1
115	108
F101.3	109.2
F101.3.1	109.2.1
F101.3.2	109.2.2
F101.3.4	109.2.3
F101.3.5	109.2.5
F101.3.6	109.2.4
F101.3.7	109.2.6

*(continued)*

## RELOCATIONS—continued

2021 LOCATION	2018 LOCATION
F101.4	109.4.1
F101.5	109.3
F101.5.1	109.4
F101.5.3	109.5
F101.7	109.6
F101.7.1	109.6.1
F101.7.2	109.6.2
F101.8	109.7

## Coordination of the International Codes

The coordination of technical provisions is one of the strengths of the ICC family of model codes. The codes can be used as a complete set of complementary documents, which will provide users with full integration and coordination of technical provisions. Individual codes can also be used in subsets or as stand-alone documents. To make sure that each individual code is as complete as possible, some technical provisions that are relevant to more than one subject area are duplicated in some of the model codes. This allows users maximum flexibility in their application of the I-Codes.

## Italicized Terms

Words and terms defined in Chapter 2, Definitions, are italicized where they appear in code text and the Chapter 2 definition applies. Where such words and terms are not italicized, common-use definitions apply. The words and terms selected have code-specific definitions that the user should read carefully to facilitate better understanding of the code.

## Adoption

The International Code Council maintains a copyright in all of its codes and standards. Maintaining copyright allows the ICC to fund its mission through sales of books, in both print and electronic formats. The ICC welcomes adoption of its codes by jurisdictions that recognize and acknowledge the ICC's copyright in the code, and further acknowledge the substantial shared value of the public/private partnership for code development between jurisdictions and the ICC.

The ICC also recognizes the need for jurisdictions to make laws available to the public. All I-Codes and I-Standards, along with the laws of many jurisdictions, are available for free in a nondownloadable form on the ICC's website. Jurisdictions should contact the ICC at [adoptions@iccsafe.org](mailto:adoptions@iccsafe.org) to learn how to adopt and distribute laws based on the International Plumbing Code in a manner that provides necessary access, while maintaining the ICC's copyright.

To facilitate adoption, several sections of this code contain blanks for fill-in information that needs to be supplied by the adopting jurisdiction as part of the adoption legislation. For this code, please see:

Section 101.1. Insert: **[NAME OF JURISDICTION]**

Section 103.1. Insert: **[NAME OF DEPARTMENT]**

Section 115.4. Insert: **[OFFENSE, DOLLAR AMOUNT, NUMBER OF DAYS]**

Section 305.4.1. Insert: **[NUMBER OF INCHES IN TWO LOCATIONS]**

Section 903.1.1. Insert: **[NUMBER OF INCHES]**

## Effective use of the International Plumbing Code

The *International Plumbing Code* (IPC) is a model code that regulates the design and installation of plumbing systems including the plumbing fixtures in all types of buildings except for detached one- and two-family dwellings and townhouses that are not more than three stories above grade in height. The regulations for plumbing systems in one- and two-family dwellings and townhouses are covered by Chapters 25 through 33 of the *International Residential Code* (IRC). The IPC addresses general plumbing regulations, fixture requirements, water heater installations and systems for water distribution, sanitary drainage, special wastes, venting, storm drainage and medical gases. The IPC does not address fuel gas piping systems as those systems are covered by the *International Fuel Gas Code* (IFGC). The IPC also does not regulate swimming pool piping systems, process piping systems, or utility-owned piping and systems. The purpose of the IPC is to establish the minimum acceptable level of safety to protect life and property from the potential dangers associated with supplying potable water to plumbing fixtures and outlets and the conveyance of bacteria-laden wastewater from fixtures.

The IPC is primarily a specification-oriented (prescriptive) code with some performance-oriented text. For example, Section 405.1 is a performance statement but Chapter 6 contains the prescriptive requirements that will cause Section 405.1 to be satisfied.

Where a building contains plumbing fixtures, those fixtures requiring water must be provided with an adequate supply of water for proper operation. The number of required plumbing fixtures for a building is specified by this code and is based upon the anticipated maximum number of occupants for the building and the type of building occupancy. This code provides prescriptive criteria for sizing piping systems connected to those fixtures. Through the use of code-approved materials and the installation requirements specified in this code, plumbing systems will perform their intended function over the life of the building. In summary, the IPC sets forth the minimum requirements for providing safe water to a building as well as a safe manner in which liquidborne wastes are carried away from a building.

# ARRANGEMENT AND FORMAT OF THE 2021 IPC

The format of the IPC allows each chapter to be devoted to a particular subject with the exception of Chapter 3, which contains general subject matters that are not extensive enough to warrant their own independent chapter.

The following table lists those subjects. The ensuing chapter-by-chapter synopsis details the scope and intent of the provisions of the *International Plumbing Code*.

CHAPTER TOPICS	
Chapters	Subjects
1–2	Administration and Definitions
3	General Regulations
4	Fixtures, Faucets and Fixture Fittings
5	Water Heaters
6	Water Supply and Distribution
7	Sanitary Drainage
8	Indirect/Special Waste
9	Vents
10	Traps, Interceptors and Separators
11	Storm Drainage
12	Special Piping (Medical Gas)
13	Nonpotable Water Systems
14	Subsurface Graywater Soil Absorption
15	Referenced Standards
Appendices A–F	Appendices
Resource A	Plumbing Provisions Excerpted from ICC A117.1–2017

## Chapter 1 Scope and Administration

Chapter 1 contains provisions for the application, enforcement and administration of subsequent requirements of the code. In addition to establishing the scope of the code, Chapter 1 identifies which buildings and structures come under its purview. Chapter 1 is largely concerned with maintaining “due process of law” in enforcing the requirements contained in the body of this code. Only through careful observation of the administrative provisions can the code official reasonably expect to demonstrate that “equal protection under the law” has been provided.

## Chapter 2 Definitions

Chapter 2 is the repository of the definitions of terms used in the body of the code. Codes are technical documents and every word, term and punctuation mark can impact the meaning of the code text and the intended results. The code often uses terms that have a unique meaning in the code and the code meaning can differ substantially from the ordinarily understood meaning of the term as used outside of the code.

The terms defined in Chapter 2 are deemed to be of prime importance in establishing the meaning and intent of the code text that uses the terms. The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct interpretation of the code and because the user may not be aware that a term is defined.

Where understanding of a term’s definition is especially key to or necessary for understanding of a particular code provision, the term is shown in italics. This is true only for those terms that have a meaning that is unique to the code. In other words, the generally understood meaning of a term or phrase might not be sufficient or consistent with the meaning prescribed by the code; therefore, it is essential that the code-defined meaning be known.

Guidance regarding tense, gender and plurality of defined terms as well as guidance regarding terms not defined in this code is provided.



## **Chapter 3 General Regulations**

The content of Chapter 3 is often referred to as “miscellaneous,” rather than general regulations. This is the only chapter in the code whose requirements do not interrelate. If a requirement cannot be located in another chapter, it should be located in this chapter. Chapter 3 contains safety requirements for the installation of plumbing and nonplumbing requirements for all types of fixtures. This chapter also has requirements for the identification of pipe, pipe fittings, traps, fixtures, materials and devices used in plumbing systems.

The safety requirements of this chapter provide protection for the building’s structural members, as well as prevent undue stress and strain on pipes. The building’s structural stability is protected by the regulations for cutting and notching of structural members. Additional protection for the building occupants includes requirements to maintain the plumbing in a safe and sanitary condition, as well as privacy for those occupants.

## **Chapter 4 Fixtures, Faucets and Fixture Fittings**

Chapter 4 regulates the minimum number of plumbing fixtures that must be provided for every type of building. This chapter also regulates the quality of fixtures and faucets by requiring those items to comply with nationally recognized standards. Because fixtures must be properly installed so that they are usable by the occupants of the building, this chapter contains the requirements for the installation of fixtures. Because the requirements for the number of plumbing fixtures affects the design of a building, Chapter 29 of the *International Building Code* (IBC) includes, verbatim, many of the requirements listed in Chapter 4 of this code.

## **Chapter 5 Water Heaters**

Chapter 5 regulates the design, approval and installation of water heaters and related safety devices. The intent is to minimize the hazards associated with the installation and operation of water heaters. Although this code does not regulate the size of a water heater, it does regulate all other aspects of the water heater installation, such as temperature and pressure relief valves, safety drip pans, installation and connections. Where a water heater also supplies water for space heating, this chapter regulates the maximum water temperature supplied to the water distribution system.

## **Chapter 6 Water Supply and Distribution**

Chapter 6 regulates the supply of potable water from both public and individual sources to every fixture and outlet so that it remains potable and uncontaminated. Chapter 6 also regulates the design of the water distribution system, which will allow fixtures to function properly and help prevent backflow conditions. The unique requirements of the water supply for health care facilities are addressed separately. It is critical that the potable water supply system remain free of actual or potential sanitary hazards by providing protection against backflow.

## **Chapter 7 Sanitary Drainage**

The purpose of Chapter 7 is to regulate the materials, design and installation of sanitary drainage piping systems and connections made to the system. The intent is to design and install sanitary drainage systems that will function reliably, that are neither undersized nor oversized and that are constructed from materials, fittings and connections as prescribed herein. This chapter addresses the proper use of fittings for directing the flow into and within the sanitary drain piping system. Materials and provisions necessary for servicing the drainage system are also included in this chapter.

## **Chapter 8 Indirect/Special Waste**

Chapter 8 regulates drainage installations that require an indirect connection to the sanitary drainage system. Fixtures and plumbing appliances, such as those associated with food preparation or handling, health care facilities and potable liquids, must be protected from contamination that can result from

connection to the drainage system. An indirect connection prevents sewage from backing up into a fixture or appliance, thus providing protection against potential health hazards. The chapter also regulates special wastes containing hazardous chemicals. Special waste must be treated to prevent any damage to the sanitary drainage piping and to protect the sewage treatment processes.

## **Chapter 9 Vents**

Chapter 9 covers the requirements for vents and venting. Knowing why venting is required makes it easier to understand the intent of this chapter. Venting protects every trap against the loss of its seal. Provisions set forth in this chapter are geared toward limiting the pressure differentials in the drainage system to a maximum of 1 inch of water column (249 Pa) above or below atmospheric pressure (i.e., positive or negative pressures).

## **Chapter 10 Traps, Interceptors and Separators**

Chapter 10 contains design requirements and installation limitations for traps. Prohibited types of traps are specifically identified. Where fixtures do not frequently replenish the water in traps, a method is provided to ensure that the water seal of the trap will be maintained. Requirements for the design and location of various types of interceptors and separators are provided. Specific venting requirements are given for separators and interceptors, as those requirements are not addressed in Chapter 9.

## **Chapter 11 Storm Drainage**

Chapter 11 regulates the removal of storm water typically associated with rainfall. The proper installation of a storm drainage system reduces the possibility of structural collapse of a flat roof, prevents the leakage of water through the roof, prevents damage to the footings and foundation of the building and prevents flooding of the lower levels of the building.

## **Chapter 12 Special Piping and Storage Systems**

Chapter 12 contains the requirements for the design, installation, storage, handling and use of non-flammable medical gas systems, including inhalation anesthetic and vacuum piping systems, bulk oxygen storage systems and oxygen-fuel gas systems used for welding and cutting operations. The intent of these requirements is to minimize the potential fire and explosion hazards associated with the gases used in these systems.

## **Chapter 13 Nonpotable Water Systems**

Chapter 13 regulates the design and installation of nonpotable water systems, including rainwater harvesting systems. The reduction of potable water use in buildings has led building designers in some jurisdictions to use nonpotable water for flushing of water closets and urinals. This chapter provides the overall requirements for these systems.

## **Chapter 14 Subsurface Graywater Soil Absorption Systems**

Chapter 14 regulates the design and installation of subsurface graywater soil absorption systems for the disposal of on-site nonpotable water such as graywater. The reduction of potable water use in buildings has led building designers in some jurisdictions to use on-site nonpotable water for subsurface irrigation. This chapter provides the overall requirements for these systems.

## **Chapter 15 Referenced Standards**

Chapter 15 contains a comprehensive list of all standards that are referenced in the code. The standards are part of the code to the extent of the reference to the standard. Compliance with the referenced standard is necessary for compliance with this code. By providing specifically adopted

standards, the construction and installation requirements necessary for compliance with the code can be readily determined. The basis for code compliance is, therefore, established and available on an equal basis to the code official, contractor, designer and owner.

Chapter 15 is organized in a manner that makes it easy to locate specific standards. It lists all of the referenced standards, alphabetically, by acronym of the promulgating agency of the standard. Each agency's standards are then listed in either alphabetical or numeric order based on the standard identification. The list also contains the title of the standard; the edition (date) of the standard referenced; any addenda included as part of the ICC adoption; and the section or sections of this code that reference the standard.

## **Appendix A Plumbing Permit Fee Schedule**

Appendix A provides a format for a fee schedule.

## **Appendix B Rates of Rainfall for Various Cities**

Appendix B provides specific rainfall rates for major cities in the United States.

## **Appendix C Structural Safety**

Appendix C is provided so that the user does not have to refer to another code book for limitations for cutting, notching and boring of sawn lumber and cold-formed steel framing.

## **Appendix D Degree Day and Design Temperatures**

Appendix D provides valuable temperature information for designers and installers of plumbing systems in areas where freezing temperatures might exist.

## **Appendix E Sizing of Water Piping System**

Appendix E provides two recognized methods for sizing the water service and water distribution piping for any structure. The method under Section E103 provides friction loss diagrams that require the user to "plot" points and read values from the diagrams in order to perform the required calculations and necessary checks. This method is the most accurate of the two presented in this appendix. The method under Section E104 is known to be conservative; however, very few calculations are necessary in order to determine a pipe size that satisfies the flow requirements of any application.

## **Appendix F Board of Appeals**

Appendix F provides a set of regulations for the setup and operation of a Board of Appeals.

# TABLE OF CONTENTS

<p><b>CHAPTER 1 SCOPE AND ADMINISTRATION . . . . . 1-1</b></p> <p><b>PART 1—SCOPE AND APPLICATION. . . . . 1-1</b></p> <p>Section</p> <p>101 Scope and General Requirements. . . . . 1-1</p> <p>102 Applicability. . . . . 1-1</p> <p><b>PART 2—ADMINISTRATION AND ENFORCEMENT . . . . . 1-2</b></p> <p>Section</p> <p>103 Code Compliance Agency . . . . . 1-2</p> <p>104 Duties and Powers of the Code Official. . . . . 1-2</p> <p>105 Approval. . . . . 1-3</p> <p>106 Permits . . . . . 1-3</p> <p>107 Construction Documents . . . . . 1-5</p> <p>108 Notice of Approval. . . . . 1-5</p> <p>109 Fees. . . . . 1-5</p> <p>110 Service Utilities . . . . . 1-5</p> <p>111 Temporary Equipment, Systems and Uses. . . . . 1-6</p> <p>112 Inspections and Testing . . . . . 1-6</p> <p>113 Means of Appeals. . . . . 1-7</p> <p>114 Board of Appeals . . . . . 1-7</p> <p>115 Violations . . . . . 1-7</p> <p>116 Stop Work Order . . . . . 1-8</p> <p><b>CHAPTER 2 DEFINITIONS . . . . . 2-1</b></p> <p>Section</p> <p>201 General . . . . . 2-1</p> <p>202 General Definitions . . . . . 2-1</p> <p><b>CHAPTER 3 GENERAL REGULATIONS . . . . . 3-1</b></p> <p>Section</p> <p>301 General . . . . . 3-1</p> <p>302 Exclusion of Materials Detrimental to the Sewer System . . . . . 3-1</p> <p>303 Materials. . . . . 3-1</p> <p>304 Rodentproofing. . . . . 3-2</p> <p>305 Protection of Pipes and Plumbing System Components. . . . . 3-2</p> <p>306 Trenching, Excavation and Backfill. . . . . 3-2</p> <p>307 Structural Safety . . . . . 3-3</p>	<p>308 Piping Support . . . . . 3-3</p> <p>309 Flood Hazard Resistance . . . . . 3-4</p> <p>310 Washroom and Toilet Room Requirements. . . . . 3-5</p> <p>311 Toilet Facilities for Workers . . . . . 3-5</p> <p>312 Tests and Inspections. . . . . 3-5</p> <p>313 Equipment Efficiencies . . . . . 3-6</p> <p>314 Condensate Disposal . . . . . 3-6</p> <p>315 Penetrations . . . . . 3-7</p> <p>316 Alternative Engineered Design . . . . . 3-7</p> <p><b>CHAPTER 4 FIXTURES, FAUCETS AND FIXTURE FITTINGS . . . . . 4-1</b></p> <p>Section</p> <p>401 General. . . . . 4-1</p> <p>402 Fixture Materials . . . . . 4-1</p> <p>403 Minimum Plumbing Facilities. . . . . 4-1</p> <p>404 Accessible Plumbing Facilities . . . . . 4-6</p> <p>405 Installation of Fixtures. . . . . 4-6</p> <p>406 Automatic Clothes Washers. . . . . 4-7</p> <p>407 Bathtubs . . . . . 4-7</p> <p>408 Bidets . . . . . 4-7</p> <p>409 Dishwashing Machines . . . . . 4-8</p> <p>410 Drinking Fountains . . . . . 4-8</p> <p>411 Emergency Showers and Eyewash Stations . . . . . 4-8</p> <p>412 Faucets and Fixture Fittings. . . . . 4-9</p> <p>413 Floor and Trench Drains . . . . . 4-10</p> <p>414 Floor Sinks. . . . . 4-10</p> <p>415 Flushing Devices for Water Closets and Urinals . . . . . 4-10</p> <p>416 Food Waste Disposer Units . . . . . 4-10</p> <p>417 Garbage Can Washers . . . . . 4-10</p> <p>418 Laundry Trays . . . . . 4-11</p> <p>419 Lavatories. . . . . 4-11</p> <p>420 Manual Food and Beverage Dispensing Equipment. . . . . 4-11</p> <p>421 Showers . . . . . 4-11</p> <p>422 Sinks. . . . . 4-12</p> <p>423 Specialty Plumbing Fixtures . . . . . 4-12</p> <p>424 Urinals . . . . . 4-12</p> <p>425 Water Closets . . . . . 4-13</p> <p>426 Whirlpool Bathtubs . . . . . 4-13</p>
---	---

**TABLE OF CONTENTS**

**CHAPTER 5 WATER HEATERS..... 5-1**

Section  
501 General ..... 5-1  
502 Installation ..... 5-1  
503 Connections ..... 5-2  
504 Safety Devices ..... 5-2  
505 Insulation ..... 5-3

**CHAPTER 6 WATER SUPPLY  
AND DISTRIBUTION..... 6-1**

Section  
601 General ..... 6-1  
602 Water Required..... 6-1  
603 Water Service ..... 6-2  
604 Design of Building Water  
Distribution System ..... 6-2  
605 Materials, Joints and Connections ..... 6-4  
606 Installation of the Building Water  
Distribution System ..... 6-9  
607 Hot Water Supply System ..... 6-10  
608 Protection of Potable Water Supply ..... 6-11  
609 Health Care Plumbing ..... 6-17  
610 Disinfection of Potable Water System ..... 6-18  
611 Drinking Water Treatment Units ..... 6-18  
612 Solar Systems ..... 6-18  
613 Temperature Control Devices and Valves ..... 6-18

**CHAPTER 7 SANITARY DRAINAGE..... 7-1**

Section  
701 General ..... 7-1  
702 Materials..... 7-1  
703 Building Sewer..... 7-3  
704 Drainage Piping Installation..... 7-3  
705 Joints..... 7-4  
706 Connections Between Drainage  
Piping and Fittings..... 7-6  
707 Prohibited Joints and Connections..... 7-7  
708 Cleanouts ..... 7-7  
709 Fixture Units..... 7-8  
710 Drainage System Sizing ..... 7-10  
711 Offsets in Drainage Piping in Buildings  
of Five Stories or More ..... 7-10  
712 Sumps and Ejectors ..... 7-11  
713 Computerized Drainage Design ..... 7-12  
714 Backwater Valves..... 7-12  
715 Vacuum Drainage Systems ..... 7-12

716 Replacement of Underground Building Sewers  
and Building Drains by Pipe-Bursting  
Methods..... 7-12  
717 Relining Building Sewers and  
Building Drains ..... 7-13  
718 Rehabilitation of Building Sewers and  
Building Drains ..... 7-13

**CHAPTER 8 INDIRECT/SPECIAL WASTE ..... 8-1**

Section  
801 General..... 8-1  
802 Indirect Wastes..... 8-1  
803 Special Wastes ..... 8-2

**CHAPTER 9 VENTS..... 9-1**

Section  
901 General..... 9-1  
902 Materials ..... 9-1  
903 Vent Terminals..... 9-1  
904 Outdoor Vent Extensions..... 9-2  
905 Vent Connections and Grades ..... 9-2  
906 Vent Pipe Sizing ..... 9-2  
907 Vents for Stack Offsets ..... 9-4  
908 Relief Vents—Stacks of More Than  
10 Branch Intervals..... 9-4  
909 Fixture Vents ..... 9-5  
910 Individual Vent ..... 9-5  
911 Common Vent ..... 9-5  
912 Wet Venting..... 9-5  
913 Waste Stack Vent..... 9-6  
914 Circuit Venting..... 9-6  
915 Combination Waste and Vent System ..... 9-7  
916 Island Fixture Venting ..... 9-7  
917 Single-Stack Vent System ..... 9-7  
918 Air Admittance Valves ..... 9-8  
919 Engineered Vent Systems ..... 9-9  
920 Computerized Vent Design ..... 9-9

**CHAPTER 10 TRAPS, INTERCEPTORS  
AND SEPARATORS ..... 10-1**

Section  
1001 General ..... 10-1  
1002 Trap Requirements ..... 10-1  
1003 Interceptors and Separators..... 10-2  
1004 Materials, Joints and Connections ..... 10-4

**CHAPTER 11 STORM DRAINAGE ..... 11-1**

Section

1101 General ..... 11-1

1102 Materials ..... 11-1

1103 Traps ..... 11-2

1104 Conductors and Connections ..... 11-2

1105 Roof Drains ..... 11-2

1106 Size of Conductors, Leaders  
and Storm Drains ..... 11-3

1107 Siphonic Roof Drainage Systems ..... 11-9

1108 Secondary (Emergency) Roof Drains ..... 11-9

1109 Combined Sanitary and Storm Public Sewer ... 11-9

1110 Controlled Flow Roof Drain Systems ..... 11-9

1111 Subsoil Drains ..... 11-10

1112 Building Subdrains ..... 11-10

1113 Sumps and Pumping Systems ..... 11-10

**CHAPTER 12 SPECIAL PIPING AND  
STORAGE SYSTEMS ..... 12-1**

Section

1201 General ..... 12-1

1202 Medical Gases ..... 12-1

1203 Oxygen Systems ..... 12-1

**CHAPTER 13 NONPOTABLE  
WATER SYSTEMS ..... 13-1**

Section

1301 General ..... 13-1

1302 On-site Nonpotable Water Reuse Systems ..... 13-3

1303 Nonpotable Rainwater Collection and  
Distribution Systems ..... 13-5

1304 Reclaimed Water Systems ..... 13-7

**CHAPTER 14 SUBSURFACE  
GRAYWATER SOIL  
ABSORPTION SYSTEMS ..... 14-1**

Section

1401 General ..... 14-1

1402 System Design and Sizing ..... 14-1

1403 Installation ..... 14-2

**CHAPTER 15 REFERENCED STANDARDS .... 15-1**

**APPENDIX A PLUMBING PERMIT  
FEE SCHEDULE ..... A-1**

Permit Issuance ..... A-1

Unit Fee Schedule ..... A-1

Other Inspections and Fees ..... A-1

**APPENDIX B RATES OF RAINFALL  
FOR VARIOUS CITIES ..... B-1**

**APPENDIX C STRUCTURAL SAFETY ..... C-1**

Section

C101 Cutting, Notching and Boring in  
Wood Members ..... C-1

**APPENDIX D DEGREE DAY AND  
DESIGN TEMPERATURES ..... D-1**

**APPENDIX E SIZING OF WATER  
PIPING SYSTEM ..... E-1**

Section

E101 General ..... E-1

E102 Information Required ..... E-1

E103 Selection of Pipe Size ..... E-1

E104 Selection of Pipe Size ..... E-19

E105 Determination of Pipe Volumes ..... E-19

**APPENDIX F BOARD OF APPEALS ..... F-1**

Section

F101 General ..... F-1

**INDEX ..... INDEX-1**