2024 International Plumbing Code®

First Printing: June 2023

ISBN: 978-1-959851-73-8 (soft-cover edition) ISBN: 978-1-959851-74-5 (loose-leaf edition) ISBN: 978-1-959851-75-2 (PDF download)

> COPYRIGHT © 2023 by INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2024 *International Plumbing Code*[®] is a copyrighted work owned by the International Code Council, Inc. ("ICC"). Without separate written permission from the ICC, no part of this publication may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying or recording by or in an information storage and/or retrieval system). For information on use rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, Illinois 60478; 1-888-ICC-SAFE (422-7233); https://www.iccsafe.org/about/periodicals-and-newsroom/icc-logo-license/.

The display of the Plumbing-Heating-Cooling Contractors—National Association (PHCC) logo in this publication indicates PHCC's support through committee participation of ICC's open governmental consensus process used to develop the International Codes. This support does not imply any ownership to the copyright to the International Plumbing Code, which is held solely by the International Code Council, Inc.

Plumbing-Heating-Cooling Contractors—National Association (PHCC): 180 S. Washington Street – Suite 100, Falls Church, VA 22046; Phone: (703) 237-8100, (800) 533-7694, www.phccweb.org.

Trademarks: "International Code Council," the "International Code Council" logo, "ICC," the "ICC" logo, "International Plumbing Code," "IPC" and other names and trademarks appearing in this publication are registered trademarks of the International Code Council, Inc., and/or its licensors (as applicable), and may not be used without permission.

NEW DESIGN FOR THE 2024 INTERNATIONAL CODES

























IPSDC








ICCPC





The 2024 International Codes® (I-Codes®) have undergone substantial formatting changes as part of the digital transformation strategy of the International Code Council® (ICC®) to improve the user experience. The resulting product better aligns the print and PDF versions of the I-Codes with the ICC's Digital Codes® content.

The changes, promoting a cleaner, more modern look and enhancing readability and sustainability, include:



More information can be found at iccsafe.org/design-updates.



PREFACE

FORMATTING CHANGES TO THE 2024 INTERNATIONAL CODES


The 2024 International Codes® (I-Codes®) have undergone substantial formatting changes as part of the digital transformation strategy of the International Code Council® (ICC®) to improve the user experience. The resulting product better aligns the print and PDF versions of the I-Codes with the ICC's Digital Code content. Additional information can be found at iccsafe.org/design-updates.

Replacement of Marginal Markings with QR Codes

Through 2021, print editions of the I-Codes identified technical changes from prior code cycles with marginal markings [solid vertical lines for new text, deletion arrows (➡), asterisks for relocations (⋆)]. The 2024 I-Code print editions replace the marginal markings with QR codes to identify code changes more precisely.

A QR code is placed at the beginning of any section that has undergone technical revision. If there is no QR code, there are no technical changes to that section.

In the following example from the 2024 *International Plumbing Code*® (IPC®), a QR code indicates there are changes to Section 605 from the 2021 IPC. Note that the change may occur in the main section or in one or more subsections of the main section.



To see the code changes, the user need only scan the QR code with a smart device. If scanning a QR code is not an option, changes can be accessed by entering the 7-digit code beneath the QR code at the end of the following URL: qr.iccsafe.org/ (in the above example, "qr.iccsafe.org/52e3321"). Those viewing the code book via PDF can click on the QR code.

All methods take the user to the appropriate section on ICC's Digital Codes website, where technical changes from the prior cycle can be viewed. Digital Codes Premium subscribers who are logged in will be automatically directed to the Premium view. All other users will be directed to the Digital Codes Basic free view. Both views show new code language in blue text along with deletion arrows for deleted text and relocation markers for relocated text.

Digital Codes Premium offers additional ways to enhance code compliance research, including revision histories, commentary by code experts and an advanced search function. A full list of features can be found at codes.iccsafe.org/premium-features.

ACCESSING ADDITIONAL FEATURES VIA REGISTRATION OF BOOK

Beginning with the 2024 International Mechanical Code® (IMC®) and the 2024 IPC, users will be able to validate the authenticity of their book and register it with the ICC to receive incentives. Digital Codes Premium (codes.iccsafe.org) provides advanced features and exclusive content to enhance code compliance. To validate and register, the user will tap the ICC tag (pictured here and located on the front cover) with a near-field communication (NFC) compatible device. Visit iccsafe.org/nfc for more information and troubleshooting tips regarding NFC tag technology.



ABOUT THE I-CODES

The 2024 I-Codes, published by the ICC, are 15 fully compatible titles, intended to establish provisions that adequately protect public health, safety and welfare; that do not unnecessarily increase construction costs; that do not restrict the use of new materials, products or methods of construction; and that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

The I-Codes are updated on a 3-year cycle to allow for new construction methods and technologies to be incorporated into the codes. Alternative materials, designs and methods not specifically addressed in the I-Code can be approved by the building official where the proposed materials, designs or methods comply with the intent of the provisions of the code.

The I-Codes are used as the basis of laws and regulations in communities across the US and in other countries. They are also used in a variety of nonregulatory settings, including:

- Voluntary compliance programs.
- The insurance industry.
- Certification and credentialing for building design, construction and safety professionals.

- · Certification of building and construction-related products.
- · Facilities management.
- "Best practices" benchmarks for designers and builders.
- College, university and professional school textbooks and curricula.
- Reference works related to building design and construction.

Code Development Process

The code development process regularly provides an international forum for building professionals to discuss requirements for building design, construction methods, safety, performance, technological advances and new products. Proposed changes to the I-Codes, submitted by code enforcement officials, industry representatives, design professionals and other interested parties are deliberated through an open code development process in which all interested and affected parties may participate.

Openness, transparency, balance, due process and consensus are the guiding principles of both the ICC Code Development Process and OMB Circular A-119, which governs the federal government's use of private-sector standards. The ICC process is open to anyone without cost. Remote participation is available through cdpAccess®, the ICC's cloud-based app.

In order to ensure that organizations with a direct and material interest in the codes have a voice in the process, the ICC has developed partnerships with key industry segments that support the ICC's important public safety mission. Some code development committee members were nominated by the following industry partners and approved by the ICC Board:

- American Gas Association (AGA)
- · American Institute of Architects (AIA)
- American Society of Plumbing Engineers (ASPE)
- International Association of Fire Chiefs (IAFC)
- · National Association of Home Builders (NAHB)
- National Association of State Fire Marshals (NASFM)
- National Council of Structural Engineers Association (NCSEA)
- National Multifamily Housing Council (NMHC)
- Plumbing Heating and Cooling Contractors (PHCC)
- Pool and Hot Tub Alliance (PHTA) formerly The Association of Pool and Spa Professionals (APSP)

Code development committees evaluate and make recommendations regarding proposed changes to the codes. Their recommendations are then subject to public comment and council-wide votes. The ICC's governmental members—public safety officials who have no financial or business interest in the outcome—cast the final votes on proposed changes.

The I-Codes are subject to change through future code development cycles and by any governmental entity that enacts the code into law. For more information regarding the code development process, contact the Codes and Standards Development Department of the ICC at iccsafe.org/products-and-services/i-codes/code-development/.

While the I-Code development procedure is thorough and comprehensive, the ICC, its members and those participating in the development of the codes expressly disclaim any liability resulting from the publication or use of the I-Codes, or from compliance or noncompliance with their provisions. NO WARRANTY OF ANY KIND, IMPLIED, EXPRESSED OR STATUTORY, IS GIVEN WITH RESPECT TO THE I-CODES. The ICC does not have the power or authority to police or enforce compliance with the contents of the I-Codes.

Code Development Committee Responsibilities (Letter Designations in Front of Section Numbers)

In each cycle, proposed changes are considered by the Code Development Committee assigned to a specific code or subject matter. Committee Action Hearings result in recommendations regarding a proposal to the voting membership. Where changes to a code section are not considered by that code's own committee, the code section is preceded by a bracketed letter designation identifying a different committee. Bracketed letter designations for the I-Code committees are:

- [A] = Administrative Code Development Committee
- [BE] = IBC—Egress Code Development Committee
- [BF] = IBC—Fire Safety Code Development Committee
- [BG] = IBC—General Code Development Committee
- [BS] = IBC—Structural Code Development Committee
- [E] = Developed under the ICC's Standard Development Process
- [EB] = International Existing Building Code Development Committee
- [F] = International Fire Code Development Committee
- [FG] = International Fuel Gas Code Development Committee

- [M] = International Mechanical Code Development Committee
- [P] = International Plumbing Code Development Committee
- [SP] = International Swimming Pool and Spa Code Development Committee

For the development of the 2027 edition of the I-Codes, the ICC Board of Directors approved a standing motion from the Board Committee on the Long-Term Code Development Process to revise the code development cycle to incorporate two committee action hearings for each code group. This change expands the current process from two independent 1-year cycles to a single continuous 3-year cycle. There will be two groups of code development committees and they will meet in separate years. The current groups will be reworked. With the energy provisions of the *International Energy Conservation Code*® (IECC®) and Chapter 11 of the *International Residential Code*® (IRC®) now moved to the Code Council's Standards Development Process, the reduced volume of code changes will be distributed between Groups A and B.

Code change proposals submitted for code sections that have a letter designation in front of them will be heard by the respective committee responsible for such code sections. Because different committees hold Committee Action Hearings in different years, proposals for most codes will be heard by committees in both the 2024 (Group A) and the 2025 (Group B) code development cycles. It is very important that anyone submitting code change proposals understands which code development committee is responsible for the section of the code that is the subject of the code change proposal.

Please visit the ICC website at iccsafe.org/products-and-services/i-codes/code-development/current-code-development-cycle for further information on the Code Development Committee responsibilities as it becomes available.

Coordination of the I-Codes

The coordination of technical provisions allows the I-Codes to be used as a complete set of complementary documents. Individual codes can also be used in subsets or as stand-alone documents. Some technical provisions that are relevant to more than one subject area are duplicated in multiple model codes.

Italicized Terms

Words and terms defined in Chapter 2, Definitions, are italicized where they appear in code text and the Chapter 2 definitions apply. Although care has been taken to ensure applicable terms are italicized, there may be instances where a defined term has not been italicized or where a term is italicized but the definition found in Chapter 2 is not applicable. For example, Chapter 2 of the *International Building Code*® (IBC®) contains a definition for "Listed" that is applicable to equipment, products and services. The term "listed" is also used in that code to refer to a list of items within the code or within a referenced document. For the latter, the Chapter 2 definition would not be applicable.


Adoption of International Code Council Codes and Standards

The International Code Council maintains a copyright in all of its codes and standards. Maintaining copyright allows the Code Council to fund its mission through sales of books in both print and digital formats. The Code Council welcomes incorporation by reference of its codes and standards by jurisdictions that recognize and acknowledge the Code Council's copyright in the codes and standards, and further acknowledge the substantial shared value of the public/private partnership for code development between jurisdictions and the Code Council. By making its codes and standards available for incorporation by reference, the Code Council does not waive its copyright in its codes and standards.

The Code Council's codes and standards may only be adopted by incorporation by reference in an ordinance passed by the governing body of the jurisdiction. "Incorporation by reference" means that in the adopting ordinance, the governing body cites only the title, edition, relevant sections or subsections (where applicable), and publishing information of the model code or standard, and the actual text of the model code or standard is not included in the ordinance (see graphic, "Adoption of International Code Council Codes and Standards"). The Code Council does not consent to the reproduction of the text of its codes or standards in any ordinance. If the governing body enacts any changes, only the text of those changes or amendments may be included in the ordinance.



What does "incorporate by reference" mean? If a governmental agency or authority having jurisdiction (AHJ) over code adoption wishes to adopt a model code for legislative or regulatory purposes, it will enact an ordinance, regulation or law to incorporate by reference (IBR) the relevant code. The actual text of the model code is not included in the law, but the enacting law will include the full text of any changes or amendments enacted by the legislative body of the AHJ.



The Code Council also recognizes the need for jurisdictions to make laws accessible to the public. Accordingly, all I-Codes and I-Standards, along with the laws of many jurisdictions, are available to view for free at codes.iccsafe.org/codes/i-codes. These documents may also be purchased, in both digital and print versions, at shop.iccsafe.org.

To facilitate adoption, some I-Code sections contain blanks for fill-in information that needs to be supplied by the adopting jurisdiction as part of the adoption legislation. For example, the IPC contains:

Section 101.1. Insert: [NAME OF JURISDICTION]
Section 103.1. Insert: [NAME OF DEPARTMENT]

Section 114.4. Insert: [OFFENSE, DOLLAR AMOUNT, NUMBER OF DAYS]

Section 305.4.1. Insert: [NUMBER OF INCHES IN TWO LOCATIONS]

Section 903.1.1. Insert: [NUMBER OF INCHES]

For further information or assistance with adoption, including a sample ordinance, jurisdictions should contact the Code Council at incorporation@iccsafe.org.

For a list of frequently asked questions (FAQs) addressing a range of foundational topics about the adoption of model codes by jurisdictions and to learn more about the Code Council's code adoption resources, scan the QR code or visit iccsafe.org/code-adoption-resources.



INTRODUCTION TO THE INTERNATIONAL PLUMBING CODE

The IPC is a model code that regulates the design and installation of plumbing systems including the plumbing fixtures in all types of buildings except for detached one- and two-family dwellings and townhouses that are not more than three stories above grade in height. The regulations for plumbing systems in one- and two-family dwellings and townhouses are covered by Chapters 25 through 33 of the *International Residential Code*® (IRC®). The IPC addresses general plumbing regulations, fixture requirements, water heater installations and systems for water distribution, sanitary drainage, special wastes, venting, storm drainage and medical gases. The IPC does not address fuel gas piping systems as those systems are covered by the *International Fuel Gas Code*® (IFGC®). The IPC also does not regulate swimming pool piping systems, process piping systems, or utility-owned piping and systems. The purpose of the IPC is to the establish the minimum acceptable level of safety to protect life and property from the potential dangers associated with supplying potable water to plumbing fixtures and outlets and the conveyance of bacteria-laden wastewater from fixtures.

The IPC is primarily a specification-oriented (prescriptive) code with some performance-oriented text. For example, Section 405.1 is a performance statement but Chapter 6 contains the prescriptive requirements that will cause Section 405.1 to be satisfied.

Where a building contains plumbing fixtures, those fixtures requiring water must be provided with an adequate supply of water for proper operation. The number of required plumbing fixtures for a building is specified by this code and is based on the anticipated maximum number of occupants for the building and the type of building occupancy. This code provides prescriptive criteria

for sizing piping systems connected to those fixtures. Through the use of code-approved materials and the installation requirements specified in this code, plumbing systems will perform their intended function over the life of the building. In summary, the IPC sets forth the minimum requirements for providing safe water to a building as well as a safe manner in which liquidborne wastes are carried away from a building.

ARRANGEMENT AND FORMAT OF THE 2024 IPC

The format of the IPC allows each chapter to be devoted to a particular subject with the exception of Chapter 3, which contains general subject matters that are not extensive enough to warrant their own independent chapter.

The following table shows how the IPC is divided. The subsequent table shows IPC requirements that are correlated with other I-Codes. The chapter synopses detail the scope and intent of the provisions of the IPC.

CHAPTER TOPICS			
CHAPTERS	SUBJECTS		
1, 2	Administration and Definitions		
3	General Regulations		
4	Fixtures, Faucets and Fixture Fittings		
5	Water Heaters		
6	Water Supply and Distribution		
7	Sanitary Drainage		
8	Indirect/Special Waste		
9	Vents		
10	Traps, Interceptors and Separators		
11	Storm Drainage		
12	Special Piping (Medical Gas)		
13	Nonpotable Water Systems		
14	Subsurface Graywater Soil Absorption		
15	Referenced Standards		
Appendices A-F	Appendices		
Resource A	Plumbing Provisions Excerpted from ICC A117.1–2017		

International Building Code Correlated Topics

The IPC requirements for plumbing fixtures and toilet rooms are directly correlated with the requirements of the IBC. The following table shows chapters/sections of the IPC that are correlated with the IBC:

IPC/IBC CORRELATED TOPICS				
IPC CHAPTER/SECTION	IBC CHAPTER/SECTION	SUBJECT		
Chapters 3, 4	Chapter 29	Plumbing fixtures and facilities		

Chapter 1 Scope and Administration.

Chapter 1 establishes the limits of applicability of the code and describes how the code is to be applied and enforced. The provisions of Chapter 1 establish the authority and duties of the code official appointed by the authority having jurisdiction and also establish the rights and privileges of the design professional, contractor and property owner.

Chapter 2 Definitions.

Chapter 2 is the repository of the definitions of terms used in the body of the code. The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct interpretation of the code and because the user may not be aware that a term is defined.

Chapter 3 General Regulations.

The content of Chapter 3 is often referred to as "miscellaneous," rather than general regulations. Chapter 3 contains safety requirements for the installation of all types of plumbing and nonplumbing fixtures.

Chapter 4 Fixtures, Faucets and Fixture Fittings.

Chapter 3 contains safety requirements for the installation of all types of plumbing and nonplumbing fixtures.

Chapter 5 Water Heaters.

Chapter 5 regulates the design, approval and installation of water heaters and related safety devices. The intent is to minimize the hazards associated with the installation and operation of water heaters.

Chapter 6 Water Supply and Distribution.

Chapter 6 regulates the supply of potable water from both public and individual sources to every fixture and outlet so that it remains potable. Chapter 6 also regulates the design of the water distribution system, which will allow fixtures to function properly and help prevent backflow conditions.

Chapter 7 Sanitary Drainage.

The purpose of Chapter 7 is to regulate the materials, design and installation of sanitary drainage piping systems and connections made to the system. The intent is to design and install sanitary drainage systems that will function reliably, that are neither undersized nor oversized and that are constructed from materials, fittings and connections as prescribed herein.

Chapter 8 Indirect/Special Waste.

Chapter 8 regulates drainage installations that require an indirect connection to the sanitary drainage system. Fixtures and plumbing appliances, such as those associated with food preparation or handling, health care facilities and potable liquids, must be protected from contamination that can result from connection to the drainage system.

Chapter 9 Vents.

Chapter 9 covers the requirements for vents and venting. Venting protects every trap against the loss of its seal.

Chapter 10 Traps, Interceptors and Separators.

Chapter 10 contains design requirements and installation limitations for traps. Requirements for the design and location of various types of interceptors and separators are provided.

Chapter 11 Storm Drainage.

Chapter 11 regulates the removal of storm water. The proper installation of a storm drainage system reduces the possibility of structural collapse of a flat roof and prevents damage to the footings and foundation of the building.

Chapter 12 Special Piping and Storage Systems.

Chapter 12 contains the requirements for the design, installation, storage, handling and use of nonflammable medical gas systems, including inhalation anesthetic and vacuum piping systems, bulk oxygen storage systems and oxygen-fuel gas systems used for welding and cutting operations.

Chapter 13 Nonpotable Water Systems.

Chapter 13 regulates the design and installation of nonpotable water systems, including rainwater harvesting systems. The need for a reduction of potable water use in buildings has led building designers to utilize nonpotable water in building applications.

Chapter 14 Subsurface Graywater Soil Absorption Systems.

Chapter 14 regulates the design and installation of subsurface graywater soil absorption systems for the disposal of on-site nonpotable water such as graywater. The reduction of potable water use in buildings has led building designers in some jurisdictions to use on-site nonpotable water in building applications such as landscape irrigation.

Chapter 15 Referenced Standards.

Chapter 15 lists all of the product and installation standards and codes that are referenced throughout Chapters 1 through 14 and includes identification of the promulgators and the section numbers in which the standards and codes are referenced. As stated in Section 102.8, these standards and codes become an enforceable part of the code (to the prescribed extent of the reference) as if printed in the body of the code.

Appendix A Plumbing Permit Fee Schedule.

Appendix A provides a format for a fee schedule.

Appendix B Rates of Rainfall for Various Cities.

Appendix B provides specific rainfall rates for major cities in the United States.

Appendix C Structural Safety.

Appendix C is provided to direct the user to a registered design professional for the cutting, notching and boring of structural steel members.

Appendix D Degree Day and Design Temperatures.

Appendix D provides valuable temperature information for designers and installers of plumbing systems in areas where freezing temperatures might exist.

Appendix E Sizing of Water Piping System.

Appendix E provides two recognized methods for sizing the water service and water distribution piping for any structure.

Appendix F Board of Appeals.

Appendix F contains the provisions for appeal and the establishment of a board of appeals. The provisions include the application for an appeal, the makeup of the board of appeals and the conduct of the appeal process.

Resource A Plumbing Provisions Excerpted from ICC A117.1-2017, Standard for Accessible and Usable Buildings and Facilities.

Building accessibility is a fundamental tenet in the International Codes. The codes rely on the provisions contained in ICC A117.1 for the design and construction of accessible buildings. Accessible plumbing facilities and fixtures play a key role in making sure that all aspects of the building provide the requisite level of accessibility. ICC A117.1 is referenced in Sections 404.2 and 410.3.

RELOCATION OF TEXT OR TABLES

The following table indicates relocation of sections and tables in the 2024 edition of the IPC from the 2021 edition.

RELOCATIONS			
2024 LOCATION	2021 LOCATION		
104	105		
104.2.3	105.1		
104.2.3.6	105.2.1		
104.2.2	105.3		
104.2.4	105.3.1		
104.2.2.4	105.3.2		
104.2.3.5	105.3.2		
104.7.4	105.3.3		
104.9	105.4		
104.9.1	105.4.1		

CONTENTS

CHAPT	ER 1 SCOPE AND ADMINISTRATION12	406	Automatic Clothes Washers	. 44
PART 1-	-SCOPE AND APPLICATION12	407	Bathtubs	. 45
101	Scope and General Requirements12	408	Bidets	. 45
102	Applicability	409	Dishwashing Machines	. 45
	-ADMINISTRATION AND ENFORCEMENT	410	Drinking Fountains	
		411	Emergency Showers and Eyewash Stations	
103	Code Compliance Agency	412	Faucets and Fixture Fittings	
104	Duties and Powers of the Code Official	413	Floor and Trench Drains	
105	Permits	414	Floor Sinks	
106	Construction Documents	415	Flushing Devices for Water Closets and Urinals	. 47
107	Notice of Approval	416	Food Waste Disposer Units	. 48
108 109	Fees	417	Garbage Can Washers	
	Service Utilities	418	Laundry Trays	
110 111	Inspections and Testing	419	Lavatories	
112	Means of Appeals	420	Manual Food and Beverage Dispensing Equipment.	
113	Board of Appeals	421	Showers	
113	Violations	422	Sinks	
115	Stop Work Order	423	Specialty Plumbing Fixtures	
113	Stop Work Order21	424	Urinals	
СНАРТІ	ER 2 DEFINITIONS22	425	Water Closets	
201	General	426	Whirlpool Bathtubs	. 50
202	General Definitions	CHAPTI	ER 5 WATER HEATERS	
СНАРТІ	ER 3 GENERAL REGULATIONS30	501	General	
301	General	502	Installation	
302	Exclusion of Materials Detrimental to the Sewer	503	Connections	
	System30	504	Safety Devices	
303	Materials	505	Insulation	. 53
304	Rodentproofing31	CHADTI	ER 6 WATER SUPPLY AND DISTRIBUTION	5/
305	Protection of Pipes and Plumbing System	601	General	
	Components31	602	Water Required	
306	Trenching, Excavation and Backfill32	603	Water Service	
307	Structural Safety32	604	Design of Building Water Distribution System	
308	Piping Support33	605	Materials, Joints and Connections	
309	Flood Hazard Resistance34	606	Installation of the Building Water	
310	Toilet Facilities Requirements		Distribution System	. 63
311	Toilet Facilities for Workers	607	Hot Water Supply System	
312	Tests and Inspections	608	Protection of Potable Water Supply	. 65
313	Equipment Efficiencies	609	Health Care Plumbing	
314	Condensate Disposal	610	Disinfection of Potable Water System	. 72
315	Penetrations	611	Drinking Water Treatment Units	. 72
316	Alternative Engineered Design37	612	Solar Systems	. 72
СНАРТЕ	ER 4 FIXTURES, FAUCETS AND FIXTURE	613	Temperature Control Devices and Valves	
	INGS38			
401	General		ER 7 SANITARY DRAINAGE	
402	Fixture Materials	701	General	
403	Minimum Plumbing Facilities38	702	Materials	
404	Accessible Plumbing Facilities	703	Building Sewer	
405	Installation of Fixtures	704	Drainage Piping Installation	
		705	Joints	. 76

706	Connections Between Drainage Piping	CHAPTE	R 11	STORM DRAINAGE104
	and Fittings	1101	Gen	eral
707	Prohibited Joints and Connections80	1102	Mat	erials104
708	Cleanouts80	1103	Trap	os106
709	Fixture Units81	1104	Con	ductors and Connections
710	Drainage System Sizing83	1105	Roo	f Drains106
711	Offsets in Drainage Piping in Buildings of	1106	Size	of Conductors, Leaders and Storm Drains 106
	Five Stories or More84	1107		nonic Roof Drainage Systems
712	Sumps and Ejectors84	1108		ondary (Emergency) Roof Drains 113
713	Computerized Drainage Design	1109		nbined Sanitary and Storm Public Sewer 113
714	Backwater Valves85	1110		trolled Flow Roof Drain Systems
715	Vacuum Drainage Systems86	1111		soil Drains
716	Replacement of Underground Building Sewers and	1112		ding Subdrains114
	Building Drains by Pipe-Bursting Methods86	1113		nps and Pumping Systems114
717	Relining Building Sewers and Building Drains86	1113	Juli	ips and ramping systems
718	Rehabilitation of Building Sewers and	CHAPTE	R 12	SPECIAL PIPING AND STORAGE SYSTEMS115
	Building Drains87	1201	Gen	eral
		1202	Med	lical Gases
CHAPTE		1203	Oxy	gen Systems
801	General		- ,	3 • • • • • • • • • • • • • • • • • • •
802	Indirect Wastes88	CHAPTE	R 13	NONPOTABLE WATER SYSTEMS116
803	Special Wastes89	1301	Gen	eral
CHARTE	R 9 VENTS90	1302	On-	Site Nonpotable Water Reuse Systems118
901	General90	1303	Non	potable Rainwater Collection and
			Di	stribution Systems
902	Materials	1304	Rec	laimed Water Systems122
903	Vent Terminals			
904	Outdoor Vent Extensions			SUBSURFACE GRAYWATER SOIL
905	Vent Connections and Grades91			ON SYSTEMS123
906	Vent Pipe Sizing	1401		eral
907	Vents For Stack Offsets93	1402		tem Design and Sizing123
908	Relief Vents—Stacks of More than 10 Branch Intervals93	1403	Inst	allation124
909	Fixture Vents93	CHAPTE	R 15	REFERENCED STANDARDS126
910	Individual Vent94			
911	Common Vent94	APPEND	IX A	PLUMBING PERMIT FEE SCHEDULE143
912	Wet Venting94	A101	Plui	mbing Permit Fee Schedule143
913	Waste Stack Vent			
914	Circuit Venting95	APPEND	IX B	RATES OF RAINFALL FOR VARIOUS CITIES 144
915	Combination Waste and Vent System96	B101	Rat	es of Rainfall for Various Cities
916	Island Fixture Venting96			
917	Single-Stack Vent System97			STRUCTURAL SAFETY 150
918	Air Admittance Valves98	C101		ting, Notching and Boring in Structural
919	Engineered Vent Systems98		St	eel Members150
920	Computerized Vent Design99			
320	compatenzed vent besign	APPEND		DEGREE DAY AND DESIGN
СНАРТЕ	R 10 TRAPS, INTERCEPTORS AND			URES
	RATORS 100	D101	Deg	ree Day and Design Temperatures151
1001	General100	ADDEND	IV F	CITING OF WATER DIDING EVETTY
1002	Trap Requirements100			SIZING OF WATER PIPING SYSTEM157
1003	Interceptors and Separators101	E101		eral
1004	Materials, Joints and Connections103	E102		rmation Required
	•	E103	Sele	ection of Pipe Size157

E104	Selection of Pipe Size1	74
E105	Determination Of Pipe Volumes1	77
APPEND	IX F BOARD OF APPEALS1	78
[A] F1	01 General1	78
INDEX	1	80
RESOUR	CF A	87