

2020

VERMONT

**RESIDENTIAL BUILDING
ENERGY STANDARDS**



VERMONT

DEPARTMENT OF PUBLIC SERVICE



2020 Vermont Residential Building Energy Standards

First Printing: July 2020

ISBN: 978-1-952468-32-2

COPYRIGHT © 2020
by
INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This *2020 Vermont Residential Building Energy Standards*, contains substantial copyrighted material from the 2015 *International Energy Conservation Code*[®], first printing, which is a copyrighted work owned by the International Code Council, Inc., and which has been reproduced by Vermont with the written permission of the International Code Council. Vermont-specific additions and changes are designated through markings in the margin. The ICC copyright does not pertain to the Vermont-specific additions. Without advance written permission from the copyright owner, no portion of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, IL 60478. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: “International Code Council,” the “International Code Council” logo and the “International Energy Conservation Code” are trademarks of the International Code Council, Inc.

To receive free hard copies of the *2020 Vermont Residential Building Energy Standards*, please contact the Vermont Department of Public Service at 1-802-828-2811 or the Energy Code Assistance Center at 1-855-887-0673.

PRINTED IN THE USA

PREFACE

Introduction

The 2020 *Vermont Residential Building Energy Standards* (RBES) is based on the 2015 *Vermont Residential Building Energy Standards*, which are based on the 2015 *International Energy Conservation Code*® (IECC®). The 2020 RBES also includes all of the 2018 IECC energy efficiency requirements as well as select language updates and additional, more stringent Vermont energy efficiency requirements.

This comprehensive energy conservation code establishes minimum regulations for energy efficient buildings using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new energy efficient designs.

The *International Energy Conservation Code* provisions provide many benefits, among which is the model code development process that offers an international forum for energy professionals to discuss performance and prescriptive code requirements. This model code also encourages international consistency in the application of provisions.

Development

This 2020 RBES is founded on principles intended to establish provisions consistent with the scope of an energy conservation code that adequately conserves energy; provisions that do not unnecessarily increase construction costs; provisions that do not restrict the use of new materials, products or methods of construction; and provisions that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

Background

The Vermont Residential Building Energy Standards (RBES) was adopted by statute (30 V.S.A. § 51) in 1997. Act 89 of 2013 established a Stretch Code defined as a building energy code for residential buildings that achieves greater energy savings than the RBES. The stretch code shall be available for adoption by municipalities under 24 V.S.A. §117 and shall apply in proceedings under 10 V.S.A. §151 (Act 250).

Update Process

The Residential Building Energy Standards statute requires that revisions to the RBES are made promptly after the issuance of updated standards under the *International Energy Conservation Code* (IECC). The Department of Public Service (PSD) is required to convene stakeholders that include mortgage lenders, builders, building designers, utility representatives, and other persons with experience and expertise prior to the adoption of a revised RBES to provide recommendations.

The 2020 RBES is based on the language in the 2015 edition of the IECC and includes all of the efficiency improvements included in the 2018 IECC as well as some of the improvements proposed for the 2021 IECC to ensure continued progression in efficiency in the Vermont RBES. The 2020 RBES also provides a new “Package Plus Points” approach to code compliance. (Previous code compliance was achieved through a “prescriptive package” approach). The addition of “points” provides builders and designers greater flexibility in complying with the RBES. The Vermont PSD held a series of stakeholder meetings in 2018 and 2019 to gather feedback on proposed changes to the RBES. The revisions presented in this document were modified based on input received from these meetings.

EFFECTIVE USE OF THE 2020 VERMONT RESIDENTIAL BUILDING ENERGY STANDARDS

The 2020 *Vermont Residential Building Energy Standards* (RBES) is a code that regulates minimum energy conservation requirements for new buildings as well as additions, alterations, renovations, and repairs to existing buildings. The 2020 RBES addresses energy conservation requirements for all aspects of energy uses in residential construction, including heating and ventilating, lighting, water heating, and power usage for appliances and building systems.

The 2020 RBES is a design document. For example, before constructing a building, the designer must determine the minimum insulation *R*-values and fenestration *U*-factors for the building exterior envelope. The RBES sets forth minimum requirements for exterior envelope insulation, window and door *U*-factors and SHGC ratings, duct insulation, lighting and power efficiency, mechanical ventilation, and water distribution insulation.

Arrangement and Format of the 2020 RBES

The 2020 RBES, like other codes published by the International Code Council® (the ICC®), is arranged and organized to follow sequential steps that generally occur during a plan review or inspection. The 2020 RBES is divided into six different parts:

Chapters	Subjects
1-2	Scope, administration and definitions
3	General requirements
4	Residential energy efficiency
5	Existing buildings
6	Referenced standards

The following is a chapter-by-chapter synopsis of the scope and intent of the provisions of the 2020 *Vermont Residential Building Energy Standards*:

Chapter 1 Scope and Administration. This chapter contains provisions for the application, enforcement and administration of subsequent requirements of the code. In addition to establishing the scope of the code, Chapter 1 identifies which buildings and structures come under its purview. Chapter 1 is largely concerned with maintaining “due process of law” in enforcing the energy conservation criteria contained in the body of this code. Only through careful observation of the administrative provisions can the code official or authority having jurisdiction, where one exists, reasonably expect to demonstrate that “equal protection under the law” has been provided.

Chapter 2 Definitions. Chapter 2 is the repository of the definitions of terms used in the body of the code. Codes are technical documents and every word, term and punctuation mark can impact the meaning of the code text and the intended results. The code often uses terms that have a unique meaning in the code and the code meaning can differ substantially from the ordinarily understood meaning of the term as used outside of the code.

The terms defined in Chapter 2 are deemed to be of prime importance in establishing the meaning and intent of the code text. The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct interpretation of the code and the user may not be aware that a term is defined.

Where understanding of a term’s definition is especially key to or necessary for understanding of a particular code provision, the term is shown in *italics* wherever it appears in the code. This is true only for those terms that have a meaning that is unique to the code. In other words, the generally understood meaning of a term or phrase might not be sufficient or consistent with the meaning prescribed by the code; therefore, it is essential that the code-defined meaning be known.

Guidance regarding tense, gender and plurality of defined terms as well as guidance regarding terms not defined in this code is provided.

Chapter 3 General Requirements. Chapter 3 provides interior design conditions that are used as a basis for assumptions in heating and cooling load calculations, and provides basic material requirements for insulation materials and fenestration materials, and provides standards for residential mechanical ventilation and combustion safety.

Chapter 4 Residential Energy Efficiency. Chapter 4 contains the energy-efficiency-related requirements for the design and construction of residential buildings regulated under this code. It should be noted that the definition of a *residential building* in this code is unique for this code. In this code, a *residential building* is an R-2, R-3 or R-4 building three stories or less in height. All other R-1 buildings, including residential buildings greater than three stories in height, are regulated by the energy conservation requirements in the Vermont Commercial Building Energy Standards (CBES). The applicable portions of a residential building must comply with the provisions within this chapter for energy efficiency. This chapter defines requirements for the portions of the building and building systems that impact energy use in new residential construction and promotes the effective use of energy. The provisions within the chapter promote energy efficiency in the building envelope, the heating and cooling system, lighting and the service water heating system of the building. Vermont has adopted a two-tiered code structure with a “base code” that applies statewide, and a “*Stretch Code*” that is more stringent. The *Stretch Code* applies to all Act 250 development projects and is also available for municipalities that choose to adopt a higher energy standard.

Chapter 5 Existing Buildings. Chapter 5 of each set of provisions contains the technical energy efficiency requirements for existing buildings. Chapter 5 provisions address the maintenance of buildings in compliance with the code as well as how additions, alterations, repairs and changes of occupancy need to be addressed from the standpoint of energy efficiency. Specific provisions are provided for historic buildings.

Chapter 6 Referenced Standards. The code contains numerous references to standards that are used to regulate materials and methods of construction. Chapter 6 contains a comprehensive list of all standards that are referenced in the code. The standards are part of the code to the extent of the reference to the standard. Compliance with the referenced standard is necessary for compliance with this code. By providing specifically adopted standards, the construction and installation requirements necessary for compliance with the code can be readily determined. The basis for code compliance is, therefore, established and available on an equal basis to the code official or authority having jurisdiction, where one exists, contractor, designer and owner.

Chapter 6 is organized in a manner that makes it easy to locate specific standards. It lists all of the referenced standards, alphabetically, by acronym of the promulgating agency of the standard. Each agency’s standards are then listed in either alphabetical or numeric order based on the standard identification. The list also contains the title of the standard; the edition (date) of the standard referenced; any addenda included as part of the ICC adoption; and the section or sections of this code that reference the standard.

Italicized Terms

Selected terms set forth in Chapter 2, Definitions, are italicized where they appear in code text. Such terms are not italicized where the definition set forth in Chapter 2 does not impart the intended meaning in the use of the term. The terms selected have definitions that the user should read carefully to facilitate better understanding of the code.

Marginal Markings

Solid vertical lines in the margins within the body of the code indicate Vermont specific additions and changes from the requirements of the 2015 IECC and the 2018 edition. Deletion indicators in the form of an arrow (➔) are provided in the margin where an entire section, paragraph, exception or table has been deleted or an item in a list of items or a table has been deleted.

Abbreviations and Notations

The following is a list of common abbreviations and units of measurement used in this code. Some of the abbreviations are for terms defined in Chapter 2. Others are terms used in various tables and text of the code.

AFUE	Annual fuel utilization efficiency
bhp	Brake horsepower (fans)
Btu	British thermal unit
Btu/h-ft ²	Btu per hour per square foot
C-factor	See Chapter 2—Definitions
CDD	Cooling degree days
cfm	Cubic feet per minute
cfm/ft ²	Cubic feet per minute per square foot
ci	Continuous insulation
COP	Coefficient of performance
DCV	Demand control ventilation
°C	Degrees Celsius
°F	Degrees Fahrenheit
DWHR	Drain water heat recovery
DX	Direct expansion
E_c	Combustion efficiency
E_v	Ventilation efficiency
E_t	Thermal efficiency
EER	Energy efficiency ratio
EF	Energy factor
ERI	Energy rating index
F-factor	See Chapter 2—Definitions
FDD	Fault detection and diagnostics
FEG	Fan efficiency grade
FL	Full load
ft ²	Square foot
gpm	Gallons per minute
HDD	Heating degree days
HERS	Home Energy Rating System
hp	Horsepower
HSPF	Heating seasonal performance factor
HVAC	Heating, ventilating and air conditioning
IEER	Integrated energy efficiency ratio
IPLV	Integrated Part Load Value
Kg/m ²	Kilograms per square meter
kW	Kilowatt
LPD	Light power density (lighting power allowance)

L/s	Liters per second
Ls	Liner system
m ²	Square meters
MERV	Minimum efficiency reporting value
NAECA	National Appliance Energy Conservation Act
NPLV	Nonstandard Part Load Value
Pa	Pascal
PF	Projection factor
pcf	Pounds per cubic foot
PSD	Department of Public Service (Vermont)
psf	Pounds per square foot
PTAC	Packaged terminal air conditioner
PTHP	Packaged terminal heat pump
R-value	See Chapter 2—Definitions
SCOP	Sensible coefficient of performance
SEER	Seasonal energy efficiency ratio
SHGC	Solar Heat Gain Coefficient
SPVAC	Single packaged vertical air conditioner
SPVHP	Single packaged vertical heat pump
SRI	Solar reflectance index
SWHF	Service water heat recovery factor
U-factor	See Chapter 2—Definitions
VAV	Variable air volume
VRF	Variable refrigerant flow
VT	Visible transmittance
W	Watts
w.c.	Water column
w.g.	Water gauge

TABLE OF CONTENTS

CHAPTER 1 ADMINISTRATION R-1	CHAPTER 5 EXISTING BUILDINGS. R-41
PART 1—SCOPE AND APPLICATION. R-1	Section
Section	R501 General R-41
R101 Scope and General Requirements. R-1	R502 Additions R-41
R102 Alternative Materials, Design and Methods of Construction and Equipment. . . . R-2	R503 Alterations R-42
PART 2—ADMINISTRATION AND ENFORCEMENT R-2	R504 Repairs R-42
R103 Construction Documents R-2	R505 Change of Occupancy or Use. R-43
R104 Inspections R-3	CHAPTER 6 REFERENCED STANDARDS. . . . R-45
R105 Validity R-4	APPENDIX RA RECOMMENDED PROCEDURE FOR WORST-CASE TESTING OF ATMOSPHERIC VENTING SYSTEMS UNDER R402.4 OR R405 CONDITIONS $\leq 5ACH_{50}$. . . R-49
R106 Referenced Standards R-4	Section
CHAPTER 2 DEFINITIONS R-5	RA101 Scope R-49
Section	RA201 General Definitions R-49
R201 General R-5	RA301 Testing Procedure R-49
R202 General Definitions R-5	APPENDIX RB (DELETED) R-51
CHAPTER 3 GENERAL REQUIREMENTS. . . . R-15	INDEX. R-53
Section	
R301 RESERVED R-15	
R302 Design Conditions R-15	
R303 Materials, Systems and Equipment R-15	
304 Design Criteria for Residential Ventilation Systems R-16	
305 Combustion Safety (Mandatory) R-18	
CHAPTER 4 RESIDENTIAL ENERGY EFFICIENCY R-21	
Section	
R401 General R-21	
R402 Building Thermal Envelope R-21	
R403 Systems. R-31	
R404 Electrical Power and Lighting Systems R-33	
R405 Alternative Using <i>REScheck</i> TM Software R-34	
R406 Energy Rating Index Compliance Alternative R-34	
R407 Vermont Stretch Code R-36	