

2020

MINNESOTA BUILDING CODE











DEPARTMENT OF LABOR AND INDUSTRY

2020 Minnesota Building Code

First Printing: March 2020



ISBN: 978-1-60983-990-1

 $\label{eq:copyright} \mbox{COPYRIGHT} \circledcirc 2020$ by INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2020 *Minnesota Building Code* contains substantial material from the 2018 *International Building Code*®, first printing, which is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying or recording by or in an information storage retrieval system). For information on use rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, IL 60478. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: "International Code Council," the "International Code Council" logo, "ICC," the "ICC" logo, "International Building Code," "IBC" and other names and trademarks appearing in this book are registered trademarks of the International Code Council, Inc., and/or its licensors (as applicable), and may not be used without permission.

DEPARTMENT OF LABOR AND INDUSTRY

Additional information on the Minnesota State Building Code can be found at the Minnesota Department of Labor & Industry's website: http://www.dli.mn.gov/business/codes-and-laws

There you can find reference guides, maps, charts, fact sheets, archived references, Statute and Rule excerpts and other helpful information to assist you in using the Minnesota State Building Code.

Minnesota Rules material is published with the permission of the Office of the Revisor of Statutes.

Important Disclaimer

Note: Minnesota Rules included in this document have been extracted from Minnesota Rules 2015 and from Minnesota Rules proposed for adoption in 2019. Although efforts have been made to ensure the accuracy of the Minnesota Rules included herein, the official Minnesota Rules are as published by the Office of the Revisor of Statutes: https://www.revisor.mn.gov/rules/

If there is a difference between the Minnesota Rules included herein and the official rules published by the Office of the Revisor of Statutes, the official rules published by the Office of the Revisor of Statutes take precedence.

The official rules published by the Office of the Revisor of Statutes must be used for any notice or legal documentation used in conjunction with the application or enforcement of the Minnesota State Building Code.

Neither the state of Minnesota nor its employees or agents make any representations or warranties, express or implied, with respect to the use or reliance on the information provided herein and the user assumes all risks and responsibilities associated with its use.

In no event shall the State of Minnesota or its employees be liable for any direct, indirect, incidental, special, exemplary, or consequential damages arising in any way out of the use of this material.

PREFACE

Introduction

The International Building Code® (IBC®) establishes minimum requirements for building systems using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new building designs. This 2018 edition is fully compatible with all of the International Codes® (I-Codes®) published by the International Code Council® (ICC®), including the International Energy Conservation Code®, International Existing Building Code®, International Fire Code®, International Fuel Gas Code®, International Green Construction Code®, International Mechanical Code®, International Plumbing Code®, International Private Sewage Disposal Code®, International Property Maintenance Code®, International Residential Code®, International Swimming Pool and Spa Code®, International Wildland-Urban Interface Code®, International Zoning Code® and International Code Council Performance Code®.

The I-Codes, including this *International Building Code*, are used in a variety of ways in both the public and private sectors. Most industry professionals are familiar with the I-Codes as the basis of laws and regulations in communities across the U.S. and in other countries. However, the impact of the codes extends well beyond the regulatory arena, as they are used in a variety of nonregulatory settings, including:

- Voluntary compliance programs such as those promoting sustainability, energy efficiency and disaster resistance.
- The insurance industry, to estimate and manage risk, and as a tool in underwriting and rate decisions.
- Certification and credentialing of individuals involved in the fields of building design, construction and safety.
- Certification of building and construction-related products.
- U.S. federal agencies, to guide construction in an array of government-owned properties.
- Facilities management.
- "Best practices" benchmarks for designers and builders, including those who are engaged in projects in jurisdictions that do not have a formal regulatory system or a governmental enforcement mechanism.
- College, university and professional school textbooks and curricula.
- Reference works related to building design and construction.

In addition to the codes themselves, the code development process brings together building professionals on a regular basis. It provides an international forum for discussion and deliberation about building design, construction methods, safety, performance requirements, technological advances and innovative products.

Development

This 2018 edition presents the code as originally issued, with changes reflected in the 2003 through 2015 editions and further changes approved by the ICC Code Development Process through 2017. A new edition such as this is promulgated every 3 years.

This code is intended to establish provisions that adequately protect public health, safety and welfare; that do not unnecessarily increase construction costs; that do not restrict the use of new materials, products or methods of construction; and that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

Maintenance

The *International Building Code* is kept up to date through the review of proposed changes submitted by code enforcement officials, industry representatives, design professionals and other interested parties. Proposed changes are carefully considered through an open code development process in which all interested and affected parties may participate.

The ICC Code Development Process reflects principles of openness, transparency, balance, due process and consensus, the principles embodied in OMB Circular A-119, which governs the federal government's use of private-sector standards. The ICC process is open to anyone; there is no cost to participate, and people can participate without travel cost through the ICC's cloud-based app, cdp-Access[®]. A broad cross section of interests are represented in the ICC Code Development Process. The codes, which are updated regularly, include safeguards that allow for emergency action when required for health and safety reasons.

In order to ensure that organizations with a direct and material interest in the codes have a voice in the process, the ICC has developed partnerships with key industry segments that support the ICC's important public safety mission. Some code development committee members were nominated by the following industry partners and approved by the ICC Board:

- American Institute of Architects (AIA)
- National Association of Home Builders (NAHB)
- National Association of State Fire Marshals (NASFM)

The code development committees evaluate and make recommendations regarding proposed changes to the codes. Their recommendations are then subject to public comment and council-wide votes. The ICC's governmental members—public safety officials who have no financial or business interest in the outcome—cast the final votes on proposed changes.

The contents of this work are subject to change through the code development cycles and by any governmental entity that enacts the code into law. For more information regarding the code development process, contact the Codes and Standards Development Department of the International Code Council.

While the I-Code development procedure is thorough and comprehensive, the ICC, its members and those participating in the development of the codes disclaim any liability resulting from the publication or use of the I-Codes, or from compliance or noncompliance with their provisions. The ICC does not have the power or authority to police or enforce compliance with the contents of this code.

Code Development Committee Responsibilities (Letter Designations in Front of Section Numbers)

In each code development cycle, code change proposals to this code are considered at the Committee Action Hearings by 11 different code development committees. Four of these committees have primary responsibility for designated chapters and appendices as follows:

```
IBC—Egress
Code Development Committee [BE]: Chapters 10, 11, Appendix E

IBC—Fire Safety
Code Development Committee [BF]: Chapters 7, 8, 9, 14, 26

IBC—General
Code Development Committee [BG]: Chapters 2, 3, 4, 5, 6, 12, 27, 28, 29, 30, 31, 32, 33, Appendices A, B, C, D, K, N

IBC—Structural
Code Development Committee [BS]: Chapters 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, Appendices F, G, H, I, J, L, M
```

Code change proposals to sections of the code that are preceded by a bracketed letter designation, such as [A], will be considered by a committee other than the building code committee listed for the chapter or appendix on the preceding page. For example, proposed code changes to Section [F] 307.1.1 will be considered by the International Fire Code Development Committee during the Committee Action Hearing in the 2018 (Group A) code development cycle.

Another example is Section [BF] 1505.2. While code change proposals to Chapter 15 are primarily the responsibility of the IBC—Structural Code Development Committee, which considers code change proposals during the 2019 (Group B) code development cycle, Section 1505.2 is the responsibility of the IBC—Fire Safety Code Development Committee, which considers code change proposals during the 2018 (Group A) code development cycle.

The bracketed letter designations for committees responsible for portions of this code are as follows:

- [A] = Administrative Code Development Committee;
- [BE] = IBC—Egress Code Development Committee;
- [BF] = IBC—Fire Safety Code Development Committee;
- [BG] = IBC—General Code Development Committee;
- [BS] = IBC—Structural Code Development Committee;
- [E] = International Commercial Energy Conservation Code Development Committee or International Residential Energy Conservation Code Development Committee;
- [EB] = International Existing Building Code Development Committee;
- [F] = International Fire Code Development Committee;
- [FG] = International Fuel Gas Code Development Committee;
- [M] = International Mechanical Code Development Committee; and
- [P] = International Plumbing Code Development Committee.

For the development of the 2021 edition of the I-Codes, there will be two groups of code development committees and they will meet in separate years.

| Group A Codes (Heard in 2018, Code Change Proposals Deadline: January 8, 2018) | Group B Codes (Heard in 2019, Code Change Proposals Deadline: January 7, 2019) |
|---|--|
| International Building Code - Egress (Chapters 10, 11, Appendix E) - Fire Safety (Chapters 7, 8, 9, 14, 26) - General (Chapters 2–6, 12, 27–33, Appendices A, B, C, D, K, N) | Administrative Provisions (Chapter 1 of all codes except IECC, IRC and IgCC, administrative updates to currently referenced standards, and designated definitions) |
| International Fire Code | International Building Code - Structural (Chapters 15–25, Appendices F, G, H, I, J, L, M) |
| International Fuel Gas Code | International Existing Building Code |
| International Mechanical Code | International Energy Conservation Code— Commercial |
| International Plumbing Code | International Energy Conservation Code— Residential - IECC—Residential - IRC—Energy (Chapter 11) |
| International Property Maintenance Code | International Green Construction Code (Chapter 1) |
| International Private Sewage Disposal Code | International Residential Code - IRC—Building (Chapters 1–10, Appendices E, F, H, J, K, L, M, O, Q, R, S, T) |
| International Residential Code - IRC—Mechanical (Chapters 12–23) - IRC—Plumbing (Chapters 25–33, Appendices G, I, N, P) | |
| International Swimming Pool and Spa Code | |
| International Wildland-Urban Interface Code | |
| International Zoning Code | |
| Note: Proposed changes to the ICC <i>Performance Code</i> TM will be ets [] in the text of the ICC <i>Performance Code</i> TM . | heard by the code development committee noted in brack- |

Code change proposals submitted for code sections that have a letter designation in front of them will be heard by the respective committee responsible for such code sections. Because different committees hold Committee Action Hearings in different years, proposals for the IBC will be heard by committees in both the 2018 (Group A) and the 2019 (Group B) code development cycles.

For instance, every section of Chapter 16 is the responsibility of the IBC—Structural Code Development Committee. As noted in the preceding table, that committee will hold its Committee Action Hearings in 2019 to consider code change proposals for the chapters for which it is responsible. Therefore any proposals received for Chapter 16 of this code will be assigned to the IBC—Structural Code Development Committee and will be considered in 2019, during the Group B code change cycle.

As another example, every section of Chapter 1 of this code is designated as the responsibility of the Administrative Code Development Committee, which is part of the Group B portion of the hearings. This committee will hold its Committee Action Hearings in 2019 to consider code change proposals for Chapter 1 of all I-Codes except the *International Energy Conservation Code, International Residential Code* and *International Green Construction Code*. Therefore, any proposals received for Chapter 1 of this code will be assigned to the Administrative Code Development Committee for consideration in 2019.

It is very important that anyone submitting code change proposals understands which code development committee is responsible for the section of the code that is the subject of the code change proposal. For further information on the Code Development Committee responsibilities, please visit the ICC website at www.iccsafe.org/scoping.

Marginal Markings

- ⇒ = Indicates where a paragraph or item has been deleted from the requirements of the 2015 International Building Code.
- > = Indicates model code language deleted by the State of Minnesota.
- = Indicates a technical change from the requirements of the 2015 *International Building Code*.
- M = Indicates a State of Minnesota amendment has been made to the 2018 International Building Code.

Coordination of the International Codes

The coordination of technical provisions is one of the strengths of the ICC family of model codes. The codes can be used as a complete set of complementary documents, which will provide users with full integration and coordination of technical provisions. Individual codes can also be used in subsets or as stand-alone documents. To make sure that each individual code is as complete as possible, some technical provisions that are relevant to more than one subject area are duplicated in some of the model codes. This allows users maximum flexibility in their application of the I-Codes.

Italicized Terms

Selected words and terms defined in Chapter 2, Definitions, are italicized where they appear in code text and the Chapter 2 definition applies. Where such words and terms are not italicized, commonuse definitions apply. The words and terms selected have code-specific definitions that the user should read carefully to facilitate better understanding of the code. **Note:** In Sections 1903 through 1905, italics indicate provisions that differ from ACI 318.

Adoption

The International Code Council maintains a copyright in all of its codes and standards. Maintaining copyright allows the ICC to fund its mission through sales of books, in both print and electronic formats. The ICC welcomes adoption of its codes by jurisdictions that recognize and acknowledge the ICC's copyright in the code, and further acknowledge the substantial shared value of the public/private partnership for code development between jurisdictions and the ICC.

The ICC also recognizes the need for jurisdictions to make laws available to the public. All I-Codes and I-Standards, along with the laws of many jurisdictions, are available for free in a nondownloadable form on the ICC's website. Jurisdictions should contact the ICC at adoptions@iccsafe.org to learn how to adopt and distribute laws based on the *International Building Code* in a manner that provides necessary access, while maintaining the ICC's copyright.

To facilitate adoption, several sections of this code contain blanks for fill-in information that needs to be supplied by the adopting jurisdiction as part of the adoption legislation. For this code, please see:

Section 1612.3. Insert: [NAME OF JURISDICTION]

Section 1612.3. Insert: [DATE OF ISSUANCE]

EFFECTIVE USE OF THE INTERNATIONAL BUILDING CODE

The International Building Code® (IBC®) is a model code that provides minimum requirements to safeguard the public health, safety and general welfare of the occupants of new and existing buildings and structures. The IBC is fully compatible with the ICC family of codes, including: International Energy Conservation Code® (IECC®), International Existing Building Code® (IEBC®), International Fire Code® (IFC®), International Fuel Gas Code® (IFGC®), International Green Construction Code® (IgCC®), International Mechanical Code® (IMC®), International Plumbing Code® (IPC®), International Private Sewage Disposal Code® (IPSDC®), International Property Maintenance Code® (IPMC®), International Residential Code® (IRC®), International Swimming Pool and Spa Code® (ISPSC®), International Wildland-Urban Interface Code® (IWUIC®), International Zoning Code® (IZC®) and International Code Council Performance Code® (ICCPC®).

The IBC addresses structural strength, means of egress, sanitation, adequate lighting and ventilation, accessibility, energy conservation and life safety in regard to new and existing buildings, facilities and systems. The codes are promulgated on a 3-year cycle to allow for new construction methods and technologies to be incorporated into the codes. Alternative materials, designs and methods not specifically addressed in the code can be approved by the building official where the proposed materials, designs or methods comply with the intent of the provisions of the code (see Section 104.11).

The IBC applies to all occupancies, including one- and two-family dwellings and townhouses that are not within the scope of the IRC. The IRC is referenced for coverage of detached one- and two-family dwellings and townhouses as defined in the exception to Section 101.2 and the definition for "Townhouse" in Chapter 2. The IRC can also be used for the construction of live/work units (as defined in Section 419) and small bed and breakfast-style hotels where there are five or fewer guest rooms and the hotel is owner occupied. The IBC applies to all types of buildings and structures unless exempted. Work exempted from permits is listed in Section 105.2.

Arrangement and Format of the 2018 IBC

Before applying the requirements of the IBC, it is beneficial to understand its arrangement and format. The IBC, like other codes published by ICC, is arranged and organized to follow sequential steps that generally occur during a plan review or inspection.

| Chapters | Subjects |
|----------------|---|
| 1-2 | Administration and definitions |
| 3 | Use and occupancy classifications |
| 4, 31 | Special requirements for specific occupancies or elements |
| 5-6 | Height and area limitations based on type of construction |
| 7-9 | Fire resistance and protection requirements |
| 10 | Requirements for evacuation |
| 11 | Specific requirements to allow use and access to a building for persons with disabilities |
| 12-13, 27-30 | Building systems, such as lighting, HVAC, plumbing fixtures, elevators |
| 14-26 | Structural components—performance and stability |
| 32 | Encroachment outside of property lines |
| 33 | Safeguards during construction |
| 35 | Referenced standards |
| Appendices A-M | Appendices |

The IBC requirements for hazardous materials, fire-resistance-rated construction, interior finish, fire protection systems, means of egress, emergency and standby power, and temporary structures are directly correlated with the requirements of the IFC. The following chapters/sections of the IBC are correlated to the IFC:

| IBC Chapter/Section | IFC Chapter/Section | Subject |
|------------------------|------------------------|--|
| Sections 307, 414, 415 | Chapters 50-67 | Hazardous materials and Group H requirements |
| Chapter 7 | Chapter 7 | Fire-resistance-rated construction (Fire and smoke protection features in the IFC) |
| Chapter 8 | Chapter 8 | Interior finish, decorative materials and furnishings |
| Chapter 9 | Chapter 9 | Fire protection systems |
| Chapter 10 | Chapter 10 | Means of egress |
| Chapter 27 | Section 604 | Standby and emergency power |
| Section 3103 | Chapter 31 | Temporary structures |

The IBC requirements for smoke control systems, and smoke and fire dampers are directly correlated to the requirements of the IMC. IBC Chapter 28 is a reference to the IMC and the IFGC for chimneys, fireplaces and barbecues, and all aspects of mechanical systems. The following chapters/sections of the IBC are correlated with the IMC:

| IBC Chapter/Section | IMC Chapter/Section | Subject |
|------------------------|------------------------|------------------------|
| Section 717 | Section 607 | Smoke and fire dampers |
| Section 909 | Section 513 | Smoke control |

The IBC requirements for plumbing fixtures and toilet rooms are directly correlated to the requirements of the IPC. The following chapters/sections of the IBC are correlated with the IPC:

| IBC Chapter/Section | IPC Chapter/Section | Subject |
|------------------------|------------------------|----------------------------------|
| Chapter 29 | Chapters 3 & 4 | Plumbing fixtures and facilities |

The following synopses of International Building Code chapters included in the Minnesota Building Code outline the scope and intent of the provisions of those chapters.

Chapter 2 Definitions. An alphabetical listing of all defined terms is located in Chapter 2. Defined terms that are pertinent to a specific chapter or section are also found in that chapter or section with a reference back to Chapter 2 for the definition. While a defined term may be listed in one chapter or another, the meaning is applicable throughout the code.

Codes are technical documents and every word, term and punctuation mark can impact the meaning of the code text and the intended results. The code often uses terms that have a unique meaning in the code and the code meaning can differ substantially from the ordinarily understood meaning of the term as used outside of the code. Where understanding of a term's definition is especially key to or necessary for understanding a particular code provision, the term is shown in *italics* wherever it appears in the code.

The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct interpretation of the code. Where a term is not defined, such terms shall have the ordinarily accepted meaning.

Chapter 3 Use and Occupancy Classification. Chapter 3 provides for the classification of buildings, structures and parts thereof based on the purpose or purposes for which they are used. Section 302 identifies the groups into which all buildings, structures and parts thereof must be classified. Sections 303 through 312 identify the occupancy characteristics of each group classification.

In some sections, specific group classifications having requirements in common are collectively organized such that one term applies to all. For example, Groups A-1, A-2, A-3, A-4 and A-5 are individual groups for assembly-type buildings. The general term "Group A," however, includes each of these individual groups. Other groups include Business (B), Educational (E), Factory (F-1, F-2), High Hazard (H-1, H-2, H-3, H-4, H-5), Institutional (I-1, I-2, I-3, I-4), Mercantile (M), Residential (R-1, R-2, R-3, R-4), Storage (S-1, S-2) and Utility (U). In some occupancies, the smaller number means a higher hazard, but that is not always the case.

Defining the use of the buildings is very important as it sets the tone for the remaining chapters of the code. Occupancy works with the height, area and construction type requirements in Chapters 5 and 6, as well as the special provisions in Chapter 4, to determine "equivalent risk," or providing a reasonable level of protection or life safety for building occupants. The determination of equivalent risk involves three interdependent considerations: (1) the level of fire hazard associated with the specific occupancy of the facility; (2) the reduction of fire hazard by limiting the floor area and the height of the building based on the fuel load (combustible contents and burnable building components); and (3) the level of overall fire resistance provided by the type of construction used for the building. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type.

Occupancy classification also plays a key part in organizing and prescribing the appropriate protection measures. As such, threshold requirements for fire protection and means of egress systems are based on occupancy classification (see Chapters 9 and 10). Other sections of the code also contain requirements respective to the classification of building groups. For example, Section 706 specifies requirements for fire wall fire-resistance ratings that are tied to the occupancy classification of a building and Section 803.11 contains interior finish requirements that are dependent upon the occupancy classification. The use of the space, rather than the occupancy of the building, is utilized for determining occupant loading (Section 1004) and live loading (Section 1607).

Over the useful life of a building, the activities in the building will evolve and change. Where the provisions of the code address uses differently, moving from one activity to another or from one level of activity to another is, by definition, a change of occupancy. The new occupancy must be in compliance with the applicable provisions.

Chapter 4 Special Detailed Requirements Based on Use and Occupancy. Chapter 4 contains the requirements for protecting special uses and occupancies, which are supplemental to the remainder of the code. Chapter 4 contains provisions that may alter requirements found elsewhere in the code; however, the general requirements of the code still apply unless modified within the chapter. For example, the height and area limitations established in Chapter 5 apply to all special occupancies unless Chapter 4 contains height and area limitations. In this case, the limitations in Chapter 4 supersede those in other sections. An example of this is the height and area limitations for open parking garages given in Section 406.5.4, which supersede the limitations given in Sections 504 and 506.

In some instances, it may not be necessary to apply the provisions of Chapter 4. For example, if a covered mall building complies with the provisions of the code for Group M, Section 402 does not apply; however, other sections that address a use, process or operation must be applied to that specific occupancy, such as stages and platforms, special amusement buildings and hazardous materials (Sections 410, 411 and 414).

The chapter includes requirements for buildings and conditions that apply to one or more groups, such as high-rise buildings, underground buildings or atriums. Special uses may also imply specific occupancies and operations, such as for Group H, hazardous materials, application of flammable finishes, drying rooms, organic coatings and combustible storage or hydrogen fuel gas rooms, all of which are coordinated with the IFC. Unique consideration is taken for special use areas, such as covered mall buildings, motor-vehicle-related occupancies, special amusement buildings and aircraft-related occupancies. Special facilities within other occupancies are considered, such as stages and platforms, motion picture projection rooms, children's play structures and storm shelters. Finally, in order that the overall package of protection features can be easily understood, unique considerations for specific occupancies are addressed: Groups I-1, I-2, I-3, R-1, R-2, R-3 and R-4; ambulatory care facilities and live/work units.

Chapter 5 General Building Heights and Areas. Chapter 5 contains the provisions that regulate the minimum type of construction for area limits and height limits based on the occupancy of the building. Height and area increases (including allowances for basements, mezzanines and equipment platforms) are permitted based on open frontage for fire department access, separation and

the type of sprinkler protection provided (Sections 503-506, 510). These thresholds are reduced for buildings over three stories in height in accordance with Sections 506.2.3 and 506.2.4. Provisions include the protection and/or separation of incidental uses (Table 509), accessory occupancies (Section 508.2) and mixed uses in the same building (Sections 506.2.2, 506.2.4, 508.3, 508.4 and 510). Unlimited area buildings are permitted in certain occupancies when they meet special provisions (Section 507).

Tables 504.3, 504.4 and 506.2 are the keystones in setting thresholds for building size based on the building's use and the materials with which it is constructed. If one then looks at Tables 504.3, 504.4 and 506.2, the relationship among group classification, allowable heights and areas and types of construction becomes apparent. Respective to each group classification, the greater the fire-resistance rating of structural elements, as represented by the type of construction, the greater the floor area and height allowances. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. Starting in the 2015 edition, the table that once contained both height and area has been separated and these three new tables address the topics individually. In addition, the tables list criteria for buildings with and without automatic sprinkler systems.

Chapter 6 Types of Construction. The interdependence of these fire safety considerations can be seen by first looking at Tables 601 and 602, which show the fire-resistance ratings of the principal structural elements comprising a building in relation to the five classifications for types of construction. Type I construction is the classification that generally requires the highest fire-resistance ratings for structural elements, whereas Type V construction, which is designated as a combustible type of construction, generally requires the least amount of fire-resistance-rated structural elements. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. Section 603 includes a list of combustible elements that can be part of a noncombustible building (Types I and II construction).

Chapter 7 Fire and Smoke Protection Features. The provisions of Chapter 7 present the fundamental concepts of fire performance that all buildings are expected to achieve in some form. This chapter identifies the acceptable materials, techniques and methods by which proposed construction can be designed and evaluated against to determine a building's ability to limit the impact of fire. The fire-resistance-rated construction requirements within Chapter 7 provide passive resistance to the spread and effects of fire. Types of separations addressed include fire walls, fire barriers, fire partitions, horizontal assemblies, smoke barriers and smoke partitions. A fire produces heat that can weaken structural components and smoke products that cause property damage and place occupants at risk. The requirements of Chapter 7 work in unison with height and area requirements (Chapter 5), active fire detection and suppression systems (Chapter 9) and occupant egress requirements (Chapter 10) to contain a fire should it occur while helping ensure occupants are able to safely exit.

Chapter 8 Interior Finishes. This chapter contains the performance requirements for controlling fire growth within buildings by restricting interior finish and decorative materials. Past fire experience has shown that interior finish and decorative materials are key elements in the development and spread of fire. The provisions of Chapter 8 require materials used as interior finishes and decorations to meet certain flame-spread index or flame-propagation criteria based on the relative fire hazard associated with the occupancy. As smoke is also a hazard associated with fire, this chapter contains limits on the smoke development characteristics of interior finishes. The performance of the material is evaluated based on test standards.

Chapter 9 Fire Protection Systems. Chapter 9 prescribes the minimum requirements for active systems of fire protection equipment to perform the following functions: detect a fire; alert the occupants or fire department of a fire emergency; and control smoke and control or extinguish the fire. Generally, the requirements are based on the occupancy, the height and the area of the building, because these are the factors that most affect fire-fighting capabilities and the relative hazard of a specific building or portion thereof. This chapter parallels and is substantially duplicated in Chapter 9 of the *International Fire Code* (IFC); however, the IFC Chapter 9 also contains periodic testing criteria that are not contained in the IBC. In addition, the special fire protection system requirements based on use and occupancy found in IBC Chapter 4 are duplicated in IFC Chapter 9 as a user convenience.

Chapter 10 Means of Egress. The general criteria set forth in Chapter 10 regulating the design of the means of egress are established as the primary method for protection of people in buildings

by allowing timely relocation or evacuation of building occupants. Both prescriptive and performance language is utilized in this chapter to provide for a basic approach in the determination of a safe exiting system for all occupancies. It addresses all portions of the egress system (i.e., exit access, exits and exit discharge) and includes design requirements as well as provisions regulating individual components. The requirements detail the size, arrangement, number and protection of means of egress components. Functional and operational characteristics also are specified for the components that will permit their safe use without special knowledge or effort. The means of egress protection requirements work in coordination with other sections of the code, such as protection of vertical openings (see Chapter 7), interior finish (see Chapter 8), fire suppression and detection systems (see Chapter 9) and numerous others, all having an impact on life safety. Chapter 10 of the IBC is duplicated in Chapter 10 of the IFC; however, the IFC contains one additional section on the means of egress system in existing buildings.

Chapter 11 Accessibility. Chapter 11 contains provisions that set forth requirements for accessibility of buildings and their associated sites and facilities for people with physical disabilities. The fundamental philosophy of the code on the subject of accessibility is that everything is required to be accessible. This is reflected in the basic applicability requirement (see Section 1103.1). The code's scoping requirements then address the conditions under which accessibility is not required in terms of exceptions to this general mandate. While the IBC contains scoping provisions for accessibility (for example, what, where and how many), ICC A117.1, Accessible and Usable Buildings and Facilities, is the referenced standard for the technical provisions (in other words, how).

There are many accessibility issues that not only benefit people with disabilities, but also provide a tangible benefit to people without disabilities. This type of requirement can be set forth in the code as generally applicable without necessarily identifying it specifically as an accessibility-related issue. Such a requirement would then be considered as having been "mainstreamed." For example, visible alarms are located in Chapter 9 and accessible means of egress and ramp requirements are addressed in Chapter 10.

Accessibility criteria for existing buildings are addressed in the *International Existing Building Code* (IEBC).

Appendix E is supplemental information included in the code to address accessibility for items in the 2010 ADA Standards for Accessible Design that were not typically enforceable through the standard traditional building code enforcement approach system (for example, beds, room signage). The International Residential Code (IRC) references Chapter 11 for accessibility provisions; therefore, this chapter may be applicable to housing covered under the IRC.

Chapter 12 Interior Environment. Chapter 12 provides minimum standards for the interior environment of a building. The standards address the minimum sizes of spaces, minimum temperature levels, and minimum light and ventilation levels. The collection of requirements addresses limiting sound transmission through walls, ventilation of attic spaces and under floor spaces (crawl spaces). Finally, the chapter provides minimum standards for toilet and bathroom construction, including privacy shielding and standards for walls, partitions and floors to resist water intrusion and damage.

Chapter 13 Energy Efficiency. The purpose of Chapter 13 is to provide minimum design requirements that will promote efficient utilization of energy in buildings. The requirements are directed toward the design of building envelopes with adequate thermal resistance and low air leakage, and toward the design and selection of mechanical, water heating, electrical and illumination systems that promote effective use of depletable energy resources. For the specifics of these criteria, Chapter 13 requires design and construction in compliance with the *International Energy Conservation Code* (IECC).

Chapter 14 Exterior Walls. This chapter addresses requirements for exterior walls of buildings. Minimum standards for wall covering materials, installation of wall coverings and the ability of the wall to provide weather protection are provided. This chapter also requires exterior walls that are close to lot lines, or that are bearing walls for certain types of construction, to comply with the minimum fire-resistance ratings specified in Chapters 6 and 7. The installation of each type of wall covering, be it wood, masonry, vinyl, metal composite material or an exterior insulation and finish system, is critical to its long-term performance in protecting the interior of the building from the elements and the spread of fire. Limitations on the use of combustible materials on exterior build-

ing elements such as balconies, eaves, decks and architectural trim are also addressed in this chapter.

Chapter 15 Roof Assemblies and Rooftop Structures. Chapter 15 provides standards for both roof assemblies and structures that sit on top of the roofs of buildings. The criteria address roof construction and covering, including the weather-protective barrier at the roof and, in most circumstances, a fire-resistant barrier. The chapter is prescriptive in nature and is based on decades of experience with various traditional materials, but it also addresses newer products such as photovoltaic shingles. These prescriptive rules are very important for satisfying performance of one type of roof covering or another. Section 1510 addresses rooftop structures, including penthouses, tanks, towers and spires. Rooftop penthouses larger than prescribed in this chapter must be treated as a story under Chapter 5.

Chapter 16 Structural Design. Chapter 16 prescribes minimum structural loading requirements for use in the design and construction of buildings and structural components. It includes minimum design loads, assignment of risk categories and permitted design methodologies. Standards are provided for minimum design loads (live, dead, snow, wind, rain, flood, ice and earthquake as well as the required load combinations). The application of these loads and adherence to the serviceability criteria will enhance the protection of life and property. The chapter references and relies on many nationally recognized design standards. A key standard is the American Society of Civil Engineers' *Minimum Design Loads for Buildings and Other Structures* (ASCE 7). Structural design must address the conditions of the site and location. Therefore, maps are provided of rainfall, seismic, snow and wind criteria in different regions.

Chapter 17 Special Inspections and Tests. Chapter 17 provides a variety of procedures and criteria for testing materials and assemblies, labeling materials and assemblies and special inspection of structural assemblies. This chapter expands on the inspections of Chapter 1 by requiring special inspection where indicated and, in some cases, structural observation. It also spells out additional responsibilities for the owner, contractor, design professionals and special inspectors. Proper assembly of structural components, proper quality of materials used and proper application of materials are essential to ensuring that a building, once constructed, complies with the structural and fire-resistance minimums of the code and the approved design. To determine this compliance often requires continuous or frequent inspection and testing. Chapter 17 establishes standards for special inspection, testing and reporting of the work to the building official.

Chapter 18 Soils and Foundations. Chapter 18 provides criteria for geotechnical and structural considerations in the selection, design and installation of foundation systems to support the loads from the structure above. This chapter includes requirements for soils investigation and site preparation for receiving a foundation, including the allowed load-bearing values for soils and for protecting the foundation from water intrusion. Section 1808 addresses the basic requirements for all foundation types. Later sections address foundation requirements that are specific to shallow foundations and deep foundations. Due care must be exercised in the planning and design of foundation systems based on obtaining sufficient soils information, the use of accepted engineering procedures, experience and good technical judgment.

Chapter 19 Concrete. This chapter provides minimum accepted practices for the design and construction of buildings and structural components using concrete—both plain and reinforced. Chapter 19 relies primarily on the reference to American Concrete Institute (ACI) 318, Building Code Requirements for Structural Concrete. This chapter also includes references to additional standards. Structural concrete must be designed and constructed to comply with this code and all listed standards. There are specific sections of the chapter addressing concrete slabs, anchorage to concrete and shotcrete. Because of the variable properties of material and numerous design and construction options available in the uses of concrete, due care and control throughout the construction process is necessary.

Chapter 20 Aluminum. Chapter 20 contains standards for the use of aluminum in building construction. Only the structural applications of aluminum are addressed. This chapter does not address the use of aluminum in specialty products such as storefront or window framing or architectural hardware. The use of aluminum in heating, ventilating or air-conditioning systems is addressed in the *International Mechanical Code* (IMC). This chapter references national standards

from the Aluminum Association for use of aluminum in building construction, AA ASM 35, *Aluminum Sheet Metal Work in Building Construction*, and AA ADM 1, *Aluminum Design Manual*. By utilizing the standards set forth, a proper application of this material can be obtained.

Chapter 21 Masonry. This chapter provides comprehensive and practical requirements for masonry construction. The provisions of Chapter 21 require minimum accepted practices and the use of standards for the design and construction of masonry structures. The provisions address: material specifications and test methods; types of wall construction; criteria for engineered and empirical designs; and required details of construction, including the execution of construction. Masonry design methodologies including allowable stress design, strength design and empirical design are covered by provisions of this chapter. Also addressed are masonry fireplaces and chimneys, masonry heaters and glass unit masonry. Fire-resistant construction using masonry is also required to comply with Chapter 7. Masonry foundations are also subject to the requirements of Chapter 18.

Chapter 22 Steel. Chapter 22 provides the requirements necessary for the design and construction of structural steel (including composite construction), cold-formed steel, steel joists, steel cable structures and steel storage racks. This chapter specifies appropriate design and construction standards for these types of structures. It also provides a road map of the applicable technical requirements for steel structures. Because steel is a noncombustible building material, it is commonly associated with Types I and II construction; however, it is permitted to be used in all types of construction. Chapter 22 requires that the design and use of steel materials be in accordance with the specifications and standards of the American Institute of Steel Construction, the American Iron and Steel Institute, the Steel Joist Institute and the American Society of Civil Engineers.

Chapter 23 Wood. This chapter provides minimum requirements for the design of buildings and structures that use wood and wood-based products. The chapter is organized around three design methodologies: allowable stress design (ASD), load and resistance factor design (LRFD) and conventional light-frame construction. Included in this chapter are references to design and manufacturing standards for various wood and wood-based products; general construction requirements; design criteria for lateral force-resisting systems and specific requirements for the application of the three design methods. In general, only Type III, IV or V buildings may be constructed of wood.

Chapter 24 Glass and Glazing. This chapter establishes regulations for glass and glazing that, when installed in buildings and structures, are subjected to wind, snow and dead loads. Engineering and design requirements are included in the chapter. Additional structural requirements are found in Chapter 16. Another concern of this chapter is glass and glazing used in areas where it is likely to be impacted by the occupants. Section 2406 identifies hazardous locations where glazing installed must either be safety glazing or blocked to prevent human impact. Safety glazing must meet stringent standards and be appropriately marked or identified. Additional requirements are provided for glass and glazing in guards, handrails, elevator hoistways and elevator cars, as well as in athletic facilities.

Chapter 25 Gypsum Board, Gypsum Panel Products and Plaster. Chapter 25 contains the provisions and referenced standards that regulate the design, construction and quality of gypsum board, gypsum panel products and plaster. It also addresses reinforced gypsum concrete. These represent the most common interior and exterior finish materials in the building industry. This chapter primarily addresses quality-control-related issues with regard to material specifications and installation requirements. Most products are manufactured under the control of industry standards. The building official or inspector primarily needs to verify that the appropriate product is used and properly installed for the intended use and location. While often simply used as wall and ceiling coverings, proper design and application are necessary to provide weather resistance and required fire protection for both structural and nonstructural building components.

Chapter 26 Plastic. The use of plastics in building construction and components is addressed in Chapter 26. This chapter provides standards addressing foam plastic insulation, foam plastics used as interior finish and trim, and other plastic veneers used on the inside or outside of a building. Plastic siding is regulated by Chapter 14. Sections 2606 through 2611 address the use of light-transmitting plastics in various configurations such as walls, roof panels, skylights, signs and as glazing. Requirements for the use of fiber-reinforced polymers, fiberglass-reinforced polymers and reflective plastic core insulation are also contained in this chapter. Additionally, requirements specific to

the use of wood-plastic composites and plastic lumber are contained in this chapter. Some plastics exhibit rapid flame spread and heavy smoke density characteristics when exposed to fire. Exposure to the heat generated by a fire can cause some plastics to deform, which can affect their performance. The requirements and limitations of this chapter are necessary to control the use of plastic and foam plastic products such that they do not compromise the safety of building occupants.

Chapter 27 Electrical. Since electrical systems and components are an integral part of almost all structures, it is necessary for the code to address the installation of such systems. For this purpose, Chapter 27 references the *National Electrical Code* (NEC). In addition, Section 2702 addresses emergency and standby power requirements. Such systems must comply with the *International Fire Code* (IFC) and referenced standards. This section also provides references to the various code sections requiring emergency and standby power, such as high-rise buildings and buildings containing hazardous materials.

Chapter 28 Mechanical Systems. Nearly all buildings will include mechanical systems. This chapter provides references to the *International Mechanical Code* (IMC) and the *International Fuel Gas Code* (IFGC) for the design and installation of mechanical systems. In addition, Chapter 21 of this code is referenced for masonry chimneys, fireplaces and barbecues.

Chapter 29 Plumbing Systems. Chapter 29 regulates the minimum number of plumbing fixtures that must be provided for every type of building. This chapter also regulates the location of the required fixtures in various types of buildings. This section requires separate facilities for males and females except for certain types of small occupancies. The regulations in this chapter come directly from Chapters 3 and 4 of the *International Plumbing Code* (IPC).

Chapter 30 Elevators and Conveying Systems. Chapter 30 provides standards for the installation of elevators into buildings. Referenced standards provide the requirements for the elevator system and mechanisms. Detailed standards are provided in the chapter for hoistway enclosures, machine rooms and requirements for sizing of elevators. Beginning in the 2015 edition pf this code, the elevator lobby requirements were moved from Chapter 7 to Chapter 30 to pull all the elevator-related construction requirements together. New provisions were added in the 2009 edition for fire service access elevators required in high-rise buildings and for the optional choice of occupant evacuation elevators (see Section 403).

Chapter 31 Special Construction. Chapter 31 contains a collection of regulations for a variety of unique structures and architectural features. Pedestrian walkways and tunnels connecting two buildings are addressed in Section 3104. Membrane and air-supported structures are addressed by Section 3102. Safeguards for swimming pool safety are addressed by way of reference to the *International Swimming Pool and Spa Code* (ISPSC) in Section 3109. Standards for temporary structures, including permit requirements, are provided in Section 3103. Structures as varied as awnings, marquees, signs, telecommunication and broadcast towers and automatic vehicular gates are also addressed (see Sections 3105 through 3108 and 3110).

Chapter 32 Encroachments into the Public Right-of-way. Buildings and structures from time to time are designed to extend over a property line and into the public right-of-way. Local regulations outside of the building code usually set limits to such encroachments, and such regulations take precedence over the provisions of this chapter. Standards are provided for encroachments below grade for structural support, vaults and areaways. Encroachments above grade are divided into below 8 feet, 8 feet to 15 feet, and above 15 feet, because of headroom and vehicular height issues. This includes steps, columns, awnings, canopies, marquees, signs, windows and balconies. Similar architectural features above grade are also addressed. Pedestrian walkways must also comply with Chapter 31.

Chapter 33 Safeguards During Construction. Chapter 33 provides safety requirements during construction and demolition of buildings and structures. These requirements are intended to protect the public from injury and adjoining property from damage. In addition the chapter provides for the progressive installation and operation of exit stairways and standpipe systems during construction.

Chapter 34 Reserved. During the 2015 code change cycle the membership voted to delete Chapter 34, Existing Structures, from this code and reference the *International Existing Building Code* (IEBC)*. The provisions that were in Chapter 34 will appear in the IEBC. Sections 3402 through 3411 appear as IEBC Chapter 4 and Section 3412 as Chapter 14.

Chapter 35 Referenced Standards. The code contains numerous references to standards that are used to regulate materials and methods of construction. Chapter 35 contains a comprehensive list of all standards that are referenced in the code, including the appendices. The standards are part of the code to the extent of the reference to the standard (see Section 102.4). Compliance with the referenced standard is necessary for compliance with this code. By providing specifically adopted standards, the construction and installation requirements necessary for compliance with the code can be readily determined. The basis for code compliance is, therefore, established and available on an equal basis to the building official, contractor, designer and owner.

Chapter 35 is organized in a manner that makes it easy to locate specific standards. It lists all of the referenced standards, alphabetically, by acronym of the promulgating agency of the standard. Each agency's standards are then listed in either alphabetical or numeric order based upon the standard identification. The list also contains the title of the standard; the edition (date) of the standard referenced; any addenda included as part of the ICC adoption; and the section or sections of this code that reference the standard.

| 2020 MINNESOTA BUILDING CODE | | | Footing Depth for Frost Protection 1 |
|------------------------------|--|---------|--|
| | IINISTRATION1 | 1303.17 | 00 Ground Snow Load 10 |
| Section | | 1303.20 | 000 Exterior Wood Decks, |
| 1300.0010 | Administration | | Patios, and Balconies |
| 1300.0020 | Title | 1303.21 | 00 Bleacher Safety |
| 1300.0030 | Purpose and Application | 1303.22 | OO Simplified Wind Loads |
| 1300.0040 | Scope | 1303.24 | O0 Purpose and Scope 1 |
| 1300.0050 | * | 1303.24 | 01 Definitions |
| | Building Code2 | 1303.24 | 02 Requirements for Passive Radon |
| | Optional Administration | | Control Systems |
| | Definitions | 1303.24 | 03 Requirements for Active Radon |
| | Code Adoption and Amendments3 | | Control Systems |
| | Department of Building Safety | MINNE | ESOTA RULES, CHAPTER 1305 2 |
| | Duties and Powers of Building Official 3 | Section | 250 III ROLLD, CHAI ILK 1303 |
| | Permits | 1305.00 | 11 Adoption of International Building |
| 1300.0130 | Construction Documents7 | 1303.00 | Code by Reference and Administrative |
| 1300.0140 | Violations | | Authority |
| 1300.0150 | Violations, Penalty 8 | 1305.00 | |
| 1300.0160 | Fees 8 | | Code Council Codes |
| 1300.0170 | Stop Work Order9 | 1305.00 | Administrative Procedure Criteria 2 |
| 1300.0180 | Unsafe Buildings or Structures | 1305.01 | 01 Chapter 1, Administration 2 |
| 1300.0190 | Temporary Structures and Uses 10 | | |
| 1300.0210 | Inspections | CHAPT | TER 1 DELETED |
| 1300.0215 | Plumbing11 | CHADA | TER 2 DEFINITIONS |
| 1300.0220 | Certificate of Occupancy | | TER 2 DEFINITIONS |
| 1300.0225 | Maintenance | Section | S1 |
| 1300.0230 | Board Of Appeals | | General |
| 1300.0240 | Disclaimer Clause | 202 D | Definitions |
| 1300.0250 | Severability | СНАРТ | TER 3 OCCUPANCY |
| | | | CLASSIFICATION AND USE 5 |
| | NESOTA PROVISIONS TO | Section | |
| | MINNESOTA STATE BUILDING E (INCLUDING RADON)15 | 301 S | cope |
| Section | | | Occupancy Classification and Use Designation 5 |
| | Title | 303 A | Assembly Group A |
| | Purpose | | Susiness Group B |
| | Restroom Facilities In Public | | ducational Group E 6 |
| 1303.1200 | Accommodations | | actory Group F6 |
| 1303.1300 | Space for Commuter Vans | 307 H | ligh-hazard Group H |
| 1303.1400 | Automatic Garage Door Opening Systems15 | 308 In | nstitutional Group I60 |
| 1303.1500 | Recycling Space | 309 N | Mercantile Group M |

| 310 | Residen | tial Group R68 | 503 | General Building Height and Area Limitations | 119 |
|-------|-----------|---|-------|--|------------|
| 311 | Storage | Group S | 504 | Building Height and Number of Stories | 120 |
| 312 | Utility a | nd Miscellaneous Group U 69 | 505 | Mezzanines and Equipment Platforms | 121 |
| | | | 506 | Building Area | 124 |
| CHA | PTER 4 | | 507 | Unlimited Area Buildings | 127 |
| | | REQUIREMENTS BASED ON USE AND OCCUPANCY71 | 508 | Mixed Use and Occupancy | 129 |
| Secti | on | on obe and occurance | 509 | Incidental Uses | 131 |
| 401 | | 71 | 510 | Special Provisions | 132 |
| 402 | _ | Mall and Open Mall Buildings | | | |
| 403 | | e Buildings | | APTER 6 TYPES OF CONSTRUCTION | 135 |
| 404 | _ | | Secti | | |
| 405 | | ound Buildings | 601 | General | |
| 406 | _ | ehicle-related Occupancies 80 | 602 | Construction Classification | 135 |
| 407 | | 2 | 603 | Combustible Material in | 126 |
| 408 | • | 3 | | Types I and II Construction | 130 |
| 409 | • | Picture Projection Rooms 89 | CHA | APTER 7 FIRE AND SMOKE | |
| 410 | | Platforms and Technical | - | PROTECTION FEATURES | 139 |
| | - | ction Areas90 | Secti | ion | |
| 411 | Special . | Amusement Buildings | 701 | General | 139 |
| 412 | Aircraft- | related Occupancies | 702 | Multiple Use Fire Assemblies | 139 |
| 413 | Combus | tible Storage96 | 703 | Fire-resistance Ratings and Fire Tests | . 139 |
| 414 | Hazardo | us Materials96 | 704 | Fire-resistance Rating of Structural Members | . 140 |
| 415 | Groups | H-1, H-2, H-3, H-4 and H-599 | 705 | Exterior Walls | 142 |
| 416 | Spray A | pplication of Flammable Finishes 109 | 706 | Fire Walls | 146 |
| 417 | Drying l | Rooms | 707 | Fire Barriers | 148 |
| 418 | Organic | Coatings | 708 | Fire Partitions | 150 |
| 419 | Live/wo | rk Units (Deleted) | 709 | Smoke Barriers | 151 |
| 420 | Groups | I-1, R-1, R-2, R-3 and R-4110 | 710 | Smoke Partitions | 152 |
| 421 | Hydroge | en Fuel Gas Rooms | 711 | Floor and Roof Assemblies | 152 |
| 422 | Ambula | tory Care Facilities | 712 | Vertical Openings | 153 |
| 423 | Storm S | helters | 713 | Shaft Enclosures | 155 |
| 424 | Children | a's Play Structures | 714 | Penetrations | 156 |
| 425 | Hyperba | ric Facilities | 715 | Fire-resistant Joint Systems | 159 |
| 426 | | tible Dusts, | 716 | Opening Protectives | 160 |
| | | Processing and Storage | 717 | Ducts and Air Transfer Openings | 166 |
| 427 | | Gas Systems | 718 | Concealed Spaces | 171 |
| 428 | _ | Education Laboratories | 719 | Fire-resistance Requirements for Plaster | 173 |
| 429 | Group E | Occupancies | 720 | Thermal- and Sound-insulating Materials | 173 |
| СПУ | DTED # | CENEDAL RIHI DINC | 721 | Prescriptive Fire Resistance | 174 |
| СПА | APTER 5 | GENERAL BUILDING HEIGHTS AND AREAS119 | 722 | Calculated Fire Resistance | 174 |
| Secti | on | | СН | APTER 8 INTERIOR FINISHES | 227 |
| 501 | General | 119 | Secti | | <i>441</i> |
| 502 | Building | g Address | 801 | Scope | 227 |
| | | | 501 | seepe | / |

| 802 | General | 1009 | Accessible Means of Egress |
|---------|--|--------|---|
| 803 | Wall and Ceiling Finishes | 1010 | Doors, Gates and Turnstiles |
| 804 | Interior Floor Finish | 1011 | Stairways |
| 805 | Combustible Materials in Types I | 1012 | Ramps |
| | and II Construction | 1013 | Exit Signs |
| 806 | Decorative Materials and Trim | 1014 | Handrails |
| 807 | Insulation | 1015 | Guards |
| 808 | Acoustical Ceiling Systems | 1016 | Exit Access |
| | | 1017 | Exit Access Travel Distance 306 |
| CHA | PTER 9 FIRE PROTECTION AND LIFE SAFETY SYSTEMS 233 | 1018 | Aisles |
| Section | | 1019 | Exit Access Stairways and Ramps |
| 901 | General | 1020 | Corridors |
| 902 | Fire Pump and Riser Room Size | 1021 | Egress Balconies |
| 902 | Automatic Sprinkler Systems | 1022 | Exits |
| 903 | Alternative Automatic | 1023 | Interior Exit Stairways and Ramps |
| 904 | Fire-extinguishing Systems | 1024 | Exit Passageways |
| 905 | Standpipe Systems | 1025 | Luminous Egress Path Markings |
| 906 | Portable Fire Extinguishers | 1026 | Horizontal Exits |
| 907 | Fire Alarm and Detection Systems | 1027 | Exterior Exit Stairways and Ramps |
| 908 | Emergency Alarm Systems 260 | 1028 | Exit Discharge |
| 909 | Smoke Control Systems | 1029 | Assembly |
| 910 | Smoke and Heat Removal | 1030 | Emergency Escape and Rescue |
| 911 | Fire Command Center | | |
| 912 | Fire Department Connections | ICC | 200 DI EACHEDO FOI DINO |
| 913 | Fire Pumps | ICC | 300 BLEACHERS, FOLDING AND TELESCOPIC SEATING, |
| 914 | Emergency Responder Safety Features 273 | | AND GRANDSTANDS325 |
| 915 | Carbon Monoxide Detection | A 3.47 | EDICAN NATIONAL CTANDADD 225 |
| 916 | Gas Detection Systems | AIVI | ERICAN NATIONAL STANDARD325 |
| 917 | Mass Notification Systems275 | FOF | REWORD325 |
| 918 | Emergency Responder Radio Coverage275 | СП | APTER 1 APPLICATION |
| 919 | Post-fire Smoke Exhaust System | | AND ADMINISTRATION327 |
| | | Sect | |
| CHA | PTER 10 MEANS OF EGRESS277 | 101 | General327 |
| Section | on | 102 | Applicability327 |
| 1001 | Administration277 | 103 | Compliance Alternatives |
| 1002 | Maintenance and Plans | 104 | Conventions |
| 1003 | General Means of Egress277 | 105 | Inspection |
| 1004 | Occupant Load | 106 | Referenced Documents |
| 1005 | Means of Egress Sizing | | |
| 1006 | Number of Exits and | | APTER 2 DEFINITIONS329 |
| | Exit Access Doorways | Sect | ion |
| 1007 | Exit and Exit Access Decrypty Configuration 284 | 201 | General329 |
| 1000 | Doorway Configuration | 202 | Defined Terms |
| 1008 | Means of Egress Illumination | | |

| CHAPTER 3 CONSTRUCTION331 | 1208 Access to Unoccupied Spaces |
|--|---|
| Section | 1209 Toilet and Bathroom Requirements |
| 301 General331 | CVI I DEED 44 ENERGY ENERGY CANADA |
| 302 Permitted Materials | CHAPTER 13 ENERGY EFFICIENCY353 |
| 303 Structural Design | Section |
| 304 Interior Installations | 1301 General |
| 305 Spaces beneath Seats | CHAPTER 14 EXTERIOR WALLS |
| 306 Clear Height | Section Section |
| 307 Roof Height | |
| 308 Electrical | 1401 General |
| 309 Fire Protection | 1402 Performance Requirements |
| 310 Accessibility | 1403 Materials |
| 311 Open Spaces beneath Footboards | 1404 Installation of Wall Coverings |
| and Seatboards | 1405 Combustible Materials on the Exterior Side of Exterior Walls |
| CHAPTER 4 EGRESS | 1406 Metal Composite Materials (MCM) 362 |
| Section | 1407 Exterior Insulation and Finish Systems (EIFS) |
| 401 General | 1408 High-pressure Decorative Exterior-grade |
| 402 Travel | Compact Laminates (HPL) |
| 403 Occupant Load | 1409 Plastic Composite Decking |
| 404 General Means of Egress | |
| 405 Aisles | CHAPTER 15 ROOF ASSEMBLIES AND |
| 406 Stairs and Stepped Aisles | ROOFTOP STRUCTURES 367 |
| 407 Aisle Accessways | Section |
| 408 Guards | 1501 General |
| 409 Handrails | 1502 Roof Drainage |
| CHAPTER 5 EXISTING BLEACHERS, | 1503 Weather Protection |
| FOLDING AND | 1504 Performance Requirements |
| TELESCOPIC SEATING, | 1505 Fire Classification |
| AND GRANDSTANDS343 | 1506 Materials |
| | 1507 Requirements for Roof Coverings |
| CHAPTER 11 ACCESSIBILITY | 1508 Roof Insulation |
| (See 2020 Minnesota Accessibility | 1509 Radiant Barriers Installed Above Deck 382 |
| <i>Code</i>)345 | 1510 Rooftop Structures |
| CHAPTER 14 INTERIOR ENVIRONMENTS 245 | 1511 Reroofing |
| CHAPTER 12 INTERIOR ENVIRONMENT347 Section | 1512 Photovoltaic Panels and Modules |
| 1201 General | CHAPTER 16 STRUCTURAL DESIGN 387 |
| 1202 Ventilation | Section Street examples in the Section |
| 1203 Temperature Control | 1601 General |
| 1204 Lighting | 1602 Notations |
| 1205 Yards or Courts | 1603 Construction Documents |
| 1206 Sound Transmission | 1604 General Design Requirements |
| 1207 Interior Space Dimensions | 1605 Load Combinations |
| 1 | 1005 Luau Cumumatiums |

| 1606 | Dead Loads | 1903 | Specifications for Tests and Materials | 483 |
|--------|--|---------|---|-----|
| 1607 | Live Loads | 1904 | Durability Requirements | 484 |
| 1608 | Snow Loads | 1905 | Modifications to ACI 318 | 484 |
| 1609 | Wind Loads | 1906 | Structural Plain Concrete | 486 |
| 1610 | Soil Lateral Loads | 1907 | Minimum Slab Provisions | 486 |
| 1611 | Rain Loads | 1908 | Shotcrete | 487 |
| 1612 | Flood Loads | | | |
| 1613 | Earthquake Loads | CHA | PTER 20 ALUMINUM | 489 |
| 1614 | Atmospheric Ice Loads | Section | on | |
| 1615 | Tsunami Loads | 2001 | General | 489 |
| 1616 | Structural Integrity | 2002 | Materials | 489 |
| CHAI | PTER 17 SPECIAL INSPECTIONS | CHA | PTER 21 MASONRY | 491 |
| | AND TESTS439 | Section | on | |
| Sectio | on | 2101 | General | 491 |
| 1701 | General | 2102 | Notations | 491 |
| 1702 | New Materials | 2103 | Masonry Construction Materials | 491 |
| 1703 | Approvals | 2104 | Construction | 492 |
| 1704 | Special Inspections and Tests, | 2105 | Quality Assurance | 492 |
| | Contractor Responsibility and Structural Observation | 2106 | Seismic Design | 492 |
| 1705 | Required Special Inspections and Tests | 2107 | Allowable Stress Design | 492 |
| 1705 | Design Strengths of Materials | 2108 | Strength Design of Masonry | 493 |
| 1707 | Alternative Test Procedure | 2109 | Empirical Design of Adobe Masonry | 493 |
| 1707 | In-situ Load Tests | 2110 | Glass Unit Masonry | 495 |
| 1709 | Preconstruction Load Tests | 2111 | Masonry Fireplaces | |
| 1709 | 1 reconstruction Load Tests | 2112 | Masonry Heaters | |
| CHAI | PTER 18 SOILS AND FOUNDATIONS453 | 2113 | Masonry Chimneys | |
| Sectio | | 2114 | Dry-stack Masonry | |
| 1801 | General | | | |
| 1802 | Design Basis | CHA | PTER 22 STEEL | 503 |
| 1803 | Geotechnical Investigations | Section | on . | |
| 1804 | Excavation, Grading and Fill | 2201 | General | 503 |
| 1805 | Dampproofing and Waterproofing 456 | 2202 | Identification of Steel for Structural Purposes . | 503 |
| 1806 | Presumptive Load-bearing Values of Soils457 | 2203 | Protection of Steel | |
| 1807 | Foundation Walls, Retaining Walls | | for Structural Purposes | 503 |
| | and Embedded Posts and Poles | 2204 | Connections | 503 |
| 1808 | Foundations | 2205 | Structural Steel | 503 |
| 1809 | Shallow Foundations | 2206 | Composite Structural Steel and | |
| 1810 | Deep Foundations | | Concrete Structures | |
| | | 2207 | Steel Joists | |
| | PTER 19 CONCRETE483 | 2208 | Steel Cable Structures | |
| Sectio | | 2209 | Steel Storage Racks | |
| 1901 | General | 2210 | Cold-formed Steel | |
| 1902 | Definitions | 2211 | Cold-formed Steel Light-frame Construction | 505 |

| СНА | PTER 23 WOOD507 | 2513 Exposed Aggregate Plaster |
|---------|---|---|
| Section | on | 2514 Reinforced Gypsum Concrete |
| 2301 | General | |
| 2302 | Design Requirements | CHAPTER 26 PLASTIC |
| 2303 | Minimum Standards and Quality507 | Section |
| 2304 | General Construction Requirements | 2601 General |
| 2305 | General Design Requirements for | 2602 Finish and Trim |
| | Lateral Force-resisting Systems 524 | 2603 Foam Plastic Insulation |
| 2306 | Allowable Stress Design | 2604 Interior Finish and Trim 599 |
| 2307 | Load and Resistance Factor Design 527 | 2605 Plastic Veneer 599 |
| 2308 | Conventional Light-frame Construction 527 | 2606 Light-transmitting Plastics 600 |
| 2309 | Wood Frame Construction Manual558 | 2607 Light-transmitting Plastic Wall Panels 601 |
| | | 2608 Light-transmitting Plastic Glazing 602 |
| CHA | PTER 24 GLASS | 2609 Light-transmitting Plastic Roof Panels 602 |
| ~ . | AND GLAZING 579 | 2610 Light-transmitting Plastic Skylight Glazing 603 |
| Section | | 2611 Light-transmitting Plastic Interior Signs 604 |
| 2401 | General | 2612 Plastic Composites |
| 2402 | Glazing Replacement | 2613 Fiber-reinforced Polymer 604 |
| 2403 | General Requirements for Glass 579 | 2614 Reflective Plastic Core Insulation 605 |
| 2404 | Wind, Snow, Seismic and Dead Loads on Glass | CHAPTER 27 ELECTRICAL |
| 2405 | Sloped Glazing and Skylights | Section |
| 2406 | Safety Glazing582 | 2701 General |
| 2407 | Glass in Handrails and Guards | 2702 Emergency and Standby Power Systems 607 |
| 2408 | Glazing in Athletic Facilities | |
| 2409 | Glass in Walkways, Elevator Hoistways and Elevator Cars | CHAPTER 28 MECHANICAL SYSTEMS 609 Section |
| | and Elevator Cars | 2801 General |
| СНА | PTER 25 GYPSUM BOARD, | 2801 General |
| 01111 | GYPSUM PANEL PRODUCTS | CHAPTER 29 PLUMBING SYSTEMS |
| | AND PLASTER 587 | Section |
| Section | on | 2901 General |
| 2501 | General | 2902 Minimum Plumbing Facilities |
| 2502 | Performance | 2702 Minimum Flumbing Fuelines |
| 2503 | Inspection | CHAPTER 30 ELEVATORS AND |
| 2504 | Vertical and Horizontal Assemblies | CONVEYING SYSTEMS 615 |
| 2505 | Shear Wall Construction | Section |
| 2506 | Gypsum Board and Gypsum | 3001 General |
| | Panel Product Materials | 3002 Hoistway Enclosures 615 |
| 2507 | Lathing and Plastering | 3003 Emergency Operations |
| 2508 | Gypsum Construction | 3004 Conveying Systems |
| 2509 | Showers and Water Closets | 3005 Machine Rooms 617 |
| 2510 | Lathing and Furring for Cement Plaster (Stucco) | 3006 Elevator Lobbies and Hoistway Opening Protection |
| 2511 | | |
| | Interior Plaster | 3007 Fire Service Access Elevator 618 |

| CHA | PTER 31 SPECIAL CONSTRUCTION 623 | CHAPTER 34 RESERVED |
|---------|--|--|
| Section | on | OWARDED AT DEPENDING TO AND ADDRESS OF |
| 3101 | General | CHAPTER 35 REFERENCED STANDARDS 639 |
| 3102 | Membrane Structures 623 | INDEX |
| 3103 | Temporary Structures | 11022 |
| 3104 | Pedestrian Walkways and Tunnels 624 | |
| 3105 | Awnings and Canopies | |
| 3106 | Marquees | |
| 3107 | Signs | |
| 3108 | Telecommunication and Broadcast Towers 626 | |
| 3109 | Swimming Pools, Spas and Hot Tubs (Deleted) 627 | |
| 3110 | Automatic Vehicular Gates 627 | |
| 3111 | Solar Energy Systems 627 | |
| 3112 | Greenhouses | |
| 3113 | Relocatable Buildings 630 | |
| 3114 | Window Cleaning Anchors 630 | |
| СНА | PTER 32 ENCROACHMENTS INTO THE PUBLIC RIGHT-OF-WAY 631 | |
| Section | on | |
| 3201 | General | |
| 3202 | Encroachments | |
| СНА | PTER 33 SAFEGUARDS DURING | |
| a .: | CONSTRUCTION633 | |
| Section | | |
| 3301 | General | |
| 3302 | Construction Safeguards | |
| 3303 | Demolition | |
| | Site Work | |
| 3305 | Sanitary (Deleted) | |
| 3306 | Protection of Pedestrians | |
| 3307 | Protection of Adjoining Property 635 | |
| 3308 | Temporary Use of Streets, Alleys and Public Property | |
| 3309 | Fire Extinguishers | |
| 3310 | Means of Egress | |
| 3311 | Standpipes | |
| 3312 | Automatic Sprinkler System 636 | |
| 3313 | Water Supply for Fire Protection 636 | |
| 3314 | Fire Watch During Construction 636 | |