ICC/NSSA Standard for the Design and Construction of Storm Shelters—2023 (ICC 500—2023)

First Publication: December 2023 First Printing: January 2024

ISBN: 978-1-962103-73-2 (soft-cover edition) ISBN: 978-1-962103-74-9 (PDF download)

 $\begin{array}{c} \text{Copyright } @ \ 2023 \\ \text{by} \\ \text{INTERNATIONAL CODE COUNCIL, INC.} \end{array}$

ALL RIGHTS RESERVED. This ICC/NSSA Standard for the Design and Construction of Storm Shelters—2023 (ICC 500—2023) is a copyrighted work owned by the International Code Council, Inc. ("ICC"). Without advance written permission from the ICC, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on use rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, IL 60478. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: "International Code Council," the "International Code Council" logo, "ICC," the "ICC" logo and other names and trademarks appearing in this book are registered trademarks of the International Code Council, Inc., and/or its licensors (as applicable), and may not be used without permission.

Cover Photo Credit: Photo provided by the Precast/Prestressed Concrete Institute courtesy of Hollis + Miller Architects.

PRINTED IN THE USA

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus and other criteria for approval have been met by the standards developer.

Consensus is established when in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he or she has approved the standards or not, from manufacturing, marketing, purchasing or using products, processes or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

ICC/NSSA

Standard for the Design and Construction of Storm Shelters

FOREWORD

[The information contained in this foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. As such, this foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to this standard.]

Introduction

In May of 2002, the International Code Council (ICC) and the National Storm Shelter Association (NSSA) initiated a joint project to write a standard for the design and construction of storm shelters. A standard development committee was created, and the first meeting of that committee was in May of 2003. The scope of the standard is to provide minimum design and construction requirements for storm shelters that provide a safe refuge from storms that produce high winds, hurricanes and tornadoes. Hurricanes and tornadoes generate high winds that produce wind pressures on buildings and structures and that create flying debris at levels and intensities that are higher than those for which most commercial buildings and residences are designed. The magnitude of the wind speeds associated with these storms are such that building occupants and residents are required to evacuate the area or seek protection in a shelter designed for resistance to extraordinary loads and flying debris. This standard provides design requirements for the main wind force resisting structural system and components and cladding of these shelters, and provides basic occupant life safety and health requirements for these shelters, including means of egress, lighting, sanitation, ventilation, fire safety and minimum required floor space for occupants.

Development

This is the third edition of the International Code Council (ICC) and National Storm Shelter Association's (NSSA) *Standard for the Design and Construction of Storm Shelters*. This standard was developed by the ICC/NSSA Consensus Committee on Storm Shelters (IS-STM) that operates under ANSI Approved ICC Consensus Procedures for the Development of ICC Standards. The consensus process of ICC for promulgating standards is accredited by ANSI. The Storm Shelter Committee is a balanced committee formed and operated in accordance with ICC rules and procedures.

The meetings of the ICC/NSSA IS-STM Consensus Committee were open to the public and interested individuals and organizations from across the country participated. The technical content of currently published documents on storm shelters, including documents of the National Storm Shelter Association, the Federal Emergency Management Agency (FEMA), the Red Cross, and the State of Florida, was reviewed and considered by the committee. The information from these documents helped form a basis for the regulations installed in this standard, but the exact provisions adopted by the committee were determined based upon the scope and intent of this standard. The requirements of ICC/NSSA 500 are based on the intent to establish provisions consistent with the scope of the ICC family of codes and standards that are written to adequately protect public health, safety and welfare; provisions that do not necessarily increase construction costs; provisions that do not restrict the use of new materials, products or methods of construction; and provisions that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

Adoption

ICC/NSSA 500 Standard for the Design and Construction of Storm Shelters is available for adoption and use by any jurisdiction. Its use within a governmental jurisdiction is intended to be accomplished through adoption by reference in accordance with proceedings establishing the jurisdiction's laws. At the time of adoption, jurisdictions should insert the appropriate information in provisions requiring specific local information, such as the name of the jurisdiction.

Interpretations

Requests for Interpretations on the provisions of ICC 500—2023 should be addressed to: ICC, Central Regional Office, 4051 Flossmoor Road, Country Club Hills, IL 60478.

Maintenance - Submittal of Proposals

All ICC standards are periodically updated as required by ANSI. Proposals for revising this edition are welcome. Please visit the ICC website at www.iccsafe.org for the official "Call for Proposals" announcement. A proposal form and instructions can also be downloaded from www.iccsafe.org.

This standard is maintained under a continuous maintenance schedule to consider recommended changes to any part of it by action of the consensus body. The Code Council accepts public comments and proposals for this standard on a continual basis and during regular calls for comment. Comments and proposals submitted on ICC Public Comment and Proposal Forms may be submitted to the committee secretariat at kpaarlberg@iccsafe.org.

ICC, its members and those participating in the development of ICC 500—2023 do not accept any liability resulting from compliance or noncompliance with the provisions of ICC 500—2023. ICC does not have the power or authority to police or enforce compliance with the contents of this standard. Only the governmental body that enacts this standard into law has such authority.

International Code Council/National Storm Shelter Association Consensus Committee on Storm Shelters (IS-STM)

Consensus Committee SCOPE: The ICC/NSSA Consensus Committee on Storm Shelters (IS-STM) shall have primary responsibility for minimum requirements to safeguard the public health, safety and general welfare through design, construction and installation requirements for storm shelters.

This standard was processed and approved for submittal to ANSI by the ICC/NSSA Consensus Committee on Storm Shelters (IS-STM). Committee approval of the standard does not necessarily imply that all committee members voted for its approval.

Representatives on the Consensus Committee are classified in one of three voting interest categories. The committee has been formed in order to achieve consensus as required by ANSI Essential Requirements. At the time it approved this standard, the IS-STM Consensus Committee consisted of the following members:

Key to Categories: (A) Manufacturer, (B) Builder, (C) Standards Promulgator/Testing Laboratory, (D) User, (E) Utility, (F) Consumer, (G) Public Segment, (H) Government Regulator, (I) Insurance.

Mr. Brian Bishop, CBO (H), City of Des Moines, IA

Mr. Gary J. Ehrlich, PE (B), National Association of Home Builders, Washington, DC

Mr. Benchmark Harris, PE (A), National Storm Shelter Association, Fort Worth, TX

Mr. Rick Hautekeete, PE (D), McClure Engineering, St. Louis, MO

Dr. Andrew Holstein, PhD, PE (C), Intertek, Middleton, WI

Mr. John T. Hutton, PE, SE (D), NCSEA Code Advisory Committee, Atlanta, GA

Dr. Marc L. Levitan (C), National Institute of Standards and Technology, Gaithersburg, MD

Mr. Andie Lorenz, CBO (H), Adams County, Othello, WA

Dr. Pataya Scott PhD, EIT (D), FEMA, Washington, DC

Mr. Corey Schultz, AIA (D), Schultz Squared Architects, LLC, Wichita, KS

Mr. David Stammen, (A) ASSA ABLOY, New Haven, CT

Mr. Steve Szoke, PE (C), American Concrete Institute, Antioch, IL

Mr. Paul Taft (H), Village of Bronxville, NY

Mr. E. Scott Tezak, PE (D), AtkinsRéalis, Boston, MA

Mr. Anthony L. Warren, CBO, CFM (H), City of Waxahachie, Waxahachie, TX

Dr. Borjen Yeh, PhD, PE (C), APA-The Engineered Wood Association, Tacoma, WA

Committee Secretariat Kimberly Paarlberg, RA, Senior Staff Architect, Codes and Standards, International Code Council, Country Club Hills, IL

Voting Membership in Each Category

| • | _ |
|--|--------|
| Category | Number |
| Manufacturer (A) | 2 |
| Builder (B) | 1 |
| Standards Promulgating/Testing Laboratory (C) | 4 |
| User (D) | 5 |
| Utility (E) | 0 |
| Consumer (F) | 0 |
| Public Segment (G) | 0 |
| Government Regulator (H) | 4 |
| Insurance (I) | 0 |
| TOTAL | 16 |

Interest Categories

Manufacturer (**A**): Individuals assigned to the Manufacturer interest category are those who represent the interests of an entity, including an association of such entities that produces an assembly or system subject to the provisions within the committee scope.

Builder (B): Individuals assigned to the Builder interest category are those who represent the interests of an entity, including an association of such entities, that builds, installs or maintains an assembly or system subject to the provisions within the committee scope.

Standards Promulgator/Testing Laboratory (C): Individuals assigned to the Standards Promulgator/Testing Laboratory interest category are those who represent the interests of an entity, including an association of such entities that provides independent standards promulgation or laboratory testing of an assembly or system subject to the provisions within the committee scope.

User (D): Individuals assigned to the User interest category are those who represent the interests of an entity, including an association of such entities, that is subject to the provisions or voluntarily utilize the provisions within the committee scope, including designers, architects, consultants and building owners.

Utility (E): Individuals assigned to the Utility interest category are those who represent the interests of an entity, including an association of such entities, that supplies power or water or accepts wastewater from an assembly or system subject to the provisions within the committee scope.

Consumer (F): Individuals assigned to the Consumer interest category are those who represent the interests of an entity, including an association of such entities, that represent the ultimate purchaser of the assembly or system subject to the provisions within the committee scope.

Public Segment (G): Individuals assigned to the Public Segment interest category are those who represent the interests of an entity, including an association of such entities, that represent a particular group of the public that benefits from the assembly or system subject to the provisions within the committee scope.

Government Regulator (H): Individuals assigned to the Government Regulator interest category are those who represent the interests of an entity, including an association of such entities, representing the entities that promulgate or enforce the provisions within the committee scope.

Insurance (I): Individuals assigned to the Insurance interest category are those who represent the interests of an entity, including an association of such entities, that insure subject to the provisions or voluntarily utilize the provisions within the committee scope, including insurance related inspection agencies.

TABLE OF CONTENTS

| Section 401 General | CHAI | PTER 1 APPLICATION AND | CHAPTER 4 SITING |
|--|---------|--|--|
| 101 General | | ADMINISTRATION 1 | Section |
| 102 Compliance Alternatives 1 403 Maximum Travel Distance for Tornado Shelters 2 1 403 Maximum Travel Distance for Tornado Shelters 2 1 403 Maximum Travel Distance for Tornado Shelters 2 1 403 Maximum Travel Distance for Tornado Shelters 2 1 403 Maximum Travel Distance for Tornado Shelters 2 1 403 Maximum Travel Distance for Tornado Shelters 2 1 403 Maximum Travel Distance for Tornado Shelters 2 1 403 Maximum Travel Distance for Tornado Shelters 2 1 403 Maximum Travel Distance for Tornado Shelters 3 1 40 | | n | 401 General |
| 103 Conventions 1 Tornado Shelters 2 104 Construction and Occupancy 1 105 Applicable Code 1 CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE 2 107 Quality-Assurance Plan 3 Section 2 108 Peer Review 3 501 General 2 109 Owner's Responsibility 3 502 Occupant Density in Community Storm Shelters 2 111 Special Inspections 4 503 Occupant Density in Residential Storm Shelters 505 Entry and Egress in Community Shelters 505 Entry and Egress in Residential Storm Shelters 505 Entry and Egress in Egress 505 Entry and Egress in Egress 505 Entry and Egress | 101 | General | 402 Flood Criteria |
| CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. CHAPTER 5 OCCUPANT DENSITY | 102 | Compliance Alternatives | 403 Maximum Travel Distance for |
| 105 Applicable Code. 1 CHAPTER 5 OCCUPANT DENSITY, ENTRY, ACCESSIBILITY, EGRESS AND SIGNAGE. 2 SIGNAGE. 2 107 Quality-Assurance Plan 3 Section 108 Peer Review 3 501 General 2 109 Owner's Responsibility 3 502 Occupant Density in Community 110 Contractor's Statement of Responsibility 4 Storm Shelters 2 111 Special Inspections 4 503 Occupant Density in Residential Storm Shelters 5 504 Entry and Egress in Community Shelters 5 505 Entry and Egress in Residential Storm Shelters 5 505 Entry and Egress in Reside | 103 | Conventions | Tornado Shelters |
| ACCESSIBILITY, EGRESS AND SIGNAGE. 107 Quality-Assurance Plan | 104 | Construction and Occupancy | CHADEED 5 OCCUPANTE DENGTES ENTERN |
| 106 Submittal Documents | 105 | Applicable Code | |
| Peer Review | 106 | Submittal Documents | SIGNAGE |
| 109 Owner's Responsibility | 107 | Quality-Assurance Plan | Section |
| 110 Contractor's Statement of Responsibility . 4 Storm Shelters | 108 | Peer Review | 501 General |
| 111 Special Inspections | 109 | Owner's Responsibility | 502 Occupant Density in Community |
| Structural Observations | 110 | Contractor's Statement of Responsibility 4 | Storm Shelters |
| 113 Evaluation, Maintenance and Repairs 5 Entry and Egress in Community Shelters | 111 | Special Inspections 4 | |
| 505 Entry and Egress in Residential CHAPTER 2 DEFINITIONS | 112 | Structural Observations 4 | |
| CHAPTER 2 DEFINITIONS | 113 | Evaluation, Maintenance and Repairs 5 | |
| CHAITER 2 DEFENTIONS | | | , . |
| Section Section Vertical Access and Egress | | | |
| 507 L. (1.1) | Section | n | - |
| 201 General | 201 | General | 8 |
| 202 Definitions | 202 | Definitions | 508 Signage |
| 203 Symbols and Nomenclature | 203 | Symbols and Nomenclature 9 | CHAPTER 6 FIRE SAFETY35 |
| CHAPTER 3 STRUCTURAL DESIGN AND Section | CHAI | PTER 3 STRUCTURAL DESIGN AND | Section |
| | | | 601 General |
| Section 602 Fire Protection Systems | Sectio | n | Fire Protection Systems |
| 301 General | 301 | General | Fire-Resistance-Rated Construction |
| 302 Load Combinations | 302 | Load Combinations | 604 Fire Extinguishers |
| 303 Loads | 303 | Loads | |
| Tornado Loads and Wind Loads | 304 | Tornado Loads and Wind Loads | CHAPTER 7 ESSENTIAL FEATURES AND ACCESSORIES |
| 305 Debris Hazards | 305 | Debris Hazards | |
| 306 Storm Shelter Envelope Component 701 General | 306 | 1 1 | |
| Design and Testing | 205 | | |
| 307 Connection of Storm Shelters to Foundations | 307 | | |

TABLE OF CONTENTS

| СНАР | TER 8 TEST METHODS FOR IMPACT AND PRESSURE TESTING 41 | |
|--|---|--|
| Section | 1 | |
| 801 | General | |
| 802 | Test Specimens | |
| 803 | Impact Testing 41 | |
| 804 | Static and Cyclic Pressure Testing 51 | |
| 805 | Static and Cyclic Pressure Testing Procedures 51 | |
| CHAPTER 9 REFERENCED STANDARDS 53 APPENDIX A STORM SHELTER PREPAREDNESS | | |
| | AND EMERGENCY OPERATIONS PLAN (SSPEOP) 57 | |
| Section | , () | |
| | | |
| A101 | | |
| A101 A102 | | |
| | General | |
| A102 | General | |
| A102 A103 | General | |