


**2008 EDITION**

**ANSI/AF&PA SDPWS-2008**

**Approval Date: AUGUST 4, 2008**



**ASD/LRFD**

**WIND & SEISMIC**

**SPECIAL DESIGN PROVISIONS  
FOR WIND AND SEISMIC**

**WITH COMMENTARY**

**Special Design Provisions for Wind and Seismic with Commentary 2008 Edition**

June 2009 Web Version

ISBN 0-9786245-9-9

Copyright © 2009 by American Forest & Paper Association, Inc.

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including, without limitation, electronic, optical, or mechanical means (by way of example and not limitation, photocopying, or recording by or in an information storage retrieval system) without express written permission of the American Forest & Paper Association, Inc. For information on permission to copy material, please contact:

Copyright Permission

AF&PA American Wood Council  
1111 Nineteenth St., NW, Suite 800  
Washington, DC 20036  
email: [awcinfo@afandpa.org](mailto:awcinfo@afandpa.org)

Printed in the United States of America

# TABLE OF CONTENTS

<i>Chapter/Title</i>	<i>Page</i>	<i>Chapter/Title</i>	<i>Page</i>
<b>1 Designer Flowchart</b> .....	<b>1</b>	<b>4 Lateral Force-Resisting Systems</b> .....	<b>11</b>
1.1 Flowchart		4.1 General	
<b>2 General Design Requirements</b> .....	<b>3</b>	4.2 Wood-Frame Diaphragms	
2.1 General		4.3 Wood-Frame Shear Walls	
2.2 Terminology		4.4 Wood Structural Panels Designed to Resist Combined Shear and Uplift from Wind	
2.3 Notation		<b>Appendix A</b> .....	<b>41</b>
<b>3 Members and Connections</b> .....	<b>7</b>	<b>References</b> .....	<b>43</b>
3.1 Framing		<b>Commentary</b> .....	<b>45</b>
3.2 Sheathing			
3.3 Connections			

## LIST OF TABLES

3.1.1.1 Wall Stud Repetitive Member Factors .....	8	4.3.4 Maximum Shear Wall Aspect Ratios .....	25
3.2.1 Nominal Uniform Load Capacities (psf) for Wall Sheathing Resisting Out-of-Plane Wind Loads .....	9	4.3A Nominal Unit Shear Capacities for Wood-Frame Shear Walls (Wood-based Panels) ....	31
3.2.2 Nominal Uniform Load Capacities (psf) for Roof Sheathing Resisting Out-of-Plane Wind Loads .....	10	4.3B Nominal Unit Shear Capacities for Wood-Frame Shear Walls (Wood Structural Panels Applied over 1/2" or 5/8" Gypsum Wallboard or Gypsum Sheathing Board) .....	32
4.2.4 Maximum Diaphragm Aspect Ratios (Horizontal or Sloped Diaphragms) .....	14	4.3C Nominal Unit Shear Capacities for Wood-Frame Shear Walls (Gypsum and Portland Cement Plaster) .....	33
4.2A Nominal Unit Shear Capacities for Wood-Frame Diaphragms (Blocked Wood Structural Panel Diaphragms) .....	18	4.3D Nominal Unit Shear Capacities for Wood-Frame Shear Walls (Lumber Shear Walls) ...	34
4.2B Nominal Unit Shear Capacities for Wood-Frame Diaphragms (Blocked Wood Structural Panel Diaphragms Utilizing Multiple Rows of Fasteners (High Load Diaphragms)) .....	19	4.4.1 Nominal Uplift Capacity of 7/16" Minimum Wood Structural Panel Sheathing or Siding When Used for Both Shear Walls and Wind Uplift Simultaneously over Framing with a Specific Gravity of 0.42 or Greater .....	39
4.2C Nominal Unit Shear Capacities for Wood-Frame Diaphragms (Unblocked Wood Structural Panel Diaphragms) .....	20	4.4.2 Nominal Uplift Capacity of 3/8" Minimum Wood Structural Panel Sheathing or Siding When Used for Wind Uplift Only over Framing with a Specific Gravity of 0.42 or Greater .....	39
4.2D Nominal Unit Shear Capacities for Wood-Frame Diaphragms (Lumber Diaphragms) ..	21	A1 Standard, Common, Box, and Sinker Nails ..	42
4.3.3.2 Unblocked Shear Wall Adjustment Factor, $C_{ub}$ .....	23	A2 Standard Cut Washers .....	42
4.3.3.5 Shear Capacity Adjustment Factor, $C_o$ .....	24		

## LIST OF FIGURES

---

4A	Open Front Structure.....	14	4G	Panel Attachment .....	36
4B	Cantilevered Building .....	15	4H	Panel Splice Occurring over Horizontal Framing Member.....	37
4C	High Load Diaphragm.....	17	4I	Panel Splice Occurring across Stud.....	37
4D	Typical Shear Wall Height-to-Width Ratio for Perforated Shear Walls.....	25	4J	Sheathing Splice Plate (Alternate Detail) .....	38
4E	Typical Individual Full-Height Wall Segments Height-to-Width Ratio .....	26			
4F	Typical Shear Wall Height-to-Width Ratio for Shear Walls Designed for Force Transfer Around Openings .....	26			

## LIST OF COMMENTARY TABLES

---

C3.2A	Wood Structural Panel Dry Design Bending Strength Capacities .....	50	C4.2.2C	Relationship Between Span Rating and Nominal Thickness.....	57
C3.2B	Wood Structural Panel Dry Shear Capacities in the Plane .....	50	C4.2.2D	Fastener Slip, $e_n$ (in.).....	57
C3.2C	Cellulosic Fiberboard Sheathing Design Bending Strength Capacities .....	50	C4.2.2E	Data Summary for Blocked and Unblocked Wood Structural Panel Diaphragms .....	58
C4.2.2A	Shear Stiffness, $G_v t_v$ (lb/in. of depth), for Wood Structural Panels .....	55	C4.2.2F	Data Summary for Horizontal Lumber and Diagonal Lumber Sheathed Diaphragms ....	58
C4.2.2B	Shear Stiffness, $G_v t_v$ (lb/in. of depth), for Other Sheathing Materials.....	55	C4.3.2A	Data Summary for Structural Fiberboard, Gypsum Wallboard, and Lumber Sheathed Shear Walls.....	66

## LIST OF COMMENTARY FIGURES

---

C4.2.2-3a	Diaphragm Dimensions and Shear and Moment Diagram .....	59	C4.3.3	Detail for Adjoining Panel Edges where Structural Panels are Applied to Both Faces of the Wall.....	69
C4.2.2-3b	Diaphragm Chord, Double Top Plate with Two Joints in Upper Plate.....	59	C4.3.6.4.3	Distance for Plate Washer Edge to Sheathed Edge.....	71
C4.2.7.1.1	Diaphragm Cases 1 through 6 .....	63	C4.4.1.7(1)	Panel Splice Over Common Horizontal Framing Member.....	74
C4.2.7.1.1(3)	Staggering of Nails at Panel Edges of Blocked Diaphragms.....	63	C4.4.1.7(2)	Detail for Continuous Panel Between Levels (Load Path for Shear Transfer Into and Out of the Diaphragm Not Shown) .....	75
C4.3.2	Comparison of 4-Term and 3-Term Deflection Equations.....	65			