

## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
A 36/A 36M—08	Specification for Carbon Structural Steel
A 53/A 53M—07	Specification for Pipe, Steel, Black and Hot-dipped, Zinc-coated Welded and Seamless
A 74—06	Specification for Cast Iron Soil Pipe and Fittings
A 74—09	Specification for Cast Iron Soil Pipe and Fittings
A 82/A 82M—05a	Specification for Steel Wire, Plain, for Concrete Reinforcement
A 106/A 106M—08	Specification for Seamless Carbon Steel Pipe for High-Temperature Service
A 126—04	Specification for Gray Iron Castings for Valves, Flanges and Pipe Fittings
A 153/A 153M—05	Specification for Zinc Coating (Hot-dip) on Iron and Steel Hardware
A 167—99(2009)	Specification for Stainless and Heat-resisting Chromium-Nickel Steel Plate, Sheet and Strip
A 182-10a	Standard Specification for Forged or Rolled Alloy and Stainless Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service
A 240—09	Standard Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet and Strip for Pressure Vessels and for General Applications
A 240/A 240M—09a	Standard Specification for Chromium and Chromium-nickel Stainless Steel Plate, Sheet and Strip for Pressure Vessels and for General Applications
A 252—98 (2007)	Specification for Welded and Seamless Steel Pipe Piles
A 254—97 (2007)	Specification for Copper Brazed Steel Tubing
A 283/A 283M—03(2007)	Specification for Low and Intermediate Tensile Strength Carbon Steel Plates
A 307—07b	Specification for Carbon Steel Bolts and Studs, 60,000 psi Tensile Strength
A 312/A 312M—08a	Specification for Seamless, Welded and Heavily cold Worked Austenitic Steel Pipes
A 312—09	Standard Specification for Seamless, Welded, and Heavily Cold Worked Austenitic Stainless Steel Pipes
A 403—10a	Standard Specification for Wrought Austenitic Stainless Steel Piping Fittings
A 416/A 416M—06	Specification for Steel Strand, Uncoated Seven-wire for Prestressed Concrete
A 420/A 420M—07	Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Low-Temperature Service
A 463/A 463M—06	Standard Specification for Steel Sheet, Aluminum-coated, by the Hot-dip Process
A 510—08	Specification for General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel
A 539—99	Specification for Electric-resistance-welded Coiled Steel Tubing for Gas and Fuel Oil Lines
A 572/A 572M—07	Specification for High-strength Low-alloy Columbium-vanadium Structural Steel
A 588/A 588M—05	Specification for High-strength Low-alloy Structural Steel with 50 ksi (345 MPa) Minimum Yield Point with Atmospheric Corrosion Resistance
A 615/A 615M—09	Specification for Deformed and Plain Billet-steel Bars for Concrete Reinforcement
A 641/A 641M—09a	Specification for Zinc-coated (Galvanized) Carbon Steel Wire
A 653/A 653M—08	Specification for Steel Sheet, Zinc-coated Galvanized or Zinc-iron Alloy-coated Galvannealed by the Hot-dip Process
A 690/A 690M—07	Standard Specification for High-strength Low-alloy Nickel, Copper, Phosphorus Steel H-piles and Sheet Piling with Atmospheric Corrosion Resistance for Use in Marine Environments
A 706/A 706M—09	Specification for Low-alloy Steel Deformed and Plain Bars for Concrete Reinforcement
A 722/A 722M—07	Specification for Uncoated High-strength Steel Bar for Prestressing Concrete
A 733—03	Specification for Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples
A 755/A 755M—03(2008)	Specification for Steel Sheet, Metallic-coated by the Hot-dip Process and Prepainted by the Coil-coating Process for Exterior Exposed Building Products
A 778—01	Specification for Welded Unannealed Austenitic Stainless Steel Tubular Products
A 792/A 792M—08	Specification for Steel Sheet, 55% Aluminum-zinc Alloy-coated by the Hot-dip Process
A 875/A 875M—06	Standard Specification for Steel Sheet Zinc-5 percent, Aluminum Alloy-coated by the Hot-dip Process
A 888—09	Specification for Hubless Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Application
A 913/A 913M—07	Specification for High-strength Low-alloy Steel Shapes of Structural Quality, Produced by Quenching and Self-tempering Process (QST)
A 924/A 924M—08a	Standard Specification for General Requirements for Steel Sheet, Metallic-coated by the Hot-dip

## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
	Process
A 951-06	Specification for Steel Wire Masonry Joint Reinforcement
A 992/A 992M-06a	Standard Specification for Structural Shapes
A 996/A 996M-09	Specification for Rail-steel and Axle-steel Deformed Bars for Concrete Reinforcement
A 1003/A 1003M-08	Standard Specification for Steel Sheet, Carbon, Metallic and Nonmetallic-coated for Cold-formed Framing Members
B 32-08	Specification for Solder Metal
B 42-02e1	Specification for Seamless Copper Pipe, Standard Sizes
B 43-98(2004)	Specification for Seamless Red Brass Pipe, Standard Sizes
B 68-02	Specification for Seamless Copper Tube, Bright Annealed (Metric)
B 75-02	Specification for Seamless Copper Tube
B 88-03	Specification for Seamless Copper Water Tube
B 101-07	Specification for Lead-coated Copper Sheet and Strip for Building Construction
B 135-08a	Specification for Seamless Brass Tube
B 152/B 152M-06a	Specification for Copper Sheet, Strip Plate and Rolled Bar
B 209-07	Specification for Aluminum and Aluminum Alloy Steel and Plate
B 210-04	Specification for Aluminum and Aluminum-alloy Drawn Seamless Tubes
B 227-04	Specification for Hard-Drawn Copper-Clad Steel Wire
B 241/B 241M-02	Specification for Aluminum and Aluminum-alloy, Seamless Pipe and Seamless Extruded Tube
B 251-02e01	Specification for General Requirements for Wrought Seamless Copper and Copper-alloy Tube
B 280-03	Specification for Seamless Copper Tube for Air Conditioning and Refrigeration Field Service
B 280-08	Specification for Seamless Copper Tube for Air Conditioning and Refrigeration Field Service
B 302-07	Specification for Threadless Copper Pipe, Standard Sizes
B 306-09	Specification for Copper Drainage Tube (DWV)
B 370-09	Specification for Cold-rolled Copper Sheet and Strip for Building Construction
B 447-07	Specification for Welded Copper Tube
B 687-99(2005)e01	Specification for Brass, Copper and Chromium-plated Pipe Nipples
B 695-04	Standard Specification for Coatings of Zinc Mechanically Deposited on Iron and Steel Strip for Building Construction
B 813-00 (2009)	Specification for Liquid and Paste Fluxes for Soldering Applications of Copper and Copper Alloy Tube
B 828-02	Practice for Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings
C 4-04e01	Specification for Clay Drain Tile and Perforated Clay Drain Tile
C 5-03	Specification for Quicklime for Structural Purposes
C 14-07	Specification for Non-reinforced Concrete Sewer, Storm Drain and Culvert Pipe
C 22/C 22M-00 (2005) e01	Specification for Gypsum
C 27-98(2008)	Specification for Standard Classification of Fireclay and High-alumina Refractory Brick
C 28/C 28M-00 (2005)	Specification for Gypsum Plasters
C 31/C 31M-08b	Practice for Making and Curing Concrete Test Specimens in the Field
C 33/C33M-08	Specification for Concrete Aggregates
C 34-03	Specification for Structural Clay Load-bearing Wall Tile
C 35-01(2005)	Specification for Inorganic Aggregates for Use in Gypsum Plaster
C 55-06e01	Specification for Concrete Building Brick
C 56-05	Specification for Structural Clay Nonload Bearing Tile
C 59/C 59M-00 (2006)	Specification for Gypsum Casting and Molding Plaster
C 61/C 61M-00 (2006)	Specification for Gypsum Keene's Cement
C 62-08	Specification for Building Brick (Solid Masonry Units Made from Clay or Shale)
C 67-08	Test Methods of Sampling and Testing Brick and Structural Clay Tile
C 73-05	Specification for Calcium Silicate Face Brick (Sand-lime Brick)
C 76-08a	Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe
C 90-08	Specification for Load-bearing Concrete Masonry Units

## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
C 91—05	Specification for Masonry Cement
C 94/C 94M—09	Specification for Ready-Mixed Concrete
C 126—99 (2005)	Specification for Ceramic Glazed Structural Clay Facing Tile, Facing Brick and Solid Masonry Units
C 129—06	Specification for Nonload-bearing Concrete Masonry Units
C 140—08a	Test Method Sampling and Testing Concrete Masonry Units and Related Units
C 143/C 143M—08	Test Method for Slump or Hydraulic Cement Concrete
C 145-85 this is withdrawn and replaced with C 90	Specification for Solid Load-bearing Concrete Masonry Units
C 150—07	Specification for Portland Cement
C 172—08	Practice for Sampling Freshly Mixed Concrete
C 199—84 (2005)	Test Method for Pier Test for Refractory Mortars
C 203—05a	Standard Test Methods for Braking Load and Flexural Properties of Block-type Thermal Insulation
C 206—03	Specification for Finishing Hydrated Lime
C 207—06	Specification for Hydrated Lime for Masonry Purposes
C 208—08a	Specification for Cellulosic Fiber Insulating Board
C 212—00 (2006)	Specification for Structural Clay Facing Tile
C 216—07a	Specification for Facing Brick (Solid Masonry Units Made from Clay or Shale)
C 270—08a	Specification for Mortar for Unit Masonry
C 272—01(2007)	Standard Test Method for Water Absorption of Core Materials for Structural Sandwich Construction
C 273/C273M—07a	Standard Test Method for Shear Properties of Sandwich Core Materials
C 296—00(2004)e1	Specification for Asbestos-Cement Pressure Pipe
C 315—07	Specification for Clay Flue Liners and Chimney Pots
C 317/C 317M—00 (2005)	Specification for Gypsum Concrete
C 330—05	Specification for Lightweight Aggregates for Structural Concrete
C 331—05	Specification for Lightweight Aggregates for Concrete Masonry Units
C 406—06e01	Specification for Roofing Slate
C 411—05	Test Method for Hot-Surface Performance of High-Temperature Thermal Insulation
C 425—04	Specification for Compression Joints for Vitrified Clay Pipe and Fittings
C 428—05(2006)	Specification for Asbestos-Cement Nonpressure Sewer Pipe
C 443—05a	Specification for Joints for Circular Concrete Sewer and Culvert Pipe, Using Rubber Gaskets
C 472—99 (2004)	Specification for Standard Test Methods for Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete
C 473—07	Test Method for Physical Testing of Gypsum Panel Products
C 474—05	Test Methods for Joint Treatment Materials for Gypsum Board Construction
C 475/C 475M—02 (2007)	Specification for Joint Compound and Joint Tape for Finishing Gypsum Wallboard
C 476—08	Specification for Grout for Masonry
C496-96	Standard Test Method for Splitting Tensile Strength of Cylindrical concrete specimens
C 503—08a	Specification for Marble Dimension Stone (Exterior)
C 508—00(2004)	Specification for Asbestos-Cement Underdrain Pipe
C 514—04	Specification for Nails for the Application of Gypsum Board
C 516—08a	Specifications for Vermiculite Loose Fill Thermal Insulation
C 547—07e1	Specification for Mineral Fiber Pipe Insulation
C 549—06	Specification for Perlite Loose Fill Insulation
C 552—07	Standard Specification for Cellular Glass Thermal Insulation
C 557—03e01	Specification for Adhesives for Fastening Gypsum Wallboard to Wood Framing
C 564—08	Specification for Rubber Gaskets for Cast Iron Soil Pipe and Fittings
C 568—08a	Specification for Limestone Dimension Stone
C 578—08b	Standard Specification for Rigid, Cellular Polystyrene Thermal Insulation
C 587—04	Specification for Gypsum Veneer Plaster

## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
C 595—08a	Specification for Blended Hydraulic Cements
C 615—03	Specification for Granite Dimension Stone
C 616—08a	Specification for Quartz Dimension Stone
C 629—08	Specification for Slate Dimension Stone
C 631—09	Specification for Bonding Compounds for Interior Gypsum Plastering
C 635/C635M—07	Specification for the Manufacture, Performance and Testing of Metal Suspension Systems for Acoustical Tile and Lay-in Panel Ceilings
C 636/C 636M—08	Practice for Installation of Metal Ceiling Suspension Systems for Acoustical Tile and Lay-in Panels
C 645—08a	Specification for Nonstructural Steel Framing Members
C 652—09	Specification for Hollow Brick (Hollow Masonry Units Made from Clay or Shale)
C 685/C 685M—07	Specification for Concrete Made by Volumetric Batching and Continuous Mixing
C 700—07a	Specification for Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated
C 726—05e1	Standard Specification for Mineral Fiber Roof Insulation Board
C 728—05	Standard Specification for Perlite Thermal Insulation Board
C 744—08	Specification for Prefaced Concrete and Calcium Silicate Masonry Units
C 754—08	Specification for Installation of Steel Framing Members to Receive Screw-attached Gypsum Panel Products
C 836—06	Specification for High-solids Content, Cold Liquid-applied Elastomeric Waterproofing Membrane for Use with Separate Wearing Course
C 840—08	Specification for Application and Finishing of Gypsum Board
C 841—03 (2008) e1	Specification for Installation of Interior Lathing and Furring
C 842—05	Specification for Application of Interior Gypsum Plaster
C 843—99 (2006)	Specification for Application of Gypsum Veneer Plaster
C 844—04	Specification for Application of Gypsum Base to Receive Gypsum Veneer Plaster
C 847—09	Specification for Metal Lath
C 887—05	Specification for Packaged, Dry Combined Materials for Surface Bonding Mortar
C 897—05	Specification for Aggregate for Job-Mixed Portland Cement-based Plaster
C 913—08	Specification for Precast Concrete Water and Wastewater Structures
C 920—08	Standard for Specification for Elastomeric Joint Sealants
C 920—11	Standard for Specification for Elastomeric Joint Sealants
C 926—06	Specification for Application of Portland Cement-based Plaster
C 932—06	Specification for Surface-applied Bonding Compounds Agents for Exterior Plastering
C 933—07b	Specification for Welded Wire Lath
C 946—91 (2001)	Specification for Practice for Construction of Dry-stacked, Surface-bonded Walls
C 954—07	Specification for Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 inch (0.84 mm) to 0.112 inch (2.84 mm) in Thickness
C 955—09	Standard Specification for Load-bearing (Transverse and Axial) Steel Studs, Runners Tracks, and Bracing or Bridging, for Screw Application of Gypsum Panel Products and Metal Plaster Bases
C 956—04	Specification for Installation of Cast-in-place Reinforced Gypsum Concrete
C 957—06	Specification for High-solids Content, Cold Liquid-applied Elastomeric Waterproofing Membrane with Integral Wearing Surface
C 1002—07	Specification for Steel Self-piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs
C 1007—08a	Specification for Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories
C 1019—09	Test Method of Sampling and Testing Grout
C 1029—08	Specification for Spray-applied Rigid Cellular Polyurethane Thermal Insulation
C 1032—06	Specification for Woven Wire Plaster Base
C 1047—09	Specification for Accessories for Gypsum Wallboard and Gypsum Veneer Base
C 1053—00(2005)	Specification for Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent (DWV) Applications
C 1063—08	Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland

## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
	Cement-based Plaster
C 1088—09	Specification for Thin Veneer Brick Units Made from Clay or Shale
C 1107/C 1107M—08	Standard Specification for Packaged Dry, Hydraulic-cement Grout (Nonshrink)
C 1116/C 1116M—08a	Standard specification for Fiber-reinforced Concrete and Shotcrete
C 1167—03	Specification for Clay Roof Tiles
C 1173—08	Specification for Flexible Transition Coupling for Underground Piping Systems
C 1177/C 1177M—08	Specification for Glass Mat Gypsum Substrate for Use as Sheathing
C 1178/C 1178M—06	Specification for Coated Mat Water-resistant Gypsum Backing Panel
C 1186—08	Specification for Flat Fiber Cement Sheets
C 1261—07	Specification for Firebox Brick for Residential Fireplaces
C 1277—08	Specification for Shielded Couplings Joining Hubless Cast Iron Soil Pipe and Fittings
C 1278/C 1278M—07a	Specification for Fiber-reinforced Gypsum Panels
C 1280—09	Specification for Application of Gypsum Sheathing
C 1283—07a	Practice for Installing Clay Flue Lining
C 1288—99 (2004) e1	Standard Specification for Discrete Nonasbestos Fiber-cement Interior Substrate Sheets
C 1289—08	Standard Specification for Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board
C 1314—07	Test Method for Compressive Strength of Masonry Prism
C 1325—08b	Standard Specification for Nonasbestos Fiber-mat Reinforced Cementitious Backer Units
C 1328—05	Specification for Plastic (Stucco Cement)
C 1364—07	Standard Specification for Architectural Cast Stone
C 1371—04 (a)	Standard Test Method for Determination of Emittance of Materials Near Room Temperature Using Portable Emissometers
C 1386—07	Specification for Precast Autoclaved Aerated Concrete (AAC) Wall Construction Units
C 1396/C1396M—06a	Specification for Gypsum Board
C 1405—08	Standard Specification for Glazed Brick (Single Fired, Solid Brick Units)
C 1440—08	Specification for Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems
C 1460—08	Specification for Shield Transition Couplings for Use with Dissimilar DWV Pipe and Fittings Above Ground
C 1461—08	Specification for Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste and Vent (DWV) Sewer, Sanitary and Storm Plumbing Systems for Above and Below Ground Use
C 1492—03	Standard Specification for Concrete Roof Tile
C 1513—04	Standard Specification for Steel Tapping Screws for Cold-Formed Steel Framing Connections
C 1540—08	Specification for Heavy Duty Shielded Couplings Joining Hubless Cast-iron Soil Pipe and Fittings
C 1549—09	Standard Test Method for Determination of Solar Reflectance Near Ambient Temperature Using A Portable Solar Reflectometer
C 1549—04	Standard Test Method for Determination of Solar Reflectance Near Ambient Temperature Using A Portable Solar Reflectometer
C 1563—08	Standard Test Method for Gaskets for Use in Connection with Hub and Spigot Cast Iron Soil Pipe and Fittings for Sanitary Drain, Waste, Vent and Storm Piping Applications
C 1629/C 1629M—06	Standard Classification for Abuse-resistant Nondecorated Interior Gypsum Panel Products and Fiber-reinforced Cement Panels
C 1658/C 1658M—06	Standard Specification for Glass Mat Gypsum Panels
D 25—99 (2005)	Specification for Round Timber Piles
D 41—05	Specification for Asphalt Primer Used in Roofing, Dampproofing and Waterproofing
D 43—00 (2006)	Specification for Coal Tar Primer Used in Roofing, Dampproofing and Waterproofing
D 56—05	Test Method for Flash Point By Tag Closed Tester
D 86—09	Test Method for Distillation of Petroleum Products at Atmospheric Pressure
D 92—05a	Test Method for Flash and Fire Points by Cleveland Open Cup
D 93—08	Test Method for Flash Point By Pensky-Martens Closed Cup Tester
D 225—07	Specification for Asphalt Shingles (Organic Felt) Surfaced with Mineral Granules



## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
D 226—06	Specification for Asphaltsaturated Organic Felt Used in Roofing and Waterproofing
D 227—03	Specification for Coal-tar-saturated Organic Felt Used in Roofing and Waterproofing
D 312—00 (2006)	Specification for Asphalt Used in Roofing
D 323—08	Test Method for Vapor Pressure of Petroleum Products (Reid Method)
D 422—63 (2007)	Test Method for Particle-size Analysis of Soils
D 448—08	Standard Classification for Sizes of Aggregate for Road and Bridge Construction
D 449—03 (2008)	Specification for Asphalt Used in Dampproofing and Waterproofing
D 450—07	Specification for Coal-tar Pitch Used in Roofing, Dampproofing and Waterproofing
D 635—06	Test Method for Rate of Burning and/or Extent and Time of Burning of Self-supporting Plastics in a Horizontal Position
D 1003—07e1	Standard Test Method for Haze and Luminous Transmittance of Transparent Plastics
D 1143/D 1143M—07e1	Test Method for Piles Under Static Axial Compressive Load
D 1227—95 (2007)	Specification for Emulsified Asphalt Used as a Protective Coating for Roofing
D 1248—05	Specification for Polyethylene Plastics Extrusion Materials for Wire and Cable
D1253-08	Standard Test Method for Residual Chlorine in Water
D 1527—99(2005)	Specification for Acrylonite-butadiene-styrene (ABS) Plastic Pipe, Schedules 40 and 80
D 1557—07	Test Method for Laboratory Compaction Characteristics of Soil Using Modified Effort [56,000 ft-lb/ft <sup>3</sup> (2,700 KN m/m <sup>3</sup> )]
D 1593—09	Non-rigid vinyl chloride plastic sheeting
D 1621—04a	Standard Test Method for Compressive Properties of Rigid Cellular Plastics
D 1622—08	Standard Test Method for Apparent Density of Rigid Cellular Plastics
D 1623—03	Standard Test Method for Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics
D 1693—08	Test Method for Environmental Stress-cracking of Ethylene Plastics
D 1761—06	Test Method for Mechanical Fasteners in Wood
D 1784—08	Standard Specification for Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly (Vinyl Chloride) (CPVC) Compounds
D 1785—06	Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80 and 120
D 1863—05	Specification for Mineral Aggregate Used on Built-up Roofs
D 1869—95(2005)e1	Specification for Rubber Rings for Asbestos-cement Pipe
D 1929—96 (2001) e01- Withdrawn	Test Method for Determining Ignition Temperatures of Plastics
D 1970—09	Specification for Self-adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roof Underlayment for Ice Dam Protection
D 2104—03	Specification for Polyethylene (PE) Plastic Pipe, Schedule 40
D 2126—04	Standard Test Method for Response of Rigid Cellular Plastics to Thermal and Humid Aging
D 2178—04	Specification for Asphalt Glass Felt Used in Roofing and Waterproofing
D 2235—04	Specification for Solvent Cement for Acrylonitrile-butadiene-styrene (ABS) Plastic Pipe and Fittings
D 2239—03	Specification for Polyethylene (PE) Plastic Pipe (SIDR-PR) Based on Controlled Inside Diameter
D 2241—05	Specification for Poly (Vinyl Chloride) (PVC) Pressure-rated Pipe (SDR-Series)
D 2241—09	Specification for Poly (Vinyl Chloride) (PVC) Pressure-rated Pipe (SDR-Series)
D 2282—99(2005) WithDrawn but available	Specification for Acrylonitrile-butadiene-styrene (ABS) Plastic Pipe (SDR-PR)
D 2412—02(2008)	Test Method for Determination of External Loading Characteristics of Plastic Pipe by Parallel-plate Loading
D 2447—03	Specification for Polyethylene (PE) Plastic Pipe Schedules 40 and 80, Based on Outside Diameter
D 2464—06	Specification for Threaded Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80
D 2466—06	Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40
D 2467—06	Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80
D 2468—96a	Specification for Acrylonitrile-butadiene-styrene (ABS) Plastic Pipe Fittings, Schedule 40
D 2487—06e1	Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System)
D 2513—08b	Specification for Thermoplastic Gas Pressure Pipe, Tubing and Fittings
D 2513—09	Specification for Polyethylene (PE) Gas Pressure Pipe, Tubing and Fittings

## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
D 2559—04	Standard Specification for Adhesives for Structural Laminated Wood Products for Use Under Exterior (West Use) Exposure Conditions
D 2564—04e1	Specification for Solvent Cements for Poly (Vinyl Chloride) (PVC) Plastic Piping Systems
D 2609—02(2008)	Specification for Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe
D 2626—04	Specification for Asphalt Saturated and Coated Organic Felt Base Sheet Used in Roofing
D 2657—07	Standard Practice for Heat Fusion-joining of Polyolefin Pipe Fittings
D 2661—08	Specification for Acrylonitrile-butadiene-styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings
D 2665—09	Specification for Poly (Vinyl Chloride) (PVC) Plastic Drain, Waste and Vent Pipe and Fittings
D 2672—96a(2003)	Specification for Joints for IPS PVC Pipe Using Solvent Cement
D 2672—96a (2009)	Specification for Joints for IPS PVC Pipe Using Solvent Cement
D 2683—04	Specification for Socket-type Polyethylene Fittings for Outside Diameter-controlled Polyethylene Pipe and Tubing
D 2729—03	Specification for Poly (Vinyl Chloride) (PVC) Sewer Pipe and Fittings
D 2737—03	Specification for Polyethylene (PE) Plastic Tubing
D 2751—05	Specification for Acrylonitrile-butadiene-styrene (ABS) Sewer Pipe and Fittings
D 2822—05	Specification for Asphalt Roof Cement, Asbestos Containing
D 2823—05	Specification for Asphalt Roof Coatings, Asbestos Containing
D 2824—06	Standard Specification for Aluminum-Pigmented Asphalt Roof Coating, Nonfibered, Asbestos Fibered and Fibered without Asbestos
D 2837—08	Test Method for Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products
D 2843—99 (2004) e01	Test for Density of Smoke from the Burning or Decomposition of Plastics
D 2846/D 2846M—09	Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Hot- and Cold-water Distribution Systems
D 2846/D 2846M—09b	Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Hot- and Cold-water Distribution Systems
D 2855—96 (2002)	Standard Practice for Making Solvent-cemented Joints with Poly (Vinyl Chloride) (PVC) Pipe and Fittings
D 2859—06	Standard Test Method for Ignition Characteristics of Finished Textile Floor Covering Materials.
D 2898—08e1	Test Methods for Accelerated Weathering of Fire retardant-treated Wood for Fire Testing
D 2949—01a(2008)	Specification for 3.25-in. Outside Diameter Poly (Vinyl Chloride) (PVC) Plastic Drain, Waste and Vent Pipe and Fittings
D 2974—07a	Standard Test Methods for Moisture, Ash, and Organic Matter of Peat and other Organic Soils
D 2996—01(2007)e01	Specification for Filament-wound Fiberglass (Glass Fiber Reinforced Thermosetting Resin) Pipe
D 3019—08	Specification for Lap Cement Used with Asphalt Roll Roofing, Nonfibered, Asbestos Fibered and Nonasbestos Fibered
D 3034—08	Specification for Type PSM Poly (Vinyl Chloride) (PVC) Sewer Pipe and Fittings
D 3035—08	Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based On Controlled Outside Diameter
D 3139—98(2005)	Specification for Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals
D 3161—09	Test Method for a Wind Resistance of Asphalt Shingles (Fan Induced Method)
D 3200—74 (2005)	Standard Specification and Test Method for Establishing Recommended Design Stresses for Round Timber Construction Poles
D 3201—08a	Test Method for Hygroscopic Properties of Fire-retardant-treated Wood and Wood-based Products
D 3212—07	Specification for Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals
D 3261—03	Specification for Butt Heat Fusion Polyethylene (PE) Plastic Fittings for Polyethylene (PE) Plastic Pipe and Tubing
D 3278—96 (2004)e1	Test Methods for Flash Point of Liquids by Small Scale Closed-cup Apparatus
D 3309—96a (2002)	Specification for Polybutylene (PB) Plastic Hot- and Code-water Distribution System
D 3311—08	Specification for Drain, Waste and Vent (DWV) Plastic Fittings Patters
D 3350—08	Specification for Polyethylene Plastic Pipe and Fitting Materials

## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
D 3385—09	Standard Test Method for Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer
D 3462—09	Specification for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules
D 3468—99 (2006) e01	Specification for Liquid-applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing
D 3679—09	Specification for Rigid Poly [Vinyl Chloride (PVC) Siding]
D 3689—07	Test Methods for Deep Foundations Under Static Axial Tensile Load
D 3737—08	Practice for Establishing Allowable Properties for Structural Glued Laminated Timber (Glulam)
D 3746—85 (2008)	Test Method for Impact Resistance of Bituminous Roofing Systems
D 3747—79 (2007)	Specification for Emulsified Asphalt Adhesive for Adhering Roof Insulation
D 3909—97b (2004)	Specification for Asphalt Roll Roofing (Glass Felt) Surfaced with Mineral Granules
D 3909—97b (2004)e1	Specification for Asphalt Roll Roofing (Glass Felt) Surfaced with Mineral Granules
D 3957—06	Standard Practices for Establishing Stress Grades for Structural Members Used in Log Buildings
D 3960—05	Standard Practice of Determining Volatile Organic Compound (VOC) Content of Paints & Related Coatings
D 4022—07	Specification for Coal Tar Roof Cement, Asbestos Containing
D 4068—01	Specification for Chlorinated Polyethylene (CPE) Sheeting for Concealed Water Containment Membrane
D 4272—08a	Test Method for Total Energy Impact of Plastic Films by Dart Drop
D 4318—05	Test Methods for Liquid Limit, Plastic Limit and Plasticity Index of Soils
D 4434/D4434M—09	Specification for Poly (Vinyl Chloride) Sheet Roofing
D 4479—07	Specification for Asphalt Roof Coatings-Asbestos-free
D 4551—96 (2008)e1	Specification for Poly (Vinyl) Chloride (PVC) Plastic Flexible Concealed Water-containment Membrane
D 4586—07	Specification for Asphalt Roof Cement-Asbestos-free
D 4601—04	Specification for Asphalt-coated Glass Fiber Base Sheet Used in Roofing
D 4637—08	Specification for EPDM Sheet Used in Single-ply Roof Membrane
D 4829—08a	Test Method for Expansion Index of Soils
D 4869—05e01	Specification for Asphalt-saturated (Organic Felt) — Underlayment Used in Steep Slope Roofing
D 4897—01	Specification for Asphalt-coated Glass Fiber Venting Base Sheet Used in Roofing
D 4945—08	Test Method for High-strain Dynamic Testing of Piles
D 4990—97a (2005) e01	Specification for Coal Tar Glass Felt Used in Roofing and Waterproofing
D 5019—07a	Specification for Reinforced Nonvulcanized Polymeric Sheet Used in Roofing Membrane
D 5055—09	Specification for Establishing and Monitoring Structural Capacities of Prefabricated Wood I-joists
D 5055—10	Specification for Establishing and Monitoring Structural Capacities of Prefabricated Wood I-joists
D5093-02 (2008)	Standard Test Method for Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer With Sealed-Inner Ring
D5197-09	Test Method for Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology)
D 5456—09	Specification for Evaluation of Structural Composite Lumber Products
D 5456—10	Specification for Evaluation of Structural Composite Lumber Products
D5464-07	Standard Test Method for pH Measurement of Water of Low Conductivity
D5466-01 (2007)	Test Method for Determination of Volatile Organic Chemicals in Atmospheres (Canister Sampling Methodology)
D 5516—03	Test Method of Evaluating the Flexural Properties of Fire-retardant-treated Softwood Plywood Exposed to the Elevated Temperatures
D 5643—06	Specification for Coal Tar Roof Cement, Asbestos-free
D 5664—08	Test Methods for Evaluating the Effects of Fireretardant Treatment and Elevated Temperatures on Strength Properties of Fire-retardant-treated Lumber
D 5665—99a (2006)	Specification for Thermoplastic Fabrics Used in Cold-applied Roofing and Waterproofing
D 5726—98 (2005)	Specification for Thermoplastic Fabrics Used in Hot-applied Roofing and Waterproofing
D5907-10	Standard Test Methods for Filterable Matter (Total Dissolved Solids) and Nonfilterable Matter (Total



## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
	Suspended Solids) in Water
D6007-02 (2008)	Standard Test Method for Determining Formaldehyde Concentrations in Air from Wood Products Using a Small-Scale Chamber
D 6083—05e01	Specification for Liquid Applied Acrylic Coating Used in Roofing
D 6162—00A (2008)	Specification for Styrene-butadiene-styrene (SBS) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements
D 6163—00 (2008)	Specification for Styrene-butadiene-styrene (SBS) Modified Bituminous Sheet Materials Using Glass Fiber Reinforcements
D 6164—05e1	Specification for Styrene-butadiene-styrene (SBS) Modified Bituminous Sheet Metal Materials Using Polyester Reinforcements
D6196-03 (2009)	Standard Practice for Selection of Sorbents, Sampling, and Thermal Desorption Analysis Procedures for Volatile Organic Compounds in Air
D 6222—08	Specification for Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using Polyester Reinforcements
D 6223—02	Specification for Atactic Polypropylene (APP) Modified Bituminous Sheet Materials Using a Combination of Polyester and Glass Fiber Reinforcements
D 6298—05e1	Specification for Fiberglass Reinforced Styrene-butadiene-styrene (SBS) Modified Bituminous Sheets with a Factory Applied Metal Surface
D 6305—08	Practice for Calculating Bending Strength Design Adjustment Factors for Fire-retardant-treated Plywood Roof Sheathing
D6345-10	Standard Guide for Selection of Methods for Active, Integrative Sampling of Volatile Organic Compounds in Air
D 6380—03 (2009)	Standard Specification for Asphalt Roll Roofing (Organic) Felt
D 6509/D6509M—09	Standard Specification for Atactic Polypropylene (APP) Modified Bituminous base Sheet Materials Using Glass Fiber Reinforcements
D 6662—09	Standard Specification for Polyolefin-based Plastic Lumber Decking Boards
D 6694—08	Standard Specification for Liquid-applied Silicone Coating Used in Spray Polyurethane Foam Roofing
D 6698-07	Standard Test Method for On-Line Measurement of Turbidity Below 5 NTU in Water
D 6754—02	Standard Specification for Ketone Ethylene Ester Based Sheet Roofing
D 6757—07	Standard Specification for Inorganic Underlayment for Use with Steep Slope Roofing Products
D 6841—08	Standard Practice for Calculating Design Value Treatment Adjustment Factors for Fire-retardant-treated Lumber
D 6866—11	Standard Test Methods for Determining the Biobased Content of Solid, Liquid, and Gaseous Samples Using Radiocarbon Analysis
D 6878—08e1	Standard Specification for Thermoplastic Polyolefin Based Sheet Roofing
D 6947—07	Standard Specification for Liquid Applied Moisture Cured Polyurethane Coating Used in Spray Polyurethane Foam Roofing System
D 7032—08	Standard Specification for Establishing Performance Ratings for Wood-plastic Composite Deck Boards and Guardrail Systems (Guards or Handrails)
D 7158—08d	Standard Test Method for Wind Resistance of Sealed Asphalt Shingles (Uplift Force/Uplift Resistance Method)
D 7254—07	Standard Specification for polypropylene (PP) siding
D7612-10	Standard Practice in Categorizing Wood and Wood-Based Products according to their Fiber Sources
E 84—09	Test Methods for Surface Burning Characteristics of Building Materials
E 90—04	Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements
E 96/E 96M—05	Test Method for Water Vapor Transmission of Materials
E 108—07a	Test Methods for Fire Tests of Roof Coverings
E 119—08a	Test Methods for Fire Tests of Building Construction and Materials
E 136—09	Test Method for Behavior of Materials in a Vertical Tube Furnace at 750°C
E 283—04	Test Method for Determining the Rate of Air Leakage through Exterior Windows, Curtain Walls and Doors Under Special Pressure Differences Across the Specimen

## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
E 330—02	Test Method for Structural Performance of Exterior Windows, Curtain Walls and Doors by Uniform Static Air Pressure Difference
E 331—00 (2009)	Test Method for Water Penetration of Exterior Windows, Skylights, Doors and Curtain Walls by Uniform Static Air Pressure Difference
E336—2010	Standard Test Method for Measurement of Airborne Sound Attenuation Between Rooms in Buildings
E 408—71(2002)	Test Methods for Total Normal Emittance of Surfaces Using Inspection-Meter Techniques
E 408-71 (2008)	Standard Test Methods for Total Normal Emittance of Surfaces Using Inspection-Meter Techniques
E 413-10	Classification for Rating Sound Insulation
E 492—09	Test Method for Laboratory Measurement of Impact Sound Transmission Through Floor-ceiling Assemblies Using the Tapping Machine
E519-00e1	Standard Test Method for Diagonal Tension (Shear) in Masonry Assemblages
E 605—93 (2006)	Test Method for Thickness and Density of Sprayed Fire-resistive Material (SFRM) Applied to Structural Members
E 681—04	Test Methods for Concentration Limits of Flammability of Chemical Vapors and Gases
E 736—00 (2006)	Test Method for Cohesion/Adhesion of Sprayed Fire-resistive Materials Applied to Structural Members
E 779—03	Standard Test Method for Determining Air Leakage Rate by Fan Pressurization
E 814—08b	Test Method of Fire Tests of Through-penetration Firestops
E 903—96	Standard Test Method Solar Absorptance, Reflectance and Transmittance of Materials Using Integrating Spheres (Withdrawn 2005)
E 970—08a	Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using a Radiant Heat Energy Source
E 1300—07e01	Practice for Determining Load Resistance of Glass in Buildings
E 1354—09	Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter
E 1509—04	Specification for Room Heaters, Pellet Fuel-burning Type
E 1529—06	Test Method for Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies
E 1537—07	Test Method for Fire Testing of Real Scale Upholstered Furniture Items
E 1590—07	Test Method for Fire Testing of Real Scale Mattresses
E 1592—05	Test Method for Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference
E 1602—03	Guide for Construction of Solid Fuel-burning Masonry Heaters
E 1677—05	Standard Specification for an Air Retarder (AR) Material or System for Low Rise Framed Building Walls
E 1886—05	Test Method for Performance of Exterior Windows, Curtain Walls, Doors and Storm Shutters Impacted by Missiles and Exposed to Cyclic Pressure Differentials
E 1918—97	Standard Test Method for Measuring Solar Reflectance of Horizontal or Low-Sloped Surfaces in the Field
E 1966—07	Test Method for Fire-resistant Joint Systems
E 1980 (2001)	Standard Practice for Calculating Solar Reflectance Index of Horizontal and Low-Sloped Opaque Surfaces
E 1996—09	Specification for Performance of Exterior Windows, Glazed Curtain Walls, Doors and Impact Protective Systems Impacted by Windborne Debris in Hurricanes
E 2072—04	Standard Specification for Photoluminescent (Phosphorescent) Safety Markings
E 2174—09	Standard Practice for On-Site Inspection of Installed Fire Stops
E 2178—03	Standard Test Method for Air Permeance of Building Materials
E2231-02e01	Standard Practice for Specimen Preparation and Mounting of Pipe and Duct Insulation Materials to Assess Surface Burning Characteristics
E 2273—03	Standard Test Method for Determining the Drainage Efficiency of Exterior Insulation and Finish Systems (EIFS) Clad Wall Assemblies
E 2307—04e01	Standard Test Method for Determining Fire Resistance of Perimeter Fire Barrier Systems Using Intermediate-scale, Multistory Test Apparatus

## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
E 2336—04	Standard Test Methods for Fire Resistant Grease Duct Enclosure Systems
E 2357—05	Standard Test Method for Determining Air Leakage of Air Barriers Assemblies
E 2393—09	Standard Practice for On-Site Inspection of Installed Fire Resistant Joint Systems and Perimeter Fire Barrier
E 2404—08	Standard Practice for Specimen Preparation and Mounting of Textile, Paper or Vinyl Wall or Ceiling Coverings to Assess Surface Burning Characteristics
E 2568—09e1	Standard Specification for PB Exterior Insulation and Finish Systems (EIFS)
E 2570—07	Standard Test Method for Evaluating Water-resistant Barrier (WRB) Coatings Used Under Exterior Insulation and Finish Systems (EIFS) for EIFS with Drainage
E 2573—07a	Standard Practice for Specimen Preparation and Mounting of Site-fabricated Stretch Systems to Assess Surface Burning Characteristics.
E 2599—09	Standard Practice for Specimen Preparation and Mounting of Reflective Insulation Materials and Radiant Barrier Materials for Building Applications to Assess Surface Burning Characteristics.
E 2634—08	Standard Specification for Flat Wall Insulating Concrete Form (ICF) Systems
F 405—05	Specification for Corrugated Polyethylene (PE) Pipe and Fittings
F 409—02(2008)	Specification for Thermoplastic Accessible and Replaceable Plastic Tube and Tubular Fittings
F 437—06	Specification for Threaded Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80
F 437—09	Specification for Threaded Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80
F 438—04	Specification for Socket-type Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40
F 438—09	Specification for Socket-type Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40
F 439—06	Specification for Socket-type Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80
F 439—09	Specification for Socket-type Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80
F 441/F 441M—02(2008)	Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe, Schedules 40 and 80
F 442/F 442M—99(2005)e1	Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe (SDR-PR)
F 477—08	Specification for Elastomeric Seals (Gaskets) for Joining Plastic Pipe
F 493—04	Specification for Solvent Cements for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe and Fittings
F 547—06	Terminology of Nails for Use with Wood and Wood-based Materials
F 628—08	Specification for Acrylonitrile-butadiene-styrene (ABS) Schedule 40 Plastic Drain, Waste and Vent Pipe with a Cellular Core
F 656—08	Specification for Primers for Use in Solvent Cement Joints of Poly (Vinyl Chloride) (PVC) Plastic Pipe and Fittings
F 714—08	Specification for Polyethylene (PE) Plastic Pipe (SDR-PR) Based on Outside Diameter
F 876—08b	Specification for Cross-linked Polyethylene (PEX) Tubing
F 877—07	Specification for Cross-linked Polyethylene (PEX) Plastic Hot- and Cold-water Distribution Systems
F 891—07	Specification for Coextruded Poly (Vinyl Chloride) (PVC) Plastic Pipe with a Cellular Core
F 891—04	Specification for Coextruded Poly (Vinyl Chloride) (PVC) Plastic Pipe with a Cellular Core
F 1055—98(2006)	Specification for Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene Pipe and Tubing
F 1281—07	Specification for Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene (PEX-AL-PEX) Pressure Pipe
F 1282—06	Specification for Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe
F 1346—91 (2003)	Performance Specification for Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas and Hot Tubs
F 1412—09	Specification for Polyolefin Pipe and Fittings for Corrosive Waste Drainage
F 1476—07	Specification for Performance of Gasketed Mechanical Couplings for Use in Piping Applications

## 2012 ALL I-CODES ASTM Standards

ASTM Number	Description
F 1488—03	Specification for Coextruded Composite Pipe
F 1499—01(2008)	Specification for Coextruded Composite Drain Waste and Vent Pipe (DWV)
F 1554—07a	Specification for Anchor Bolts, Steel, 36, 55 and 105-ksi Yield Strength
F 1667—05	Specification for Driven Fasteners: Nails, Spikes and Staples
F 1673—04	Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems
F 1807—08	Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing
F 1866—07	Specification for Poly (Vinyl Chloride) (PVC) Plastic Schedule 40 Drainage and DWV Fabricated Fittings
F 1924—05	Standard Specification for Plastic Mechanical Fittings for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing
F 1960—09	Specification for Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) Tubing
F 1973—08	Standard Specification for Factory Assembled Anodeless Risers and Transition Fittings in Polyethylene (PE) and Polyamide 11 (PA 11) Fuel Gas Distribution Systems
F 1974—08	Specification for Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene Composite Pressure Pipe
F 1986—01(2006)	Multilayer Pipe Type 2, Compression Joints for Hot and Cold Drinking Water Systems
F 2006—10	Standard Safety Specification for Window Fall Prevention Devices for Nonemergency Escape (Egress) and Rescue (Ingress) Windows
F 2080—08	Specification for Cold-expansion Fittings with Metal Compression-sleeves for Cross-linked Polyethylene (PEX) Pipe
F 2090—08	Specification for Window Fall Prevention Devices with Emergency Escape (Egress) Release Mechanisms
F 2090—10	Specification for Window Fall Prevention Devices with Emergency Escape (Egress) Release Mechanisms
F 2098—08	Standard Specification for Stainless Steel Clamps for SDR9 PEX Tubing to Metal Insert Fittings
F 2159—05	Standard Specification for Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing
F 2200—05	Standard Specification for Automated Vehicular Gate Construction
F 2262—05	Standard Specification for Cross-linked Polyethylene /Aluminum/Cross-linked Polyethylene Tubing OD Controlled SDR9
F 2306/F 2306M—08	12" to 60" Annular Corrugated Profile-wall Polyethylene (PE) Pipe and Fittings for Gravity Flow Storm Sewer and Subsurface Drainage Applications
F 2389—07e1	Standard for Pressure-rated Polypropylene (PP) Piping Systems
F 2434—08	Standard Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for Polyethylene/Aluminum/Cross-linked Polyethylene (PEX-AL-PEX) Tubing
F 2623—08	Standard Specification for Polyethylene of Raised Temperature (PE-RT) SDRG Tubing
F 2735—08a	Standard Specification for SDR9 Cross-linked Polyethylene (PEX) and Raised Temperature (PE-RT) Tubing
F 2735—09	Standard Specification for SDR9 Cross-linked Polyethylene (PEX) and Raised Temperature (PE-RT) Tubing
F 2769—09	Polyethylene or Raised Temperature (PE-RT) Plastic Hot and Cold-Water Tubing and Distribution Systems
G 152—06	Practice for Operating Open Flame Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials
G 154—06	Practice for Operating Fluorescent Light Apparatus for UV Exposure of Nonmetallic Materials
G 155—05a	Practice for Operating Xenon Arc Light Apparatus for Exposure of Nonmetallic Materials